



**CASE FILE  
COPY**

# **AEROSPACE MEDICINE AND BIOLOGY**

**A CONTINUING BIBLIOGRAPHY**

**WITH INDEXES**

**(Supplement 172)**

**OCTOBER 1977**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION**

## **ACCESSION NUMBER RANGES**

**Accession numbers cited in this Supplement fall within the following ranges:**

**STAR (N-10000 Series)      N77-26066—N77-28059**

**IAA (A-10000 Series)      A77-37061—A77-40470**

**This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by Informatics Information Systems Company.**

# AEROSPACE MEDICINE AND BIOLOGY

## A CONTINUING BIBLIOGRAPHY WITH INDEXES

(Supplement 172)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in September 1977 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



*Scientific and Technical Information Office*

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

OCTOBER 1977

*Washington, D.C.*

**NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS). Questions on the availability of the predecessor publications, Aerospace Medicine and Biology (Volumes I - XI) should be directed to NTIS.**

**This Supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, at the price code E02 (\$4.75 domestic; \$9.50 foreign).**

# INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* (NASA SP-7011) lists 132 reports, articles and other documents announced during September 1977 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964; since that time, monthly supplements have been issued.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the earth's atmosphere or in interplanetary space. References describing similar effects of biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged in two major sections: *IAA Entries* and *STAR Entries*, in that order. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. This procedure, which saves time and money, accounts for the slight variation in citation appearances.

Two indexes -- subject and personal author -- are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1977 Supplements.

# AVAILABILITY OF CITED PUBLICATIONS

## IAA ENTRIES (A77-10000 Series)

All publications abstracted in this Section are available from the Technical Information Service, American Institute of Aeronautics and Astronautics, Inc. (AIAA), as follows: Paper copies are available at \$5.00 per document up to a maximum of 20 pages. The charge for each additional page is 25 cents. Microfiche<sup>(1)</sup> are available at the rate of \$1.50 per microfiche for documents identified by the # symbol following the accession number. A number of publications, because of their special characteristics, are available only for reference in the AIAA Technical Information Service Library. Minimum airmail postage to foreign countries is \$1.00. Please refer to the accession number, e.g., (A77-10026), when requesting publications.

## STAR ENTRIES (N77-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code followed by the letters HC or MF in the *STAR* citation. Price codes are given in the tables on page vii of the current issue of *STAR*.

Microfiche<sup>(1)</sup> is available regardless of age for those accessions followed by a # symbol.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Unit.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the \* symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report* number shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, at the standard \$3.00 price, for those documents identified by a # symbol.)

Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, D.C. 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size, containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26:1 reduction).

- Avail: ERDA Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Energy Research and Development Administration reports, usually in microfiche form, are listed in *Nuclear Science Abstracts*. Services available from the ERDA and its depositories are described in a booklet, *Science Information Available from the Energy Research and Development Administration* (TID-4550), which may be obtained without charge from the ERDA Technical Information Center.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, California. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: ZLDI. Sold by the Zentralstelle für Luftfahrtokumentation und -Information, Munich, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: U.S. Patent Office. Sold by Commissioner of Patents, U.S. Patent Office, at the standard price of 50 cents each, postage free.
- Other availabilities: If the publication is available from a source other than the above, the publisher and his address will be displayed entirely on the availability line or in combination with the corporate author line.

## SUBSCRIPTION AVAILABILITY

This publication is available on subscription from the National Technical Information Service (NTIS). The annual subscription rate for the monthly supplements, excluding the annual cumulative index, is \$45.00 domestic; \$75.00 foreign. All questions relating to the subscriptions should be referred to NTIS.

## ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics  
and Astronautics  
Technical Information Service  
750 Third Ave.  
New York, N.Y. 10017

British Library Lending Division,  
Boston Spa, Wetherby, Yorkshire,  
England

Commissioner of Patents  
U.S. Patent Office  
Washington, D.C. 20231

Energy Research and Development  
Administration  
Technical Information Center  
P.O. Box 62  
Oak Ridge, Tennessee 37830

ESA-Space Documentation Service  
ESRIN  
Via Galileo Galilei  
00044 Frascati (Rome) Italy

Her Majesty's Stationery Office  
P.O. Box 569, S.E. 1  
London, England

NASA Scientific and Technical Information  
Facility  
P.O. Box 8757  
B. W. I. Airport, Maryland 21240

National Aeronautics and Space  
Administration  
Scientific and Technical Information  
Office (KSI)  
Washington, D.C. 20546

National Technical Information Service  
5285 Port Royal Road  
Springfield, Virginia 22161

Pendragon House, Inc.  
899 Broadway Avenue  
Redwood City, California 94063

Superintendent of Documents  
U.S. Government Printing Office  
Washington, D.C. 20402

University Microfilms  
A Xerox Company  
300 North Zeeb Road  
Ann Arbor, Michigan 48106

University Microfilms, Ltd.  
Tylers Green  
London, England

U.S. Geological Survey  
1033 General Services Administration  
Building  
Washington, D.C. 20242

U.S. Geological Survey  
601 E. Cedar Avenue  
Flagstaff, Arizona 86002

U.S. Geological Survey  
345 Middlefield Road  
Menlo Park, California 94025

U.S. Geological Survey  
Bldg. 25, Denver Federal Center  
Denver, Colorado 80225

Zentralstelle für Luftfahrt-doku-  
mentation und -Information  
8 München 86  
Postfach 880  
Federal Republic of Germany



# TABLE OF CONTENTS

	Page
IAA Entries (A77-10000).....	241
STAR Entries (N77-10000).....	251
Subject Index.....	I-1
Personal Author Index.....	I-15

## TYPICAL CITATION AND ABSTRACT FROM STAR

NASA SPONSORED DOCUMENT		AVAILABLE ON MICROFICHE
NASA ACCESSION NUMBER	N77-10799*#	CORPORATE SOURCE
TITLE	ON THE POSSIBLE UNIQUENESS OF INTELLIGENT LIFE IN THE UNIVERSE	PUBLICATION DATE
AUTHOR	I. S. Shklovskiy Washington NASA Oct. 1976 19 p Transl. into ENGLISH of Report PR-262. Academy of Sciences USSR, Inst. of Space Res., Moscow, 1976 p 1-30	AVAILABILITY SOURCE
CONTRACT OR GRANT	(NASA Order W-13183)	
REPORT NUMBER	(NASA-TT-F-17247) Avail: NTIS HC A02/MF A01 CSCL 03C	COSATI CODE
	<p>The modern conception of an expanding universe rejects theories of cosmic wonders, transformation of matter, or superintelligent cosmic factors as sources of intelligent life on earth. Life emerged on earth and became intelligent as the result of an extremely rare combination of improbable circumstances. The expansion of intelligent life in the universe will be accomplished by the establishment of artificial biospheres orbiting the moon or stationed in galaxies. Communications between these space colonies will rely on computer technology and radio astronomy.</p> <p style="text-align: right;">A.H.</p>	

## TYPICAL CITATION AND ABSTRACT FROM /AA

NASA SPONSORED DOCUMENT		TITLE
AIAA ACCESSION NUMBER	A77-10058*	EFFECTS OF HEAD-DOWN TILT ON FLUID AND ELECTROLYTE BALANCE. L. Volicer, R. Jean-Charles, and A. V. Chobanian
AUTHOR'S AFFILIATION	(Boston University, Boston, Mass.).	AUTHORS
CONTRACT GRANT OR SPONSORSHIP	No. NGR-22-004-021; No. NIH-RR-533.	TITLE OF PERIODICAL
	<p>The metabolic effects of -5 deg tilt were studied in eight normal individuals. Exposure to tilt for 24 hr increased sodium excretion and decreased plasma volume. Plasma renin activity and plasma aldosterone levels were not significantly different from supine values during the first 6 hr of tilting, but were increased significantly at the end of the 24-hr tilt period. Creatinine clearance and potassium balance were not affected by the tilt. These findings indicate that head-down tilt induces a sodium diuresis and stimulation of the renin-angiotensin-aldosterone system.</p> <p style="text-align: right;">(Author)</p>	

# AEROSPACE MEDICINE AND BIOLOGY

*A Continuing Bibliography (Suppl. 172)*

OCTOBER 1977

## IAA ENTRIES

**A77-37378** Prototype development of the cardiac synchronized augmented pulsation pressure concept. C. A. Phillips and D. B. Rogers (Wright State University, Dayton, Ohio). In: NAECON '76; Proceedings of the National Aerospace and Electronics Conference, Dayton, Ohio, May 18-20, 1976.

New York, Institute of Electrical and Electronics Engineers, Inc., 1976, p. 192-199. 9 refs.

This paper describes the design and development of a cardiac synchronized augmented pulsation pressure concept. The prototype system is defined in terms of its three individual components: (1) a specially modified U.S. Air Force CSU-3/P G-suit, (2) a servo-valve controlled pressure manifold, and (3) the ECG synchronizing circuitry. The prototype system has been tested in the laboratory (one human subject) and in the environmental simulator (one human subject). The data from these tests and the reactions of the subjects are presented. Engineering and physiological conclusions are drawn based upon the acquired data. Specific recommendations for future development of the augmented pulsation pressure concept are presented. (Author)

**A77-37406 \*** Comparison of numeric keyboard and CRT line-labeled buttons for information access. D. Williams (NASA, Ames Research Center, Moffett Field, Calif.). In: NAECON '76; Proceedings of the National Aerospace and Electronics Conference, Dayton, Ohio, May 18-20, 1976. New York, Institute of Electrical and Electronics Engineers, Inc., 1976, p. 419-423. 5 refs.

Test were conducted to determine whether differences in speed and accuracy are experienced when using either line-labeled index buttons or a numeric keyboard for page selection in airborne CRT-display area navigation systems. The experiment was conducted with six airline pilots, each flying the same two simulated RNAV routes. Three pilot subjects used line-labeled buttons adjacent to the CRT screen, while three used a numeric keyboard for page access. The hypothesis of no differences in response times between the two modes of access could not be rejected. B.J.

**A77-37464** Human factors analysis of symbology for ECM display. J. D. Robinson (Boeing Aerospace Co., Seattle, Wash.). In: NAECON '76; Proceedings of the National Aerospace and Electronics Conference, Dayton, Ohio, May 18-20, 1976.

New York, Institute of Electrical and Electronics Engineers, Inc., 1976, p. 882-886.

This paper presents the human factors analysis that defines the alphanumeric and special symbols to be used on the Electronic Display Units (EDU) of the B-1 defensive systems. In order to ensure rapid, accurate response to threat situations, the symbol set is required to be both easily discriminative and highly meaningful. Symbol selection resulted from the evaluation of two empirical tests. The first consisted of a static evaluation in which subjects were serially presented with test symbols in the center of a cathode ray tube. The second employed a dynamic display where symbols would pop up in a dense-moving environment. Dependent measures for both tests consisted of identification accuracy and verbal reaction time. (Author)

**A77-37465** Performance measures of human tracking utilizing PID modeling and a closed loop error metric. D. W. Repperger and E. J. Hartzell (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio). In: NAECON '76; Proceedings of the National Aerospace and Electronics Conference, Dayton, Ohio, May 18-20, 1976. New York, Institute of Electrical and Electronics Engineers, Inc., 1976, p. 887-893. 6 refs.

Data from an anti-aircraft artillery simulator are used to validate the dependence of tracking performance measured by the closed loop error and parameters obtained from a Proportional Integral Derivative (PID) model of the man. A comparison of three tracking teams is used as the data base with an azimuth and elevation operator composing each team. Although this problem is nonstationary, precognitive (a learned tracking task), two-axis, and very difficult to model by conventional means, the PID model provides a simple approach to relate the error in the closed loop to the model parameters from each team. In order to provide adequate statistical estimates of these model parameters, identification techniques are applied to the same team (replications) tracking a similar arc tangent flyby trajectory. Statistical analysis was applied to the identified parameters between trackers to evaluate the credibility of this approach. (Author)

**A77-37466** A high resolution vision system for aircraft and trainers. E. Lewis and B. Amos (Grumman Aerospace Corp., Bethpage, N.Y.). In: NAECON '76; Proceedings of the National Aerospace and Electronics Conference, Dayton, Ohio, May 18-20, 1976. New York, Institute of Electrical and Electronics Engineers, Inc., 1976, p. 894-902.

This new type of head-mounted vision system uses an Eye Tracking Helmet Mounted Display (ETHMD) with a high-resolution area that approximates the eye resolution and is servo controlled so that the high resolution area remains centered on the eye line-of-sight (LOS). The ETHMD input can be imagery from a servo controlled dual electro-optical (EO) sensor and/or computer-generated imagery (CGI). The High Resolution Vision System (HRVS), consisting of the ETHMD together with the servo controlled EO sensor and/or CGI, acts as though it were a part of the eye. Targets can be seen to + or - 160 degrees in azimuth and + or - 110 degrees in elevation because the display and sensors follow the LOS. The binocular and monocular instantaneous horizontal fields of view (FOV) are 40 degrees and 25 degrees respectively. Aircraft applications include computer generated displays that appear fixed in the cockpit, targets designated by 'looking' and pseudovisual ground contact for low level night flight. (Author)

**A77-37594 #** Efficiency of main physiological reactions of brain adaptation to hypoxia (Effektivnost' osnovnykh fiziologicheskikh reaktsii adaptatsii mozga k gipoksii). K. P. Ivanov (Akademiia Nauk SSSR, Institut Evoliutsionnoi Fiziologii i Biokhimii, Leningrad, USSR) and Iu. Ia. Kisliakov (Akademiia Nauk SSSR, Institut Fiziologii, Leningrad, USSR). *Akademiia Nauk SSSR, Doklady*, vol. 233, Apr. 11, 1977, p. 997-1000. 9 refs. In Russian.

The changes in pO<sub>2</sub> in capillaries and tissues (nerve cells) of the brain cortex during physiological enhancement of the blood oxygen capacity, blood rate through the capillaries, and change in the curve of oxyhemoglobin dissociation under normal conditions and during hypoxemia of varying degrees were computed on the basis of physiological data and mathematic modeling. A mathematical model (Ivanov and Kisliakov, 1974) of oxygen diffusion from capillaries

into a nerve cell of the brain cortex was used. Results show that the efficiency of the main physiological reactions of adaptation to hypoxia in the brain is far from unique. Under moderate hypoxemia a sharp increase in oxygen capacity of the blood up to 30 vol.% enhances pO<sub>2</sub> in the venous blood of a capillary by 4.3 and in the central part of a neuron by 2.4 torr. At the same time, a relatively small shift of the oxyhemoglobin dissociation curve to the right and a strengthening of the S-shaped bend result in an increase in pO<sub>2</sub> at the venous end of the capillary by 6.5 and in the center of the neuron by 6.9 torr. P.T.H.

**A77-37790 #** Some psychophysiological aspects of flight in formation (Nekotorye psikhofiziologicheskie osobennosti poletov stroem). V. V. Rassvetayev, A. V. Ivanov, and N. F. Mikhailik. *Voenno-Meditsinskii Zhurnal*, Apr. 1977, p. 54-56. In Russian.

Flight in formation significantly alters the structure of in-flight routine. These changes are reflected in an increased level of emotional tension, an intensification of motor functions, distorted attention distribution, and changes in the structure of information gathering processes. It is recommended that these factors be considered when training pilots for this type of activity. The importance of adequate rest before flights in formation is stressed. C.K.D.

**A77-37791 #** A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices (Metodika otsenki funktsional'nogo sostoiianiia organizma letchika s pomoshch'iu khronometricheskikh pokazatelei prostoi dvigatel'noi reaktivnosti). V. A. Sergeev and A. N. Kol'tsov. *Voenno-Meditsinskii Zhurnal*, Apr. 1977, p. 57-61. In Russian.

Different indices of simple motor reaction time in response to a sound stimulus were investigated in healthy pilots and in pilots subjected to various types of physical or mental stress (onset of angina, grip, or respiratory infections; prolonged flight). It was found that the mean square deviation of reaction time is an unreliable indicator of flight readiness, since an initial increase during the onset of an illness may disappear before recovery is complete. On the other hand, the number of instances out of a given number of trials in which reaction time greatly exceeds the norm for an individual shows a clear upswing during the onset and course of a disorder and can be used to evaluate the flight fitness of a pilot. C.K.D.

**A77-37953 \*** Cell biology experiments conducted in space. G. R. Taylor (NASA, Johnson Space Center, Houston, Tex.). *BioScience*, vol. 27, Feb. 1977, p. 102-108. 56 refs.

A review of cell biology experiments conducted during the first two decades of space flight is provided. References are tabulated for work done with six types of living test system: isolated viruses, bacteriophage-host, bacteria, yeasts and filamentous fungi, protozoans, and small groups of cells (such as hamster cell tissue and fertilized frog eggs). The general results of studies involving the survival of cells in space, the effect of space flight on growing cultures, the biological effects of multicharged high-energy particles, and the effects of space flight on the genetic apparatus of microorganisms are summarized. It is concluded that cell systems remain sufficiently stable during space flight to permit experimentation with models requiring a fixed cell line during the space shuttle era. C.K.D.

**A77-37954 \*** Microbiological profiles of the Viking spacecraft. J. R. Puteo, N. D. Fields, S. L. Bergstrom, G. S. Oxborrow, P. D. Stabekis, and R. C. Koukol (California Institute of Technology, Jet Propulsion Laboratory, Planetary Quarantine Laboratory, Cape Canaveral, Fla.). *Applied and Environmental Microbiology*, vol. 33, Feb. 1977, p. 379-384. 28 refs. Contract No. NAS7-100.

Planetary quarantine requirements associated with the launch of two Viking spacecraft necessitated microbiological assessment during assembly and testing at Cape Canaveral and the Kennedy Space Center. Samples were collected from the Viking Lander Capsules (VLC), Orbiters (VO), and Shrouds at predetermined intervals during assembly and testing. Levels of bacterial spores per square meter on the VLC-1 and VLC-2 were  $1.6 \times 10$  squared and 9.7, respectively,

prior to dry-heat sterilization. The ranges of aerobic mesophilic microorganisms detected on the VO-1 and VO-2 were  $4.2 \times 10$  squared to  $4.3 \times 10$  cubed and  $2.3 \times 10$  squared to  $8.9 \times 10$  cubed/sq m, respectively. Approximately 1300 colonies were picked from culture plates, identified, lyophilized, and stored for future reference. About 75% of all isolates were microorganisms considered indigenous to humans; the remaining isolates were associated with soil and dust. The percentage of microorganisms of human origin was consistent with results obtained with previous automated spacecraft but slightly lower than those observed for manned (Apollo) spacecraft. (Author)

**A77-37958 \*** Existence and nature of band solutions to generic chemotactic transport equations. G. Rosen (Drexel University, Philadelphia, Pa.). *Journal of Theoretical Biology*, vol. 59, 1976, p. 243-246. 9 refs. Grant No. NSG-3090.

**A77-37962 \*** Ergonomics technology. W. L. Jones (NASA, Office of Occupational Medicine, Washington, D.C.). *American Industrial Hygiene Association Journal*, vol. 38, Jan. 1977, p. 35-40.

Major areas of research and development in ergonomics technology for space environments are discussed. Attention is given to possible applications of the technology developed by NASA in industrial settings. A group of mass spectrometers for gas analysis capable of fully automatic operation has been developed for atmosphere control on spacecraft; a version for industrial use has been constructed. Advances have been made in personal cooling technology, remote monitoring of medical information, and aerosol particle control. Experience gained by NASA during the design and development of portable life support units has recently been applied to improve breathing equipment used by fire fighters. C.K.D.

**A77-38031** Effects of three kinds of hypoxias on vigilance performance. C. L. Christensen, J. A. Gliner, S. M. Horvath, and J. A. Wagner (California, University, Santa Barbara, Calif.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 491-496. 31 refs. Grants No. AF-AFOSR-73-2455; No. NIH-ES-01143.

The consequences for vigilance performance of inhaling carbon monoxide at altitude were examined. In addition, the effects of altitude and CO at an equivalent reduction in O<sub>2</sub>-carrying capacity were compared. Ten subjects performed a visual vigilance task under four atmospheric conditions. Physiological measures included heart rate, blood pressure, and ventilation. Blood hemoglobin and CO levels were measured directly from blood samples drawn after 0, 50, and 120 min of exposure. The physiological variables measured and subjective responses of subjects showed no changes attributable to the atmospheric conditions. A statistically significant change in vigilance performance, as measured by percentage of signals detected, was found between control and low oxygen; however, performance under CO and the combination of CO and low oxygen was not different from control. The lack of deterioration in performance under the combination of CO and low oxygen suggested that the increased severity of the stress resulted in activation of compensatory mechanisms which counterbalanced the decreased O<sub>2</sub> available to the tissues. (Author)

**A77-38032** Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude. L. Mathew, S. S. Purkayastha, W. Selvamurthy, and M. S. Malhotra (Defence Institute of Physiology and Allied Sciences, Delhi, India). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 497-500. 19 refs.

**A77-38033 \*** Somatosensory motion after-effect following earth-horizontal rotation about the Z-axis - A new illusion. J. R. Lackner (Brandeis University, Waltham, Mass.) and A. Graybiel (U.S. Naval Aerospace Medical Center, Aerospace Medical Research Laboratory, Pensacola, Fla.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 501, 502. 10 refs. NASA Order T-5904-B; NASA Order T-590413.

During rotation about the Z-axis while recumbent one is exposed to a changing pattern of pressure cues over the body surface. If the body is only loosely padded in the experimental apparatus, then apparent motion of part of the body surface may be experienced sometime after rotation has been terminated. This somatosensory motion aftereffect of opposite sign is temporarily abolished if one looks at the affected body area, but is again re-experienced when the gaze is shifted elsewhere. The similarity of this motion aftereffect to those contingent on vestibular and visual stimulation is discussed. (Author)

**A77-38034**      **Characteristics in the atmosphere of long-range transport aircraft cabins.** H. Vieillefond, P. Fourn, and R. Auffret (Union de Transports Aériens, Paris; Centre d'Essais en Vol, Laboratoire de Médecine Aérospatiale, Brétigny-sur-Orge, Essonne, France). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 503-507. 10 refs.

In the long run, the fatigue in aircrews performing frequent, long-range flights is linked to factors connected to the aircraft, such as noise, temperature, cabin pressure, atmosphere quality, and flight characteristics. These are the factors inherent to the aircraft which we have investigated during six long-range flights without time zone changes in DC-8 and DC-10 aircraft of the U.T.A. Cie. The results show that none of the pollutants researched reach doses considered hazardous by FAR 25 or by French legislation. This fact is due to the effective ventilation in the cabins. In flight, thermal comfort is limited by a too-low hygrometry RH equals 12 per cent. Even in a modern aircraft, the noise level remains high, but acoustical energy is spread over the less detrimental frequencies. (Author)

**A77-38035**      **Spirometric assessment of potential respiratory impairment in general aviation airmen.** M. T. Lategola, M. Flux, and P. J. Lyne (FAA, Aeronautical Center, Oklahoma City, Okla.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 508-511. 15 refs.

**A77-38036 \***      **Left ventricular function during lower body negative pressure.** M. Ahmad, C. G. Blomqvist, C. B. Mullins, and J. T. Willerson (Texas, University, Dallas, Tex.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 512-515. 13 refs. Research supported by the Harry S. Moss Heart Fund; Grants No. NSG-9026; No. NIH-5P50-HL-117669.

The response of the human left ventricle to lower body negative pressure (LBNP) and the relation between left ventricular function and hemodynamic response were investigated. Ventricular function curves relating stroke volume to end-diastolic volume were obtained in 12 normal men. Volume data were derived from echocardiographic measurements of left ventricular end-systolic and end-diastolic diameters at rest and during lower body negative pressure (LBNP) at minus 40 mm Hg. End-diastolic volume decreased by 19% and stroke volume by 22%. There were no significant changes in heart rate, arterial blood pressure, or end-systolic volume. Thus, moderate levels of LBNP significantly reduce preload and stroke volume without affecting contractile state. The absence of significant changes in heart rate and arterial blood pressure in the presence of a significant reduction in stroke volume is consistent with an increase in systemic peripheral resistance mediated by low-pressure baroreceptors. (Author)

**A77-38037**      **Studies on the hematologic effects of long-term, low-dose microwave exposure.** Z. Djordjevic, N. Lazarevic, and V. Djokovic (Institute of Aviation Medicine, Zemun, Yugoslavia). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 516-518. 17 refs.

**A77-38038**      **Heat stress in an aircraft cockpit during ground standby.** M. H. Harrison and C. Higenbottom (RAF, Institute of Aviation Medicine, Farnborough, Hants., England). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 519-523. 11 refs.

Measurements have been made of cockpit temperatures in a Buccaneer aircraft exposed to high air temperatures and radiation loads. With the canopy open 8 cm, and with the wind direction unfavorable for convective cooling, air temperatures inside the cockpit exceeded those outside by approximately 20 deg C. This reduced to 10 deg C with a favorable wind direction. An assessment of the likely heating effect of cockpit avionic equipment indicated that the addition of 1 kW and 2 kW of heat would raise cockpit temperatures by 20 deg C and 30 deg C respectively. Prediction of the combined effect of solar and avionic heat suggests that, in hot weather conditions, cockpit temperatures will be considerably in excess of the upper limit for effective physiological temperature regulation. Therefore, if aircrews are to be required to remain on ground standby within their aircraft under such conditions, maximum use must be made of convective cooling of the cockpit by the prevailing wind, and of sun shades to eliminate the greenhouse effect completely. (Author)

**A77-38039 \***      **Diurnal rhythms of visual accommodation and blink responses - Implication for flight-deck visual standards.** M. R. Murphy, R. J. Randle, and B. A. Williams (NASA, Ames Research Center, Moffett Field, Calif.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 524-526. 9 refs.

Possible 24-h variations in accommodation responses were investigated. A recently developed servo-controlled optometer and focus stimulator were used to obtain monocular accommodation response data on four college-age subjects. No 24-h rhythm in accommodation was shown. Heart rate and blink rate also were measured and periodicity analysis showed a mean 24-h rhythm for both; however, blink rate periodograms were significant for only two of the four subjects. Thus, with the qualifications that college students were tested instead of pilots and that they performed monocular laboratory tasks instead of binocular flight-deck tasks, it is concluded that 24-h rhythms in accommodation responses need not be considered in setting visual standards for flight-deck tasks. (Author)

**A77-38040**      **Psycho-physiological assessment of acceleration-induced changes in various seat configurations.** V. M. Voge (U.S. Naval Material Command, Naval Air Development Center, Warminster, Pa.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 527-538. 36 refs.

Ten subjects were exposed to high-G on the human centrifuge using seatback angles of 13 deg, 30 deg, 45 deg, 60 deg, and 75 deg from the vertical, and body configurations of the lower portion of the body with pelvis and legs elevated, pelvis elevated, and pelvis elevated with knees on chest. Tolerance was measured by peripheral light loss. Mental status, respirations, core and ambient temperatures, and ECG were monitored, and daily physio-chemical data were compiled. Tiredness, pressure on the chest, and general discomfort in the fetal position were reported. Physical examination demonstrated petechiae. Heart rate, respiratory rate, and temperature increased post-session. There was a significant rise in values for albumin, chloride iron, creatinine, calcium, LDH cardiac isoenzyme no. 5, blood urea nitrogen, and immature white cells; and a decrease in values for phosphorus, serum glutamic oxaloacetic-acid transaminase, serum glutamic pyruvic transaminase, protein, uric acid CO<sub>2</sub>, globulin, hematocrit, monocytes, and eosinophils. (Author)

**A77-38041**      **Clinical medicine review - Three unique presentations of ischemic heart disease.** V. F. Froelicher, Jr. (USAF, Medical Center, Lackland AFB, Tex.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 539-545. 57 refs.

A review of current approaches to the diagnosis and treatment of unstable angina, Prinzmetal variant angina, and ischemic heart disease in patients with normal coronary arteries is presented. The clinical characteristics and mortality rates for these syndromes are discussed. Summaries of significant published studies in these areas are provided. C.K.D.

**A77-38042**      **Treatise on aeromedical evacuation. I - Administration and some medical considerations. II - Some surgical**

considerations. A. Johnson, Jr. (USAF, Aeromedical Services, Scott AFB, Ill.). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 546-554. 20 refs.

Medical and administrative procedures followed in the selection and preparation of patients for aeromedical evacuation are discussed. Although there are no absolute contraindications to evacuation by air, patients with respiratory embarrassment, cardiac failure, severe anemia (less than 2.5 million erythrocytes per cc or less than 7.0 g hemoglobin per 100 ml) or trapped gas in any of the body cavities require special management. Special considerations affecting the care of severely anemic and pediatric patients before and during evacuation are discussed. C.K.D.

**A77-38043 Subjective stress assessment - A new, simple method to determine pilot workload.** H. P. Goerres (German Air Force Institute of Aviation Medicine, Fürstenfeldbruck, West Germany). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 558-564. 6 refs.

A group comprised of 117 jet pilots, 41 multiple-engine prop pilots, 14 single-engine prop pilots, and 45 helicopter pilots was interviewed and asked to complete questionnaires to provide subjective assessments of workload. The pilots placed the effect of individual stressors and the severity of tension symptoms during different types of missions on a scale of zero to six. They were then asked to respond to the same questions from the point of view of pilots flying different types of aircraft. A combined scoring table was constructed for all inter- and intra-group assessments regarding all specific strain factors and overall workload. On a percentage scale, with 100% assigned to jet pilots, who had the highest strain and workload scores, the relative workload for instructor pilots (regardless of aircraft type) is 95%; helicopter pilots, 90%, multiple-engine prop pilots, 75%, and single-engine prop pilots, 60%. C.K.D.

**A77-38044 Aeromedical considerations for flight operations from high-elevation airfields.** R. L. DeHart (USAF, Aerospace Medical Research Laboratory, Wright-Patterson AFB, Ohio). *Aviation, Space, and Environmental Medicine*, vol. 48, June 1977, p. 565-567. 23 refs.

High-elevation airfields are available to commercial and military aviation. Rapid ascent to locations at high elevations may result in symptoms of altitude sickness in aircrew, support personnel, and passengers. In the United States there are 302 airfields at altitudes in excess of 1,524 m (5,000 ft); in other areas of the world, field elevations can exceed 4,267 m. The symptom complex which may occur at altitude is reviewed and recommendations are offered to prevent, ameliorate, or manage the symptoms. (Author)

**A77-38122 Use of a nonvisual display for improving the manual control of an unstable system.** D. V. Janiga (Exxon Co., Linden, N.J.) and R. W. Mayne (New York, State University, Buffalo, N.Y.). *IEEE Transactions on Systems, Man, and Cybernetics*, vol. SMC-7, July 1977, p. 530-537. 13 refs.

An approach to aiding the operator of an unstable system by use of a nonvisual display which supplements normal visual information and guides the operator in his control actions is described. The procedure is based on the feedback of significant plant variables and the combination of these variables to continuously define the desired operator action. The nonvisual display is used to present the operator with the error between this desired control action and his current control effort. By striving to duplicate the desired action, the operator's ability to control and stabilize the system is enhanced. A specific example involving an automotive vehicle is considered, and a simulation study is described which uses an audio display and indicates the feasibility of this approach. (Author)

**A77-38188 Evaluation of the motion of a mechanical arm.** J. Y. S. Luh, M. W. Walker, and R. P. Voll (Purdue University, West Lafayette, Ind.). In: *Modeling and simulation. Volume 7 - Proceedings of the Seventh Annual Pittsburgh Conference*, Pittsburgh, Pa., April 26, 27, 1976. Part 1. Pittsburgh, Pa., Instrument Society of America, 1976, p. 220-224. 6 refs. NSF Grants No. GK-41615; No. ENG-74-17586.

A new method for calculating the trajectory of the hand and joints of a six-joint mechanical arm in the three-dimensional real-world coordinate system is proposed. The algorithm is derived from Newton's method of iteration, and requires the knowledge of velocities of motion. The calculation includes the on-line computation of moments of inertia and other physical parameters. This leads to a possible sampling rate of 60 Hz for smooth motion. The scheme of a distributed microcomputer system for closed-loop control of the arm at the level of each joint is also presented. P.T.H.

**A77-38276 Stabilization of biped walking apparatus.** V. B. Larin. (Akademiia Nauk SSSR, *Izvestiia, Mekhanika Tverdogo Tela*, Sept.-Oct. 1976, p. 4-13.) *Mechanics of Solids*, vol. 11, no. 5, 1976, p. 1-8. 7 refs. Translation.

The problem of vertical, longitudinal, and lateral stabilization of a simple version of a biped walking machine is discussed. It is shown that vertical stabilization can be achieved by varying the forces in the legs; while the longitudinal and lateral stabilization problems can be solved by proper selection of the point of support of the legs at each step. It is noted that the coordinates of the point of support can be determined with the aid of linear regulators. In this case, it should be possible to use the effective synthesis methods available for optimal linear systems to solve the control problem for a walking machine. Some aspects of optimizing the parameters of the synthesized regulators are examined, along with the results of a computer simulation of the motion of a biped machine along a rough surface. V.P.

**A77-38302 Some thoughts on improving experiments.** J. M. Reising (USAF, Flight Dynamics Laboratory, Wright-Patterson AFB, Ohio), S. L. Ward, and E. P. Rolek (Systems Research Laboratories, Inc., Dayton, Ohio). *Human Factors*, vol. 19, June 1977, p. 221-226.

Techniques for improving human factors studies are discussed with reference to deficiencies in current experimental design and to the careful choice of dependent variables, summary statistics, and statistical procedures. It is urged that the rationale for a choice of criteria and dependent variables be fully documented; that summary statistics other than amplitude measurements should sometimes be provided; and that multivariate analysis should be used when more than one dependent measure is used. Multivariate and univariate analysis of variance techniques are compared. M.L.

**A77-38303 Methodology for evaluation of image enhancement techniques.** W. Sidoruk (Grumman Aerospace Corp., Bethpage, N.Y.). *Human Factors*, vol. 19, June 1977, p. 263-272.

A two-phased experimental design is proposed for evaluation of Synthetic Aperture Radar (SAR) image enhancement techniques. In SAR operation crew tasks are clearly differentiated into cognitive and psychomotor behaviors. Accordingly, Phase 1 static adaptive learning experiments are designed to assess cognitive (image interpretation) behavior, and Phase 2 real-time simulation experiments assess psychomotor behaviors associated with target designation and tracking. The two-phased paradigm can be effectively applied to any electrooptical image quality/enhancement design study. The two-phases are complementary and offer an improved and more cost effective methodology as contrasted to the use of classical ANOVA (Analysis of Variance) designs for the entire procedure. (Author)

**A77-38306 Correlation of general aviation accidents with the biorhythm theory.** J. H. Wolcott, R. R. McMeekin (USAF, Institute of Pathology, Washington, D.C.), R. E. Burgin (National Transportation Safety Board, Human Factors Branch, Washington, D.C.), and R. E. Yanowitch (FAA, Office of Aviation Medicine, Washington, D.C.). *Human Factors*, vol. 19, June 1977, p. 283-293. 26 refs.

Biorhythms were calculated for over 4000 pilots involved in general aviation accidents in 1972. Data were obtained from the files of the National Transportation Safety Board. Exact date and time of accident were used, and 1200 hours (noon) was used as the average time of birth. Data were analyzed for correlation of aircraft-accident occurrence with both biorhythmically critical days and with in-

dividual and multiple low or negative phases of cycle. Data were calculated by both a 24- and 48-hour critical period and by all three cycles (physical, emotional, and intellectual) or only the physical and emotional cycles. Data did not deviate significantly from the random model, when analyzed by chi-square at the  $p = 0.1$  level. No correlation was found between accident occurrence and biorhythmic criticality or low phase of cycle. This was true both for the cases in which the primary cause of the accident was attributed to pilot involvement and for those in which it was not. (Author)

**A77-38307** Stimulus presentation rate in vigilance. E. L. Wiener (Miami, University, Coral Gables, Fla.). *Human Factors*, vol. 19, June 1977, p. 301-303. 5 refs. Grant No. PHS-R01-OH-00346.

Four groups of 12 subjects were run for two sessions to determine the influence of stimulus presentation rate in a monitoring task. Two stimulus rates were used, 12 and 60 per minute. Stimulus rate significantly affected detections on both days, but no transfer effect was found. (Author)

**A77-38320** On microwave-induced hearing sensation. J. C. Lin (Wayne State University, Detroit, Mich.). *IEEE Transactions on Microwave Theory and Techniques*, vol. MTT-25, July 1977, p. 605-613. 28 refs. NSF Grant No. ENG-75-15227.

When a human subject is exposed to pulsed microwave radiation, an audible sound occurs which appears to originate from within or immediately behind the head. Laboratory studies have also indicated that evoked auditory activities may be recorded from cats, chinchillas, and guinea pigs. Using a spherical model of the head, this paper analyzes a process by which microwave energy may cause the observed effect. The problem is formulated in terms of thermoelasticity theory in which the absorbed microwave energy represents the volume heat source which depends on both space and time. The inhomogeneous thermoelastic motion equation is solved for the acoustic wave parameters under stress-free surface conditions using boundary value technique and Duhamel's theorem. Numerical results show that the predicted frequencies of vibration and threshold pressure amplitude agree reasonably well with experimental findings. (Author)

**A77-38450 \*** Effect of combined heat and radiation on microbial destruction. D. A. Fisher and I. J. Pflug (Minnesota, University, St. Paul, Minn.). *Applied and Environmental Microbiology*, vol. 33, May 1977, p. 1170-1176. 6 refs. Grant No. NGL-24-005-160.

A series of experiments at several levels of relative humidity and radiation dose rates was carried out using spores of *Bacillus subtilis* var. niger to evaluate the effect of heat alone, radiation alone, and a combination of heat and radiation. Combined heat and radiation treatment of microorganisms yields a destruction rate greater than the additive rates of the independent agents. The synergistic mechanism shows a proportional dependency on radiation dose rate, an Arrhenius dependence on temperature, and a dependency on relative humidity. Maximum synergism occurs under conditions where heat and radiation individually destroy microorganisms at approximately equal rates. Larger synergistic advantage is possible at low relative humidities rather than at high relative humidities. (Author)

**A77-38466** Pulmonary valve fluttering in subpulmonic ventricular septal defect. S. P. Glasser (South Florida, University, Tampa, Fla.) and R. W. Baucum, Jr. (Louisiana State University, Medical Center, Shreveport, La.). *American Heart Journal*, vol. 94, July 1977, p. 3-5. 6 refs.

The echo cardiographic tracings of the pulmonary valve of three patients with catheterization documented subpulmonic ventricular septal defect and no infundibular outflow obstruction were analyzed. In the three cases examined the posterior pulmonic valve leaflet opened and closed normally, but a coarse, chaotic fluttering was present when the valve was in the open position. This fluttering appears to be identical to that reported with infundibular pulmonic stenosis, and the mechanism is probably similar. C.K.D.

**A77-38467** The value and limitations of echocardiography in recording mitral valve vegetations. C. A. Boucher, J. T. Fallon, G.

S. Myers, A. M. Hutter, Jr., and M. J. Buckley (Massachusetts General Hospital; Harvard University, Boston, Mass.). *American Heart Journal*, vol. 94, July 1977, p. 37-43. 20 refs. Research supported by the Ambrose Monell Foundation; Grant No. NIH-HL-14209.

The case reports and echocardiographic findings of three patients with active endocarditis and severe congestive heart failure are presented. Although vegetations on the mitral valve were pathologically proven in all three cases, they were revealed by echocardiography only in the two cases in which calcification had occurred. Prior case histories reported in the literature are reviewed, and factors affecting the echocardiographic detection of valvular vegetation are examined. C.K.D.

**A77-38468** Systolic time intervals utilizing ear densitography - Advantages and reliability for stress testing. V. Q. Lance (Lemuel Shattuck Hospital, Boston, Mass.) and D. H. Spodick (St. Vincent Hospital; Massachusetts, University, Worcester, Mass.). *American Heart Journal*, vol. 94, July 1977, p. 62-66. 8 refs.

Systolic time intervals were determined in 10 subjects at rest and during a variety of cardiocirculatory stresses to evaluate the ear densitogram derivative as a replacement for the carotid pulse curve. Comparisons of carotid-derived left ventricular ejection times (LVET) and pre-ejection periods (PEP) with those derived from ear densitograms showed highly statistically significant correlation coefficients with slopes demonstrating close tracking of the two methods. These results indicate that the ear densitogram provides a valid and reliable pulse measurement in determining the systolic time intervals under technically difficult conditions. C.K.D.

**A77-38539** Myocardial imaging with thallium-201 at rest and during exercise - Comparison with coronary arteriography and resting and stress electrocardiography. J. L. Ritchie, G. B. Trobaugh, G. W. Hamilton, K. L. Gould, K. A. Narahara, J. A. Murray, and D. L. Williams (U.S. Veterans Administration Hospital, Seattle, Wash.). *Circulation*, vol. 56, July 1977, p. 66-71. 27 refs. Research supported by the U.S. Veterans Administration; Grants No. NIH-1-R01-HL-18492-01; No. NIH-1-R01-HL-18805-01.

**A77-38741 #** Postexercise systolic time intervals in the midsystolic click syndrome. A. B. Miller (Jacksonville, University Hospital, Jacksonville, Fla.) and R. C. Bahler (Cleveland Metropolitan General Hospital, Cleveland, Ohio). *Cardiology*, vol. 62, no. 1, 1977, p. 44-50. 9 refs.

Changes in the systolic time intervals in response to exercise were investigated in normal individuals and in patients with evidence of a nonejection systolic click, alone or accompanied by a late systolic apical murmur. In four patients there was evidence of prolapse of the posterior leaflet of the mitral valve. All members of the experimental group displayed prolonged corrected left ventricular ejection times, consistent with left ventricular dysfunction. Observed abnormalities of the systolic time interval response to exercise could be secondary to the localized effect of mitral prolapse on left ventricular function or a diffuse primary disorder. C.K.D.

**A77-38892 #** Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations (Badania histologiczne i histochemiczne układu neurosekrecyjnego podwzgórza i tarczycy w sytuacjach stresowych). K. Kwarecki and E. Marks (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol. 9, no. 4, 1976, p. 63-72. 9 refs. In Polish.

In the experiments described, guinea pigs and rats were used to study the influence of vibrations, high-altitude hypoxia, and accelerations on the thyroid gland and neurosecretory system. The observed changes in localization, and content of neurosecretion in the supraoptic nucleus and the posterior lobe of the pituitary were alike for each of the stress factors. No morphological equivalents of the stress were observed in the thyroid gland. V.P.

**A77-38893 #** Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing

high-altitude hypoxia and accelerations (Badania dynamiki metabolizmu kwasów nukleinowych w jądrze nadwrozkowym zwierząt poddanych działaniu niedotlenienia wysokościowego i przyspieszen). K. Kwarecki and E. Marks (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol. 9, no. 4, 1976, p. 73-81. 10 refs. In Polish.

Rats labeled with tritium nucleotide were subjected to acceleration, to high-altitude hypoxia, and to the combined action of both effects. Increased inclusion 3-H-uridine by neurons of the supraoptic nucleus, as compared to animals of the control group, was established. The absence of 3-H-thymidine inclusions both in the test and control group animals points toward an increased synthesis of protein in neurons of the supraoptic nucleus, rather than its proliferation. V.P.

**A77-38894 # Influence of acute hypoxia on direct reaction time (Wpływ ostrego niedotlenienia na czas reakcji prostej).** L. Golec (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol. 9, no. 4, 1976, p. 83-91. 15 refs. In Polish.

Reaction time measurements were carried out on 39 pilots with good and excellent resistance to acute hypoxia, made to inhale a nitrogen-oxygen mixture containing 7.1% O<sub>2</sub>. The results were evaluated in the form of mean values at intervals of one minute. The results indicate that in investigations of periods of uninhibited operation by the method of inhaling oxygen-poor mixtures, the reaction time can serve as valuable parameter in the evaluation of the pilot performance. (Author)

**A77-38896 # Aspects of terrestrial and extraterrestrial biogenesis (Ziemskie i pozaziemskie aspekty biogenezy).** Z. Ilczuk (Lublin, Uniwersytet, Lublin, Poland). (Konferencja Naukowa CETI na temat Łączności z Cywilizacjami Pozaziemskimi, 2nd, Katowice, Poland, Mar. 10, 1976.) *Postępy Astronautyki*, vol. 10, no. 1, 1977, p. 27-42. In Polish.

Modern contributions by such investigators as Miller, Ponnampereuna, Oró, and Fox to the theory of biogenesis developed by Haldane in the 1920s are seen to support the concept of direct synthesis of organic matter from a mineral substrate. They indicate that the existence of an anaerobic atmosphere and a substrate in the form of atoms or compounds of carbon, nitrogen, water, inorganic catalysts, etc. is a primary requirement for the natural formation of simple prebiological systems and their evolution to primitive life. An obvious conclusion is that similar processes should be possible on any planet where such conditions exist. A factor in support of the theory is the chemical composition of carbonaceous chondrites, particularly, the presence of compounds of cosmic origin and petrified remnants of primitive extraterrestrial life. V.P.

**A77-38899 # Psychology of interplanetary flight (Psychologia lotów międzyplanetarnych).** J. Terelak (Wojskowy Instytut Medycyny Lotniczej, Warsaw, Poland). *Postępy Astronautyki*, vol. 10, no. 1, 1977, p. 103-115. 21 refs. In Polish.

The task of space psychology is to study the mechanisms of human behavior under new ecological conditions. The present paper deals with some specific aspects of human behavior under the influence of such factors as weightlessness, sensory deprivation, confinement, etc. The nature of various stress factors arising during prolonged missions is examined. It is seen that careful selection of space crews is insufficient to solve the psychological problems which arise in space and on which success or failure of a mission may depend. V.P.

**A77-38903 \* Light energy transduction by the purple membrane of halophilic bacteria; Proceedings of the Symposium, San Francisco, Calif., June 6, 1976.** Symposium supported by NASA. *Federation Proceedings*, vol. 36, May 1977. 43 p. (For individual items see A77-38904 to A77-38912)

Several aspects of bacteriorhodopsin, the retinal protein component of the purple membranes of *Halobacterium halobium*, are discussed. Structural studies are presented. Photochemical properties of the protein complex and of its chromophore are described. Proton translocation of bacteriorhodopsin is compared to that of a protein from a thermophilic bacterium. Ionophore activity of bacterio-

rhodopsin is considered with attention to conformational changes, light dependency, and electrical potential. Amino acid transport is also examined and the light-energy budget is investigated. Bacteriorhodopsin is of interest because of its similarity to rhodopsin, which plays a major role in mammalian vision, and also because its attainability and distinctive characteristics will facilitate studies of certain bacterial physiological functions, such as ion transport and membrane organization. M.L.

**A77-38904 Light energy transduction by the purple membrane of halophilic bacteria - Introduction.** W. Stoeckenius (California, University, San Francisco, Calif.). (NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.) *Federation Proceedings*, vol. 36, May 1977, p. 1797, 1798.

Bacteriorhodopsin, the purple retinal protein complex in halobacteria membranes, is a light energy transducer which, when illuminated, translocates protons from one side of the membrane to the other as a step in ATP synthesis. Rhodopsin and other visual pigments of animals are close analogs of bacteriorhodopsin not only in the structure of their chromophore but also in their photo-reaction. Bacteriorhodopsin is easier to study than rhodopsin because the former occurs in a planar hexagonal lattice in the bacterial membrane, so that its structure can be determined by X-ray crystallography. Studies of this protein provide information on mammalian vision processes, the functioning of bacterial membranes and ion pumps, and possibly the evolution of prokaryotes and eukaryotes. M.L.

**A77-38905 Structural studies on Halobacterium halobium bacteriorhodopsin.** L. M. Keefer and R. A. Bradshaw (Washington University, St. Louis, Mo.). (NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.) *Federation Proceedings*, vol. 36, May 1977, p. 1799-1804. 16 refs. Grant No. PHS-AM-13362.

**A77-38906 \* The photochemical cycle of bacteriorhodopsin.** R. H. Lozier (NASA, Ames Research Center, Moffett Field, Calif.) and W. Niederberger (California, University, San Francisco, Calif.). (NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.) *Federation Proceedings*, vol. 36, May 1977, p. 1805-1809. 21 refs. Research supported by the Swiss National Science Foundation; Grants No. NsG-7151; No. NIH-HL-06285.

The reaction cycle of bacteriorhodopsin in the purple membrane isolated from *Halobacterium halobium* has been studied by optical absorption spectroscopy using low-temperature and flash kinetic techniques. After absorption of light, bacteriorhodopsin passes through at least five distinct intermediates. The temperature and pH dependence of the absorbance changes suggests that branch points and/or reversible steps exist in this cycle. Flash spectroscopy in the presence of a pH-indicating dye shows that the transient release of a proton accompanies the photoreaction cycle. The proton release occurs from the exterior and the uptake is on the cytoplasmic side of the membrane, as required by the function of bacteriorhodopsin as a light-driven proton pump. Proton translocating steps connecting release and uptake are indicated by deuterium isotope effects on the kinetics of the cycle. The rapid decay of a light-induced linear dichroism shows that a chromophore orientation change occurs during the reaction cycle. (Author)

**A77-38907 Photochemical and chemical studies on the chromophore of bacteriorhodopsin.** T. Schreckenbach and D. Oesterheld (Würzburg, Universität, Würzburg, West Germany). (NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.) *Federation Proceedings*, vol. 36, May 1977, p. 1810-1814. 11 refs. Research supported by the Deutsche Forschungsgemeinschaft.

**A77-38908 Proton translocation by ATPase and bacteriorhodopsin.** Y. Kagawa, K. Ohno, M. Yoshida, Y. Takeuchi, and N.

Sone (Jichi Medical School, Tochigi, Japan). (*NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.*) *Federation Proceedings*, vol. 36, May 1977, p. 1815-1818. 21 refs.

Two stable proton translocating proteins from bacterial membranes were purified and reconstituted into vesicles capable of proton translocation. One was a thermostable ATPase from the thermophilic bacterium PS3 and the other was rhodopsin from *Halobacterium halobium*. The ATPase was composed of two moieties, a proton pump moiety and a proton channel moiety. Both moieties and rhodopsin were highly stable against dissociating agents, acids, and alkali. Phospholipids of these biomembranes were also stable and contained no unsaturated fatty acyl groups. Both protein systems were capable of synthesizing ATP despite the absence of electron transport components. M.

**A77-38909** Conformational changes in bacteriorhodopsin accompanying ionophore activity. L. Packer, T. Konishi, and P. Shieh (California, University, Berkeley, Calif.). (*NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.*) *Federation Proceedings*, vol. 36, May 1977, p. 1819-1823. 11 refs. ERDA-supported research.

Calcium ions increase the activity of the bacteriorhodopsin in purple membranes, as indicated by greater photopotentials across planar membranes or proton translocation in liposomes. It is suggested that bivalent ions have two effects, causing reorientation of bacteriorhodopsin and promoting interaction of liposomes at the planar membrane interface. Bacteriorhodopsin in the purple membrane patch possesses considerable thermal stability, and this stability is enhanced by treatments with bifunctional cross-linking reagents. Studies with bifunctional cross-linking reagents having a definite chain length seem to indicate that the proton is transferred through a channel and/or pore present in the interior of the bacteriorhodopsin rather than by a translocation mechanism. Other experiments indicate that two conformational states of the protein of bacteriorhodopsin are involved in its functioning as an ionophore. M.L.

**A77-38910 \*** Light-dependent cation gradients and electrical potential in *Halobacterium halobium* cell envelope vesicles. J. K. Lanyi (NASA, Ames Research Center, Biological Adaptation Branch, Moffett Field, Calif.) and R. E. MacDonald (Cornell University, Ithaca, N.Y.). (*NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.*) *Federation Proceedings*, vol. 36, May 1977, p. 1824-1827. 43 refs.

Vesicles can be prepared from *Halobacterium halobium* cell envelopes, which contain properly oriented bacteriorhodopsin and which extrude H(+) during illumination. The pH difference that is generated across the membranes is accompanied by an electrical potential of 90 to 100 mV (interior negative) and the movements of other cations. Among these is the efflux of Na(+), which proceeds against its electrochemical potential. The relationship between the size and direction of the light-induced pH gradient and the rate of depletion of Na(+) from the vesicles, as well as other evidence, suggest that the active Na(+) extrusion is facilitated by a membrane component that exchanges H(+) for Na(+) with a stoichiometry greater than 1. The gradients of H(+) and Na(+) are thus coupled to one another. The Na(+) gradient (efflux much larger than influx), which arises during illumination, plays a major role in energizing the active transport of amino acids. (Author)

**A77-38911 \*** Light-activated amino acid transport in *Halobacterium halobium* envelope vesicles. R. E. MacDonald (Cornell University, Ithaca, N.Y.) and J. K. Lanyi (NASA, Ames Research Center, Biological Adaptation Branch, Moffett Field, Calif.). (*NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.*) *Federation Proceedings*, vol. 36, May 1977, p. 1828-1832. 48 refs. Research supported by Cornell University; Grant No. NsG-7235.

Vesicles prepared from *Halobacterium halobium* cell envelopes accumulate amino acids in response to light-induced electrical and chemical gradients. Nineteen of 20 commonly occurring amino acids have been shown to be actively accumulated by these vesicles in response to illumination or in response to an artificially created Na+ gradient. On the basis of shared common carriers the transport systems can be divided into eight classes, each responsible for the transport of one or several amino acids: arginine, lysine, histidine; asparagine, glutamine; alanine, glycine, threonine, serine; leucine, valine, isoleucine, methionine; phenylalanine, tyrosine, tryptophan; aspartate; glutamate; proline. Available evidence suggests that these carriers are symmetrical in that amino acids can be transported equally well in both directions across the vesicle membranes. A tentative working model to account for these observations is presented. (Author)

**A77-38912 \*** Light energy conservation processes in *Halobacterium halobium* cells. R. A. Bogomolni (NASA, Ames Research Center, Moffett Field; California, University, San Francisco, Calif.). (*NASA Ames Research Center, Symposium on Light Energy Transduction by the Purple Membrane of Halophilic Bacteria, San Francisco, Calif., June 6, 1976.*) *Federation Proceedings*, vol. 36, May 1977, p. 1833-1839. 37 refs. Grant No. NsG-7151.

Proton pumping driven by light or by respiration generates an electrochemical potential difference across the membrane in *Halobacterium halobium*. The pH changes induced by light or by respiration in cell suspensions are complicated by proton flows associated with the functioning of the cellular energy transducers. A proton-per-ATP ratio of about 3 is calculated from simultaneous measurements of phosphorylation and the proton inflow. This value is compatible with the chemiosmotic coupling hypothesis. The time course of the light-induced changes in membrane potential indicates that light-driven pumping increases a dark pre-existing potential of about 130 mV only by a small amount (20 to 30 mV). The complex kinetic features of the membrane potential changes do not closely follow those of the pH changes, which suggests that flows of ions other than protons are involved. A qualitative model consistent with the available data is presented. M.L.

**A77-38914 #** Emotional stress and an astronaut's work capacity (Stres emocjonalny a wydolnosc pracy kosmonauty). W. Z. Kruk. *Astronautyka*, no. 1, 1977, p. 14, 15. In Polish.

Psychophysical and psychokinetic effects and manifestations of stress generated by heavy work load, by combinations of environmental conditions disorienting to nervous systems accustomed to earth conditions, and by prolonged exposure to unfamiliar conditions, are discussed in relation to the training of astronauts, Shuttle operators, and space station construction crews. Psychophysical and neurochemical effects on perception (via any of the senses), motor behavior, responses, concentration, and speech are discussed. Stress-induced psychoses are also considered. R.D.V.

**A77-39341** Ultrasound study of dynamic behaviour of left ventricle in genetic asymmetric septal hypertrophy. F. J. Ten Cate, P. G. Hugenholtz, and J. Roelandt (University Hospital Dijkzigt; Rotterdam, Universiteit, Rotterdam, Netherlands). *British Heart Journal*, vol. 39, June 1977, p. 627-633. 11 refs.

Echocardiographic measurements are reported for 20 normal subjects, 19 patients with proven genetic asymmetric septal hypertrophy and 15 patients with coronary artery disease and akinesis of the ventricular septum with an geographically complete obstruction of the descending branch of the left coronary artery and septal akinesia. The contraction patterns of the inter-ventricular septum and left ventricular posterior wall were analyzed. Systolic thickening and normalized wall velocity were calculated. The data indicate that the interventricular septum in genetic asymmetric septal hypertrophy is a hypocontractile structure. The data show that the left ventricular mechanical behavior in genetic asymmetric septal hypertrophy is mainly determined by normal or augmented left ventricular posterior wall contraction while the left ventricle itself remains small. In patients with coronary artery disease the dimensions of the left



ventricle are increased and systolic thickening and normalized posterior wall velocity are decreased. It appears that the left ventricle maintains its systolic function by three mechanisms: Starling's mechanism, increased systolic thickening, and increased velocity of systolic contraction. C.K.D.

**A77-39365** Fast motor units are not preferentially activated in rapid voluntary contractions in man. J. E. Desmedt and E. Godaux (Bruxelles, Université Libre, Brussels, Belgium). *Nature*, vol. 267, June 23, 1977, p. 717-719. 15 refs. Research supported by the Fonds National de la Recherche Scientifique and FRSM.

A description is presented of an investigation in which it was found that the faster motor units are recruited after the slow motor units, even in fast contractions. A total of 54 single motor units were studied in the first interosseus muscle of the hand in five normal adult subjects. Highly selective bipolar electrodes were carefully positioned in the muscle belly to pick up selectively the action potentials of two to five different motor units at a single site. The recruitment order and force threshold of two motor units in the first interosseus muscle of a normal subject is shown in a graph. G.R.

**A77-39371** Rhodopsin content and electroretinographic sensitivity in light-damaged rat retina. L. M. Rapp and T. P. Williams (Florida State University, Tallahassee, Fla.). *Nature*, vol. 267, June 30, 1977, p. 835, 836. 8 refs. NSF-NIH-supported research.

**A77-39372** Tuning properties of cochlear hair cells. I. J. Russell and P. M. Sellick (Sussex, University, Brighton, England). *Nature*, vol. 267, June 30, 1977, p. 858-860. 9 refs. Research supported by the Medical Research Council.

A description is presented of the tuning of intracellularly recorded receptor potentials from histologically identified hair cells of the guinea pig cochlea. On the basis of an evaluation of the results of the investigation, it is concluded that the intracellularly recorded receptor potential is tuned as sharply as the auditory nerve, and hence that any sharpening of the frequency response beyond that of the basilar membrane mechanics does not involve neural interaction. G.R.

**A77-39400** Biochemical effects of environmental pollutants. Edited by S. D. Lee (U.S. Environmental Protection Agency, Cincinnati, Ohio). Ann Arbor, Mich., Ann Arbor Science Publishers, Inc., 1977. 487 p. \$28.

Selected papers on the biochemical effects of environmental pollution are presented. Major topics include trace metal and oxidant pollutant toxicology, the interactions of nutritional factors modifying the effects of toxic substances, the development of tolerance, and variation of response to toxic materials among individuals. Some of the specific subjects treated include injury and cell renewal in rat lungs exposed to ozone, reaction of ozone with biological membranes, biochemical responses of humans to gaseous pollutants, the role of nutrition in heavy metal toxicology, and neurotransmitter mechanisms in inorganic lead poisoning. C.K.D.

**A77-39509** # Spacecraft contamination modeling. R. O. Rantanen (Martin Marietta Aerospace, Denver, Colo.). *American Institute of Aeronautics and Astronautics, Thermophysics Conference, 12th, Albuquerque, N. Mex., June 27-29, 1977, Paper 77-739*. 13 p. 13 refs. Research sponsored by the Martin Marietta Research and Development Funds.

A model for predicting and assessing spacecraft contamination is presented. Both point (attitude control engines and overboard vents) and surface (outgassing, early desorption, reflections) source kinetics are taken into consideration. The transport phenomena described by the model include direct line-of-sight molecular flow, return molecular flux from ambient atmosphere interactions, and return flux from self scattering and secondary surface scattering. The surface reflectance absorptance, transmittance, and surface conductivity are obtained from calculated values for flux, deposition, density, mass and molecular number column density and particle number column density. The application of this modeling approach to Skylab, to the

very high resolution radiometer flown on the ITOS series spacecraft, and to the Atmospheric Explorer-D return flux experiment is discussed. C.K.D.

**A77-39615** # Control of muscles in carrying out certain voluntary movements with one degree of freedom. I - Single movements (Upravlenie myshtsami pri vypolnenii nekotorykh proizvol'nykh dvizhenii s odnoi stepen'iu svobody. I - Odnokratnye dvizheniia). A. I. Litvintsev and N. S. Seropian. *Avtomatika i Telemekhanika*, May 1977, p. 88-102. In Russian.

Experiments utilizing changes in the electromyographic activity of muscles during sudden cessation of motion were used to investigate the control of human muscles in carrying out single wrist-movements. It is shown that both preprogrammed commands of different kinds as well as feedback signals are used in muscular control. B.J.

**A77-39676** # Mars as a habitable environment (Mars kak sreda obitaniia). S. I. Aksenov, V. D. Davydov, E. I. Zaar, A. B. Rubin, and V. A. Topolovskii. Moscow, Izdatel'stvo Nauka (Problemy Kosmicheskoi Biologii. Volume 32), 1976. 232 p. 759 refs. In Russian.

The question as to whether or not life exists or could exist on Mars is examined. Available data on the topographical features of the planet, on climatic changes, and on the composition and dynamics of the Mars atmosphere are reviewed. The ability of organisms to adapt to physical conditions similar to those found at the surface of Mars is examined in detail. Possible means of detecting life on Mars are considered. C.K.D.

**A77-39791** # Three basic levels of the organization of life on earth (Tri osnovnikh rivni organizatii zhivogo na planeti). M. A. Golubets'. *Akademiia Nauk Ukrain's'koi RSR, Visnik*, vol. 41, Mar. 1977, p. 76-86. 36 refs. In Ukrainian.

An organization is devised for earth-based biological systems using systems analysis and biocybernetic theory. The organization consists of three basic levels: that of the organism, that of the population or species, and that of the ecosystem. A structural-functional scheme of interconnection among the levels is outlined. The organization is developed with reference to the theory of biotic communities. B.J.

**A77-39802** # Contracting polymer structures - New energy converters (Sokratitel'nye polimernye struktury - Novye preobrazovatel'i energii). R. V. Beliakov (Kievskii Institut Inzhenerov Grazhdanskoi Aviatsii, Kiev, Ukrainian SSR). *Bionika*, no. 11, 1977, p. 7-13. 29 refs. In Russian.

Attention is given to different types of contracting polymer artificial-muscle structures, which differ in the ways they are deformed in contact with chemically diverse liquids. The direct effect of conversion of chemical to mechanical energies is discussed together with the inverse effect of the change of the chemical composition of the liquid medium which contains the artificial muscles as the external mechanical medium acts upon them. A formula is obtained for the circular frequency of self-oscillation of a self-perfusion model based on artificial muscles. B.J.

**A77-39834** The luminance difference threshold as a contrast threshold - Evidence for inhibitory interactions in spatial summation. J. M. Martinez, II (New York, State University, Buffalo, N.Y.), J. F. Sturr, and N. L. Schmalbach (Syracuse University, Syracuse, N.Y.). *Vision Research*, vol. 17, no. 6, 1977, p. 687-689. 5 refs. Grant No. PHS-EY-01571.

Spatial summation is examined with test stimuli that differ in their time course. Results indicate that ramp (gradual onset and offset) test flashes yield qualitatively different spatial summation functions than functions obtained with square-wave (rapid onset and offset) test flashes. The differences that are observed would not be anticipated if threshold for homogeneous disk stimuli derived from the convolution of purely excitatory retinal elements. Instead, these

differences suggest the involvement of both excitatory and inhibitory factors in detection. (Author)

**A77-39912**      **Mechanics and performance of human motion.**  
W. H. Boykin, Jr. (Florida, University, Gainesville, Fla.). In: Recent advances in engineering science. Volume 8. Boston, Mass., Scientific Publishers, Inc., 1977, p. 281-290. 5 refs. NSF Grants No. GR-4944; No. GK-37024X.

Recent advances in analysis methods, devices and techniques for measurement of human biomechanical activity make it possible to answer fundamental questions about mechanics and performance of human motion. This paper describes recent experimental and theoretical research into the applicability of analytical mechanics to human motion problems, optimal performance of human motion, and optimal modeling for particular human motion. Work in progress is also presented. (Author)

**A77-40062 \***      **A kinesthetic-tactual display concept for helicopter-pilot workload reduction.** R. D. Gilson (Ohio State University, Columbus, Ohio), R. S. Dunn (U.S. Army, Air Mobility Research and Development Laboratory, Moffett Field, Calif.), and P. Sun (U.S. Army, Electronics Command, Fort Monmouth, N.J.). In: American Helicopter Society, Annual National Forum, 33rd, Washington, D.C., May 9-11, 1977, Proceedings. Washington, D.C., American Helicopter Society, Inc., 1977. 9 p. 16 refs. Research supported by the Ohio State University, U.S. Army, and NASA. (AHS 77-33-22)

A kinesthetic-tactual (K-T) display concept is now under research and development (R & D) at the Ohio State University. It appears to offer considerable promise for useful application in helicopters by conveying control information via the sense of touch. This is a review of the overall R & D program including the original K-T display design, initial studies in automobile and fixed-wing vehicles, and feasibility experiments in a helicopter simulator. In addition to investigations of control and potential workload reduction, present efforts are directed toward establishing optimal design requirements for K-T helicopter displays. Potential applications, modes of usage, and the kinds of information that may be displayed in helicopter applications are discussed along with a brief forecast of future R & D. A brief description of the latest multi-axis laboratory prototype K-T display is also provided. (Author)

**Page Intentionally Left Blank**

## STAR ENTRIES

**N77-26789#** Medical Biological Lab. RVO-TNO, Rijswijk (Netherlands).

### ACQUISITION AND ACTIVITY IN AGED RATS

O. L. Wolhuis, D. L. Knook (Inst. voor Exptl. Geront. TNO), and V. J. Nickolson Apr. 1976 14 p refs

(MBL-1976-4; TDCK-67752) Avail: NTIS HC A02/MF A01

Rats of ages 3, 12, 18, and 30 months (3M, 12M, 18M, and 30M) were trained by conditioned suppression of drinking behavior using punishment or reward. In addition, spontaneous motor behavior was measured. Acquisition rates of the 30M rats were lower than those of 12M and 3M rats, and 3M rats exhibited higher activity than both 30M and 12M rats. It is concluded that the acquisition deficits of 30M rats develop beyond the age of 18 months, independent of differences in activity, reactivity to foot shock, or motor skill. Author (ESA)

**N77-26790#** Medical Biological Lab. RVO-TNO, Rijswijk (Netherlands).

### ISOLATION OF ANTIBODY FORMING CELLS BY USING CLUSTER FORMATION IN COMBINATION WITH VELOCITY SEDIMENTATION

F. H. Lubbe, G. Rossi, and O. B. Zaalberg May 1976 20 p refs

(MBL-1976-6; TDCK-67805) Avail: NTIS HC A02/MF A01

A method to isolate antibody forming cells with the help of cluster formation is described. This was achieved by incubating spleen cells from immunized mice with sheep erythrocytes at 37 C. During incubation a rabbit-anti-mouse immunoglobulin serum was present in order to facilitate the formation of clusters. Thereafter, the clusters were isolated by velocity sedimentation. In this way suspensions containing more than 80 % clusters were obtained. Some of the cells in the clusters still produced antibodies against sheep erythrocytes when cultured for two days in vitro. Author (ESA)

**N77-26791#** Medical Biological Lab. RVO-TNO, Rijswijk (Netherlands).

### OXIME THERAPY AND OXIME BLOOD LEVELS IN RATS: DEPENDENCE ON THE DOSE OF THE ORGANOPHOSPHATE

Otto L. Wolhuis, Herma J. ClasonvanderWiel, and Rob P. L. S. Visser May 1976 12 p refs

(MBL-1976-7; TDCK-67804) Avail: NTIS HC A02/MF A01

Atropinized anesthetized rats were intravenously (i.v.) injected with 4, 6, or 8 x LD50 of the organophosphorous cholinesterase inhibitor soman. Immediately thereafter all animals received an i.v. injection of 100 mg/kg of the oxime HS-6, followed in half of the animals by an infusion of HS-6 of 100 mg/kg/h. The single dose of the oxime delayed the onset of respiratory failure by one hour or more depending on the dose of soman. Infusion of HS-6 further postponed respiratory failure except in the group given 8 x LD50 soman. It was found that at the same infusion rate of HS-6 the blood concentrations of this oxime rose considerably as the dose of soman was increased. It is suggested that the respiratory failure after low, lethal doses of soman is caused by reinhibition of cholinesterase by circulating soman in animals which receive a single injection of HS-6. After higher

doses of soman respiratory failure is caused by toxic side effects of the oxime. Author (ESA)

**N77-26792#** Medical Biological Lab. RVO-TNO, Rijswijk (Netherlands).

### IN VITRO EVALUATION OF SOME LATENT RADIOPROTECTIVE COMPOUNDS

O. Vos, G. A. Grant (Defence Chem., Biol. and Radiation Establ., Ottawa), and L. Budke Aug. 1976 31 p refs

(MBL-1976-11; TDCK-68126) Avail: NTIS HC A03/MF A01

Protection against X-irradiation by a number of cysteamine derivatives was studied in tissue culture and the results compared with data obtained in mice. Compounds with a covered SH group like WR 638, cysteamine phosphate, WR 2721, and AE 48527, showed practically no protection when dissolved in tissue culture medium but developed a protective activity when dissolved in rat blood. Thiol measurements demonstrated that in rat blood the compounds were partly hydrolyzed to thiols. C511 was also hydrolyzed in culture medium and was slightly less effective than cysteamine in culture medium. Cysteamine phosphate was hydrolyzed more easily than cysteamine sulphate and concordantly the protective activity in rat blood was better. WR 2721 was also partly hydrolyzed in rat blood. The in vitro protection of this compound was disappointing when compared with results in vivo. Its SH form (WR 1065) also showed less protection than expected from in vivo experiments. Author (ESA)

**N77-26793#** Chemical Lab. RVO-TNO, Rijswijk (Netherlands).

### SELECTIVE ENRICHMENT AND ISOLATION OF MICRO-ORGANISMS ON ETHYL S-DISOPROPYL AMINOETHYL METHYLPHOSPHONTHIOATE (VX)

E. Holwerda Nov. 1975 40 p refs In DUTCH; ENGLISH summary

(CL-1975-27; TDCK-67497) Avail: NTIS HC A03/MF A01

Some investigations were made to obtain a selective enrichment in soil of micro-organisms utilizing O-ethyl S-(2-diisopropylaminoethyl) methyl thiophosphonate (VX) on addition of 1 mg VX per g soil. Repeated contamination was needed as a result of the low stability of VX in soil. Shifts in microbial populations occurred. Aqueous solutions of VX (1 mg/ml) were inoculated with an extract of the soil being treated in this manner. Degradation of VX was followed enzymatically, the viable counts were estimated with the plate-count technique. As a result some colonies on count plates were obtained of species which are at least able to survive in the presence of VX. Author (ESA)

**N77-26794\*#** Lockheed Missiles and Space Co., Sunnyvale, Calif.

### STARPAHC OPERATIONAL REPORT Interim Report, May 1975 - Oct. 1976

15 Jan. 1977 149 p

(Contract NAS9-13170)

(NASA-CR-151432; LM SC-D508255; IR-3) Avail: NTIS HC A07/MF A01 CSCL 06E

The results of the first one and one-half years of operation of the STARPAHC system are presented. An operational cost summary analysis is included as well as the following: (1) Medical evaluation results, (2) system usage, and (3) hardware evaluation results. B.B.

**N77-26795\*#** Indiana Univ., Bloomington. Section on Pharmacology.

### STUDIES IN NEUROENDOCRINE PHARMACOLOGY Final Report

Roger P. Maickel 30 Apr. 1976 307 p refs

(Grant NGL-15-003-117)

(NASA-CR-153278) Avail: NTIS HC A14/MF A01 CSCL 06E

The expertise and facilities available within the Medical Sciences Program section on Pharmacology were used along with informational input from various NASA sources to study areas relevant to the manned space effort. Topics discussed include effects of drugs on deprivation-induced fluid consumption, brain biogenic amines, biochemical responses to stressful stimuli, biochemical and behavioral pharmacology of amphetamines, biochemical and pharmacological studies of analogues to

biologically active indole compounds, chemical pharmacology: drug metabolism and disposition, toxicology, and chemical methodology. Appendices include a bibliography, and papers submitted for publication or already published. Author

**N77-26796\*** National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York.

**A CERVIX-TO-RECTUM MEASURING DEVICE IN A RADIATION APPLICATOR FOR USE IN THE TREATMENT OF CERVICAL CANCER Patent Application**

David R. Fischell (Howard Univ.) and Jeffrey Mazique, inventors (to NASA) (Howard Univ.) Filed 12 May 1977 12 p (Grant NGT-09-011-051) (NASA-Case-GSC-12081-2; US-Patent-Appl-SN-796258) Avail: NTIS HC A02/MF A01 CSCL 06B

A cervix-to-rectum measuring device to be used in the treatment of cervical cancer is described which includes a handle and a probe pivotably connected to the handle for insertion in the rectum. The measuring device further includes means for coupling the handle to an intrauterine radiation applicator when the latter is positioned in the uterine cervix and the probe is inserted in the rectum to pivot the handle about the probe. A gear is provided which is adapted to pivot with the probe. A pinion pivotably connected to the handle meshes with the gear. A pointer fixed to the pinion is displaced in response to the pivoting of the handle about the probe, and this displacement can be read from a scale on the handle, providing an indication of the cervix-to-rectum distance. NASA

**N77-26797\*** National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York.

**DETERMINATION OF ANTIMICROBIAL SUSCEPTIBILITIES OF INFECTED URINES WITHOUT ISOLATION Patent Application**

Grace L. Picciolo, Emmett W. Chapelle, Jody W. Deming (New England Medical Center, Boston), Christian G. Schrock (New England Medical Center, Boston), Hiller Vellend (New England Medical Center, Boston), Michael J. Barza (New England Medical Center, Boston), and Louis Weinstein, inventors (to NASA) (New England Medical Center, Boston) Filed 23 Apr. 1976 24 p (NASA-Case-GSC-12046-1; US-Patent-Appl-SN-680015) Avail: NTIS HC A02/MF A01 CSCL 06B

Method is described for the quick determination of the susceptibilities of various unidentified bacteria contained in aqueous physiological fluid sample, particularly urine, to one or more antibiotics. A bacterial adenosine triphosphate (ATP) assay is carried out after the elimination of nonbacterial ATP to determine whether an infection exists. If an infection does exist, a portion of the sample is further processed, including subjecting parts of the portion to one or more antibiotics. Growth of the bacteria in the parts are determined, again by an ATP assay, to determine whether the unidentified bacteria in the sample are susceptible to the antibiotic or antibiotics under test. NASA

**N77-26798\*** Los Alamos Scientific Lab., N. Mex. Mammalian Biology Group.

**CESIUM-137 WHOLE-BODY CONTENT IN A NORMAL NEW MEXICO POPULATION**

R. G. Thomas, C. R. Richmond, J. E. Furchner, and E. C. Anderson 1976 14 p refs Presented at 10th Midyear Symp. for Health Phys. Soc., New York, 11 Oct. 1976 (Contract W-7405-eng-36)

(LA-UR-76-2097; Conf-761031-5) Avail: NTIS HC A02/MF A01

Nanocuries of cesium-137 and potassium-40 were measured periodically in a fairly consistent population of normal New Mexicans. A large liquid scintillation detector was used for whole body gamma ray counting. Data are expressed in terms of picocuries of cesium-137 per gram of body potassium. Following the peaks of high level atmospheric testing (early to mid-1960's) the levels rose, approaching 120 pCi/gK. For the five year period beginning in 1964 there was a steady decline. During the years of 1969 through 1973 the whole body levels were essentially constant at approximately 20 pCi/gK. A gradual decline occurred over the next two years, reaching the current level of about 10

pCi/gK. A group of 100 individuals was counted during the summer of 1976 and these data are presented, showing that they follow a normal distribution. ERA

**N77-26799\*** Los Alamos Scientific Lab., N. Mex.

**BIOLOGICAL EFFECTS OF NEGATIVE PIONS**

M. R. Raju, H. I. Amols, E. Bain, S. G. Carpenter, J. F. Dicello, J. F. Frank, R. A. Tobey, and R. A. Walters 1976 33 p refs Presented at Intern. Conf. on Particles and Radiation Therapy, Berkeley, Calif., 15-17 Sep. 1976 Sponsored in part by National Cancer Inst.

(Contract W-7405-eng-36)

(LA-UR-76-2529; Conf-760946-5)

Avail: NTIS

HC A03/MF A01

Biological effects at the beam entrance were found to be nearly the same as conventional radiations, although some reports have indicated a higher RBE. LET distribution at the peak of a nearly monoenergetic pion beam is not much different from fast neutrons; therefore, one would expect similar biological responses, and the results are consistent with this hypothesis. The RBE peak/RBE plateau ratio is decreased with increasing width of the peak. The OER (approximately 1.6) at the peak for a nearly monoenergetic pion beam is also similar to fast neutrons and is expected to increase with increasing width of the peak. ERA

**N77-26800\*** EEG Research Inst., Oslo (Norway).

**INVESTIGATION ON THE SATURATION AND CLEARANCE OF HYDROGEN GAS IN THE BRAIN AND EXTREMITIES OF MAN, AND INVESTIGATIONS ON BIOMEDICAL MONITORING OF DIVERS IN WET-SUITS Final Report, 15 Mar. 1972 - 14 Nov. 1976**

Carl Wilhelm Sem-Jackson 14 Nov. 1976 20 p refs

(Contract N00014-72-C-0345)

(AD-A037498) Avail: NTIS HC A02/MF A01 CSCL 06/19

Hydrogen gas clearance and saturation in the brain have been monitored in 22 subjects - twice in 4 of them with 6 months intervals. The half time for hydrogen gas clearance/saturation in the human brain may fluctuate between 1/2 minute and 30 minutes in grey matter and between 6-12 and 14 minutes in white matter. There must be a focal mechanism regulating the blood flow to various areas of the brain. The Vesla on Person Biomedical Monitoring Equipment has been refined. The unit is fitted in a water tight clam shell, to be carried on the diver's back. GRA

**N77-26801\*** Pennsylvania State Univ., University Park. Center for Air Environment Studies.

**INFLUENCE OF ALTERED GASEOUS ENVIRONMENTS ON LUNG METABOLISM Final Progress Report, 1 Jul. 1974 - 31 Aug. 1976**

Rodney A. Rhoades Sep. 1976 56 p refs

(Grant AF-AFOSR-2767-75)

(AD-A037977; CAES-Pub-445-76; AFOSR-77-0315TR) Avail: NTIS HC A04/MF A01 CSCL 06/20

Isolated lungs were perfused 1.5 hours with a medium of washed bovine red cells resuspended to a 15 percent hematocrit with Krebs-Henseleit bicarbonate buffer containing 5 gram percent albumin. Substrate concentrations were 6 millimolar glucose and 1 millimolar palmitate. Data from altered carbon dioxide tension experiments indicate that prior exposure to high carbon dioxide tension markedly alters the lung's ability to maintain synthesis of cellular constituents from glucose. In a second series of experiments, acute effects of hyperoxia on lung metabolism were examined. Lactate production increased and pyruvate decreased. Data from a series of test of hypoxia on cyclic nucleotides indicate that hypoxia has a selective action on lung cAMP and nutritional stress, potentiates a hypoxic-hypercapnia exposure, and drastically alters lung weight, glycolysis and lipid synthesis in the lung. Author (GRA)

**N77-26802\*** Kentucky Univ., Lexington.

**THE DEVELOPMENT, MAINTENANCE, AND MATHEMATICAL DESCRIPTION OF TRACKING BEHAVIOR IN MAN**

**AND THE RHESUS MONKEY Annual Report, 1 Oct. 1975 - 30 Sep. 1976**

D. F. McCoy and P. K. Bhagat 19 Nov. 1977 40 p  
(Grant AF-AFOSR-2751-75)  
(AD-A038006; AFOSR-77-0377TR) Avail: NTIS  
HC A03/MF A01 CSCL 05/10

The overall objective of this research was to explore several possible training methods to produce efficient compensatory tracking in the rhesus monkey. Various approaches were used. Several animals were successfully trained, and a five-parameter model was developed to describe this behavior mathematically. A major finding was that no detrimental effects were evidenced following a shift from pursuit to compensatory tracking. This finding agrees with the findings of others in human tracking situations and illustrates another similarity between human and subhuman response to discrete tracking tasks. The study showed that no special retraining procedures are required to train subhuman primates on either pursuit or compensatory tracking and this feature, that of a universal training method, was a primary goal of this research. Another major finding was that, based on the assumption that low doses of tranquilizing drugs may improve tracking efficiency of shock conditioned animals, it appears that the effect of tranquilizers was dependent as much on the individual animal as it was on dose level. GRA

**N77-26803# Grumman Aerospace Corp., Bethpage, N.Y.  
A-6E SYSTEMS APPROACH TO TRAINING, PHASE 1 Final Report, Apr. 1975 - May 1976**

Samuel C. Campbell, Joseph Feddern, George Graham, and Martin Morganlander Feb. 1977 94 p refs  
(Contract N61339-75-C-0099)  
(AD-A037468; NAVTRAQUIPC-75-C-0099-1) Avail: NTIS  
HC A05/MF A01 CSCL 05/9

This report describes one of four Phase I programs, namely the A-6E TRAM Instructional Systems Development (ISD) Program, established to evaluate the application of a Systems Approach to Training (SAT) in Naval aircraft programs. The research and development goals of this program were to: (a) evaluate a variety of ISD methods and procedures as applied to the aircrew training, (b) achieve a better understanding of the constraints and operating conditions that affect aircrew training, and (c) acquire cost, scheduling, and manpower data for future ISD planning. The operational goal was to design an A-6E TRAM aircrew training program. The approach used to achieve the above goals conformed basically to the ISD methodology. The report discussed the Task Analysis, the development of Specific Behavioral Objectives (SBOs), the selection of instructional media, and the formulation of Lesson Specifications. The role of the Subject Matter Expert (SME) is reviewed, as is the requirement for quantitative standards of performance. The operational aspects of the A-6E Training Program are addressed: program costs and manpower data are included. Specific media requirements and recommendations are presented. Generic descriptions of appropriate training devices are provided. The report includes a number of conclusions and recommendations and a 30-item reference section. Author (GRA)

**N77-26804# Lockheed Electronics Co., Houston, Tex. Systems and Services Div.**

**REMOTE MANIPULATOR SYSTEM STEERING CAPABILITY FOR SVDS**

D. T. Martin May 1977 49 p refs  
(Contract NAS9-15200)  
(NASA-CR-151438; LEC-10595; JSC-12628) Avail: NTIS  
HC A03/MF A01 CSCL 05H

Details of the remote manipulator system steering capability to be implemented into the space vehicle dynamics simulator are reported. The resolve rate law is included as part of the overall steering capability. The steering model includes three automatic modes, four manual augmented modes, and a single joint rate mode. Author

**N77-26805# Royal Naval Personnel Research Committee, London (England).**

**A STUDY USING INFRA RED THERMOGRAPHY OF CLOTHING ASSEMBLIES FOR USE BY PERSONNEL WORKING BENEATH OPERATING HELICOPTERS**

R. Clark, B. J. Mullan, and M. R. Goff May 1976 20 p refs  
(AD-A035966; ES-4/76; DRIC-BR-54506) Avail: NTIS  
HC A02/MF A01 CSCL 06/17

With exposure to the down-draught of a hovering helicopter the surface temperatures of various garment assemblies have been compared, using infrared thermography and the Interim Assembly has been shown to have lowest surface temperature indicating its suitability at heat retention by the body. The surface temperatures observed are seen to be much more uniform in the down-draught than in 'still air' conditions. Thermography reveals the local hot spots over garment assemblies worn in 'still air' conditions. These are the areas where the heat loss will be greatest both in the 'still air' and also when the subjects are exposed to high velocity winds. The very warm areas over the face have been demonstrated in all of the garment assemblies. With the high heat loss coefficients previously measured beneath hovering helicopters, these areas could account for up to 40% of the total body heat loss. Underneath a hovering helicopter an excess temperature of 1 C over any garment assembly can increase heat loss from a subject by upwards of 80 W/sq m. This indicates the sensitivity of heat loss to excess temperature in these environments and emphasizes the importance of adequate and uniform insulating properties of the garment assembly. GRA

**N77-26806# Defense Systems Management School, Fort Belvoir, Va.**

**HUMAN FACTORS CONSIDERATIONS IN NEW GENERATION ARMY AIRCRAFT SYSTEMS**

Carl A. Weaver, Jr. Nov. 1976 30 p refs  
(AD-A037992) Avail: NTIS HC A03/MF A01 CSCL 01/3

This study is useful to project managers, decision makers and users alike, particularly those interested in rotary-wing system acquisition. It is also useful to behavioral scientists and human factors engineers as an aid to becoming sensitive to user requirements and changes in the operational environment. Purpose, scope and limitations are established. The issues are placed in perspective through a discussion of projected man-machine relationships with respect to the anticipated future operational environment of helicopters. Basic Army aviation systems of the future are described in relation to aviation missions. Projected human factors problems are examined as a function of system performance and operational trends. Human factors are related to life cycle costing by suggesting a relationship between the manager's decision flexibility and a commitment to a final system configuration. It is concluded that a departure from traditional cockpit design is necessary. Recommendations are made concerning decision criteria and human factors-acquisition cycle interface. Author (GRA)

**N77-26807# Defense Systems Management School, Fort Belvoir, Va.**

**HUMAN FACTORS PROGRAMS IN NAVY SYSTEMS ACQUISITION**

Stephen C. Merriman Nov. 1976 61 p refs  
(AD-A037775) Avail: NTIS HC A04/MF A01 CSCL 05/5

This report examined the role that human factors programs play in Navy systems acquisition. It focused upon the conceptual and validation (advanced development) phases of the acquisition process since it is during this period when the great majority of system design decisions are made. Based upon previous analyses, interview data and the author's personal experience, human factors program activities appropriate to the conceptual and validation phases were identified and discussed relative to key acquisition process milestones; e.g., Development Proposal (DP) and Decision Coordination Paper (DCP) preparation, Defense Systems Acquisition Review Council (DSARC) preparation. Department of Defense and Navy systems acquisition policy was briefly reviewed in terms of its effects on the conduct of human factors programs. Past and present human factors programs were reviewed and critiqued. Current trends and major problem areas were identified and discussed. GRA

**N77-26808# IBM Federal Systems Div., Owego, N.Y. Federal Systems Div.**

**PROGRAM DOCUMENTATION FOR THE T4 EUO CREW STATION SIMULATION PROGRAMS**

W. E. Brandt, Jr. Wright-Patterson AFB, Ohio AMRL Feb. 1977 70 p  
(Contract F33615-75-C-5152)  
(AD-A037944; AMRL-TR-77-6; AMRL-HESS-77-2) Avail: NTIS MF A01 CSCL 05/9

The ALQ-T4 EWO Crew Station Simulation Programs were written for the Crew Station Integration Branch (HED), Human Engineering Division, Aerospace Medical Research Laboratory. The overall function of the entire system of programs is to provide the capability for studying the performance of a trained Electronic Warfare Officer (EWO) during an electronic warfare simulation, to support studies to analyze the impact of the addition of new equipment, and the organization of old equipment on crew performance. A real-time program controls and monitors an AN/ALQ-T4 B-52 EW Crew Station Simulator that has been modified to include a set of equipment changes associated with the Advanced Phase VI B-52 EW Crew Station Project. The subject response times, at which all input transitions occur, and the times that the emitters stations are turned on/off are recorded for subsequent analysis. This system was written for an IBM System/370, Model 155 Computer. OS Assembler Language and FORTRAN IV were used in coding the subroutines. GRA

**N77-26809#** Applied Psychological Services, Wayne, Pa. Science Center.

**APPLICATIONS OF HUMAN PERFORMANCE RELIABILITY EVALUATION CONCEPTS AND DEMONSTRATION GUIDELINES Technical Report, 19 Mar. 1976 - 15 Mar. 1977**

Arthur I. Siegel, William Rick Leahy, and Joel P. Wiesen 15 Mar. 1977 153 p refs  
(Contract N00024-76-C-6126)

(AD-A037632) Avail: NTIS HC A08/MF A01 CSCL 05/5  
Although the improvement of equipment systems for human operation and maintenance has been stressed for many years, the actual measurement and specification of human performance reliability in concrete terms has been largely ignored. A set of computer simulation models, which assess the human performance reliability of a system while the system is in the early design state, was previously developed. The results of trial application of these simulation models to an actual system which is under development are presented. Additionally, a set of guidelines is presented which can form the basis for a human performance reliability demonstration in future Navy systems. Author (GRA)

**N77-26810#** Wyle Labs., Inc., Huntsville, Ala.  
**PERSONAL FLOTATION DEVICES RESEARCH, PHASE 1 Final Report, Jul. 1976 - Jul. 1976**

T. Doll, C. Stiehl, M. Pfauth, and R. MacNeill Jul. 1976 341 p refs  
(Contract DOT-CG-42333-A)  
(AD-A037221; MSR-76-43; USCG-D-3-77) Avail: NTIS HC A15/MF A01 CSCL 06/7

An Accident Recovery Model (ARM) for recreational boating accidents is presented. Its development and application are described. The model is used to estimate the benefits of regulatory programs in four recovery problem areas. Methods and problems in benefit estimation are described, and recommendations for further development of ARM are offered. An investigation of the causes of sudden and unexplained drownings is reported, including a review of the biomedical literature and an analysis of boating accident reports. Development of the Life-Saving Index (LSI) is described, and its application to the approval of personal flotation devices (PFDs) is discussed. Past mathematical modeling efforts related to PFD effectiveness are discussed. A pilot experiment is reported, and alternative empirical methods for evaluating PFD effectiveness are presented. A large-scale observational study of PFD wear and accessibility, and a study of PFD-related attitudes and preferences are reported. A preliminary index of PFD wearability is formulated. Initial data on PFD quality control and reliability problems are presented. Procedures for evaluating PFD reliability are outlined. Functions which future PFD designs could fulfill and features of inflatable and hybrid devices are reviewed. Tests of two inflatables and three hybrid devices are reported. Author (GRA)

**N77-26811#** Navy Clothing and Textile Research Unit, Natick, Mass.

**LOW-TEMPERATURE HANDWEAR WITH IMPROVED DEXTERITY Technical Report, 1973 - 1975**

Salvatore V. Gianola, Dale A. Reins, and James C. Shampine Dec. 1976 41 p  
(AD-A037535; TR-117; TR-2; Rept-6-75) Avail: NTIS HC A03/MF A01 CSCL 06/17

Navy Clothing and Textile Research Facility (NCTRF) conducted tests of second generation models of experimental prototypes which proved superior to the Navy standard in all dexterities and equal in low-temperature environments (-40 F for 2 hours). The best candidate prototype (Type IV, Mod 3) was selected, and a limited number were constructed for field tests at various Alaskan military sites. Test subjects, engaged in a variety of duties involving manual dexterity, rated the experimental glove (Type IV, Mod 3) superior to the standard Navy handwear in all dexterities but less protective at -40 F for extended periods of time (4 hours). A single drawback was that the experimental glove, utilizing a polyurethane foam liner, absorbed excessive moisture (perspiration and melting snow), thus representing a potentially serious hazard. Changes were made to incorporate a moisture barrier lining (Mod 4) and NCTRF conducted in-house tests to ascertain the effect on both low-temperature and manipulatory capabilities. Author (GRA)

**N77-26812#** Aerospace Medical Research Labs., Wright-Patterson AFB, Ohio.

**EFFECTS OF DIRECT SIDE FORCE CONTROL ON PILOT TRACKING PERFORMANCE Final Report, Jan. - Dec. 1975**

Donald R. Loose, Kenneth W. McElreath, and George Potor, Jr. Dec. 1976 27 p  
(AF Proj. 7222)  
(AD-A036083; AMRL-TR-76-87) Avail: NTIS HC A03/MF A01 CSCL 06/19

An experiment was conducted to determine the effects of direct side force motion on a pilot's tracking performance in a simulated air-to-air engagement. Two degrees of control, pitch and lateral velocity, could be commanded by the pilot. Forty-five second runs at various normal G profiles were made with and without dynamic lateral motion, using four subjects. The results showed some degradation of performance at low normal G levels with side motion, but the subjects demonstrated they could easily maintain effective tracking control with + or - 2 Gs of dynamic lateral acceleration. GRA

**N77-27677\*** National Aeronautics and Space Administration, Langley Research Center, Langley Station, Va.

**AUTOMATED SINGLE-SLIDE STAINING DEVICE Patent**  
Judd R. Wilkins and Stacey M. Mills, inventors (to NASA) Issued 14 Jun. 1977 10 p Filed 29 Oct. 1975 Supersedes N76-13725 (14 - 04, p 0487)

(NASA-Case-LAR-11649-1; US-Patent-4,029,470; US-Patent-Appl-SN-626942; US-Patent-Class-8-94.11; US-Patent-Class-8-3; US-Patent-Class-23-253A; US-Patent-Class-23-259; US-Patent-Class-23-292; US-Patent-Class-118-6; US-Patent-Class-118-7; US-Patent-Class-118-9; US-Patent-Class-118-313; US-Patent-Class-424-3; US-Patent-Class-427-4) Avail: US Patent Office CSCL 06M

A simple apparatus and method is disclosed for making individual single Gram stains on bacteria inoculated slides to assist in classifying bacteria in the laboratory as Gram-positive or Gram-negative. The apparatus involves positioning a single inoculated slide in a stationary position and thereafter automatically and sequentially flooding the slide with increments of a primary stain, a mordant, a decolorizer, a counterstain and a wash solution in a sequential manner without the individual lab technician touching the slide and with minimum danger of contamination thereof from other slides. NASA

**N77-27678** Pittsburgh Univ., Pa.  
**THE ISOLATION AND PURIFICATION OF PROTEIN**

**FRACTIONS INVOLVED IN E. COLI DNA REPLICATION**

Ph.D. Thesis

Katryna Bogovich 1976 178 p

Avail: Univ. Microfilms Order No. 77-2990

A method has been developed for the isolation and purification of protein fractions which appear to be involved in the semi-conservative replication of the bacterial nucleoid. The procedure for isolating and purifying the enzymatic fractions consists of separating the 0-50 percent ammonium sulfate out of a high speed cell lysate supernatant into three fractions via a DEAE - cellulose column. The resultant fractions, the 50 mM NaCl breakthrough; the 50-200 mM NaCl fraction; and the 200-600 mM NaCl fraction, were further purified either via gel filtration followed by DEAE - cellulose chromatography or by phosphocellulose chromatography followed by DEAE - cellulose chromatography. The enzymatic fractions were purified on the basis of their ability to stimulate the ATP-dependent DNA synthetic ability of either a single stranded DNA specific protein fraction or a double stranded DNA specific protein fraction.

Dissert. Abstr.

N77-27679 North Carolina State Univ., Raleigh.

**RESPONSE OF GUINEA PIG EARS TO PURE TONES, SPEECH, AND OTHER COMPLEX WAVEFORMS IMPARTED ACOUSTICALLY AND BY OSSICULAR CHAIN COUPLED PIEZOELECTRIC TYPE TRANSDUCERS** Ph.D. Thesis

Reginald Owen Cook 1976 352 p

Avail: Univ. Microfilms Order No. 77-2738

The feasibility study of imparting speech, complex waveforms, and pure tones onto the ossicular chain of guinea pigs by direct coupling with piezoelectric transducers was carried out. Comparisons were made of the response of the middle and inner ear (cochlea) to identical source waveforms presented in the normal acoustic manner and presented via direct coupled piezoelectric type devices. The data obtained offer compelling evidence for the essential equivalency of direct coupled and acoustically generated means of imparting signals onto the auditory system and of the feasibility of the technique in producing response free from unwanted shock, distortion, or other fidelity degrading side effects.

Dissert. Abstr.

N77-27680\*# Michigan Univ., Ann Arbor. Kresge Hearing Research Inst.

**DEVELOPMENT OF METHODOLOGIES FOR VESTIBULAR EXPERIMENTATION WITH MAN AND ANIMALS** Final Report

D. J. Anderson 25 Apr. 1977 38 p refs

(NASA-CR-151444) Avail: NTIS HC A03/MF A01 CSCI 06D

Calculations on the possibilities for an animal centrifuge which will be useful in the study of the otolith organs in space research are presented with discussion on the design of such a centrifuge.

Author

N77-27681\*# Dartmouth Coll., Hanover, N.H. Dept. of Physiology.

**THE THYROID AND ENVIRONMENTAL STRESS IN MAMMALS** Final Report, 1 Jan. 1976 - 31 Dec. 1976

Valerie Anne Galton 10 Jun. 1977 39 p refs

(Contract NAS9-14439)

(NASA-CR-151462) Avail: NTIS HC A03/MF A01 CSCI 06C

The effects of hyperoxia at ambient pressure on thyroid function and thyroid hormone metabolism have been assessed. Thyroidal activity was depressed in mice and rats by exposure to hyperoxia, due at least in part to a decrease in the rate of secretion of pituitary thyrotropin. The effects of hyperoxia on the peripheral deiodination of thyroxine were dependent on the concentration of oxygen employed and/or the duration of exposure. When significant changes were observed a reduction in the rate of deiodination and in the deiodinative clearance of T sub 4 occurred. Hyperoxia also resulted in a marked fall in circulating T sub 4 concentration and a decrease in T sub 4-binding activity in serum. Many of these effects of hyperoxia were prevented by the concomitant administration of large

amounts of Vitamin E. These decreases in thyroid function and T sub 4 metabolism were associated with a decrease in the rate of whole body oxygen consumption. It was concluded that the deleterious effects of oxygen in the rat were not due to an oxygen induced hyperthyroid state in the peripheral tissues. Thyroxine was shown to be essential for survival during acute cold stress.

Author

N77-27682\*# Hardin-Simmons Univ., Abilene, Tex. Science Research Center.

**RESPONSE OF SELECTED MICROORGANISMS TO EXPERIMENTAL PLANETARY ENVIRONMENTS** Semiannual Progress Report, 1 Jul. 1976 - 30 Jun. 1977

Terry L. Foster and Luther Winans, Jr. Jun. 1977 38 p

(Grant NGR-44-095-001)

(NASA-CR-153912; PR-9) Avail: NTIS HC A03/MF A01 CSCI 06C

Results of studies in anaerobic phosphorus metabolism are presented. Specific topics discussed include: (1) anaerobic utilization of PH<sub>3</sub>; (2) reduction of phosphate or phosphite; (3) isolation of organisms which utilize phosphite or phosphate anaerobically as a final hydrogen acceptor; and (4) the toxicity of PH<sub>3</sub> to the organisms. Techniques of anaerobic microbiology associated with space hardware were also studied. These include: (1) the Brewer anaerobe jar/GasPak system; (2) a new procedure to grow aerobes and anaerobes simultaneously; (3) a culture medium to differentiate obligate from facultative anaerobes; and (4) a procedure to quantitate O<sub>2</sub> sensitivity of anaerobes.

J.M.S.

N77-27683# Nebraska Univ., Lincoln. Dept. of Food Science and Technology.

**PREPARATION AND EVALUATION OF IMMOBILIZED SINGLE AND MULTIPLE ENZYME SYSTEMS** Ph.D. Thesis

Arun Kilara Oct. 1976 155 p refs

(Contract DI-14-34-0001-6028)

(PB-264898/8; W77-05724; OWRT-A-040-NEB(1)) Avail: NTIS HC A08/MF A01 CSCI 06A

The effects of immobilization on the pH and temperature of assay and kinetic parameters such as apparent Michaelis constant and apparent maximal velocity for each enzyme were investigated. It was felt the immobilized multiple enzyme system could be successfully used for the hydrolysis of lactose, proteins and lipids in cheese whey.

GRA

N77-27684# Joint Publications Research Service, Arlington, Va.

**TRANSLATIONS ON USSR SCIENCE AND TECHNOLOGY: BIOMEDICAL SCIENCES, NO. 4**

11 Jul. 1977 57 p refs Transl. into ENGLISH from Russian journals

(JPRS-69399) Avail: NTIS HC A04/MF A01

Information on aerospace medicine, agrotechnology, bionics and bioacoustics, biochemistry, biophysics, environmental and ecological problems, food technology, microbiology, epidemiology and immunology, marine biology, military medicine, physiology, public health, toxicology, radiobiology, veterinary medicine, behavioral science, human engineering, psychology, psychiatry and related fields, and scientists, and scientific organizations in biomedical fields is presented.

Author

N77-27685 Purdue Univ., Lafayette, Ind.

**POTASSIUM PERMEABILITY IN THE TRANSVERSE TUBULE SYSTEM AND LATENCY RELAXATION: A STUDY OF EXCITATION-CONTRACTION COUPLING** Ph.D. Thesis

Glenn Edward Kirsch 1976 157 p

Avail: Univ. Microfilms Order No. 77-1735

In skeletal muscle, many of the processes linking excitation of the surface membrane with contraction of the myofilaments take place within two intracellular membrane systems: the transverse tubule system (TTS) and the sarcoplasmic reticulum (SR). The origin of the late afterpotential (LAP) was studied because it is believed to be caused by potassium accumulation following the activation of delayed rectification in the TTS. Latency



relaxation (LR) was studied because of its postulated relationship to calcium release from the SR. Results support the potassium accumulation hypothesis and the idea that delayed rectification occurs in the TTS. A calculation of the amount of potassium released by a single spike in the TTS showed that the distribution of delayed rectifier channels is less dense in the TTS than on the surface. Dissert. Abstr.

**N77-27686** Texas A&M Univ., College Station.  
**THE EFFECTS OF INCREASED OXYGEN CONCENTRATIONS AND ACCELERATION FORCES ON THE MECHANICAL PROPERTIES OF THE LUNGS** Ph.D. Thesis

Larry Todd Bush 1976 140 p  
Avail: Univ. Microfilms Order No. 77-2601

The effects of breathing increased concentrations of oxygen (FIO<sub>2</sub>'s of 0.6 to 1.0) on the pulmonary compliance and pulmonary resistance were examined in normal, seated males. Exposures were for one hour, and volume histories of the lungs were established at 10 minute intervals. There were no significant changes in any of the parameters examined. In addition, the effects of breathing increased oxygen concentrations and exposure to increased acceleration forces on pulmonary compliance and resistance were examined in normal, seated males. Pulmonary compliance decreased significantly in subjects breathing the increased FIO<sub>2</sub>'s after exposure to acceleration forces when compared to room air controls. The decrease in compliance appeared to be a function of the FIO<sub>2</sub>, with those subjects breathing the greater FIO<sub>2</sub> showing a greater decrease in compliance than those subjects breathing the lesser FIO<sub>2</sub>. There was no significant difference in the degree of compliance decrease between the two acceleration levels for a particular FIO<sub>2</sub>.

Dissert. Abstr.

**N77-27687** Ohio State Univ., Columbus.  
**INTERACTION BETWEEN THE HEART AND THE VASCULAR SYSTEM: A CIRCUIT APPROACH** Ph.D. Thesis

Jean-Pierre Dujardin 1976 169 p  
Avail: Univ. Microfilms Order No. 77-2391

The interaction between the heart and the vascular system is studied by using circuit theory. It was shown that the left ventricle can be represented as an ideal flow source in parallel with a source resistor. It was also shown that the arterial system can be described by the total arterial compliance, the characteristic impedance of the proximal aorta and the relationship of the total peripheral run-off versus the mean arterial pressure. All these parameters, characterizing the left ventricle and the arterial system were measured in vivo in closed chest dogs. A mathematical method was introduced to calculate the steady state values for arterial pressure, systolic outflow of the left ventricle and arterial steady power. Dissert. Abstr.

**N77-27688** Kent State Univ., Ohio.  
**CIRCADIAN VARIATIONS IN RESPONSES OF TRAINED AND UNTRAINED MEN TO SUBMAXIMAL EXERCISE** Ph.D. Thesis

Paul Michael Couzelis 1976 226 p  
Avail: Univ. Microfilms Order No. 77-3821

Twenty-four hour variations of the cardiorespiratory system are examined to determine whether physiologically meaningful circadian rhythms could be detected in groups of men during exercise. In addition, the possible effect of physical training at the same time each day, as an environmental synchronizer of circadian rhythms, was determined. A number of cardiorespiratory parameters were observed during 11 minute bouts of submaximal bicycle ergometer exercise performed every 3 hours for 24 hours. It was concluded that group synchronized circadian rhythms during exercise can be found in systolic blood pressure, diastolic blood pressure, pulse pressure, tidal volume, blood lactate, and serum potassium. Dissert. Abstr.

**N77-27689** Indiana Univ., Bloomington.  
**PACE AND GRADE RELATED TO THE OXYGEN AND ENERGY REQUIREMENTS, AND THE MECHANICS OF TREADMILL RUNNING** Ph.D. Thesis

Phillip Likins Henson 1976 139 p  
Avail: Univ. Microfilms Order No. 77-1986

The relationships among variations in running speed and grade, and their effects upon various physiological variables in running at a steady state, are investigated. Also determined were changes in various biomechanical variables which occurred along with changes in speed and grade. Some of the conclusions drawn from the investigation were: energy is conserved by running downhill. However, the savings are less than the additional amount required to run the same incline at the same speed; and uphill running is accompanied by a slight forward body lean toward the incline. Dissert. Abstr.

**N77-27690** Colorado Univ., Boulder.  
**DYNAMIC ANALYSIS OF THE THORACIC STRUCTURE SUBJECTED TO IMPACT LOADINGS** Ph.D. Thesis

Swaminathan Halasya Sundaram 1976 260 p  
Avail: Univ. Microfilms Order No. 77-3241

Passenger protection and injury diagnoses in frontal automobile impacts were studied. A detailed dynamic model of the occupant before and after impact was developed. The occupant's pre-impact motion was analyzed using a three mass (representing the legs, torso, and head), three degree of freedom rigid body model. The three simultaneous nonlinear differential equations of motion of the system were solved numerically by a linear acceleration, time step integration algorithm. A parametric study of the collision variables was performed in which the vehicle velocity, pulse characteristics, seat friction, initial body position, and seat belt stiffness were varied discretely. The motion of the body from the instant of collision with the steering column until the completion of one cycle of compression and decompression was analyzed by treating the thorax as a deformable system of finite elements. Before a proper dynamic analysis was undertaken, static analyses were performed. Dissert. Abstr.

**N77-27691** North Carolina Univ., Chapel Hill.  
**PULSATILE PRESSURE-FLOW DYNAMICS IN RESTING SKELETAL MUSCLE** Ph.D. Thesis

Richard Ward Scarce, Jr. 1976 147 p  
Avail: Univ. Microfilms Order No. 77-2092

The effects of pulse pressure amplitude and mean perfusion pressure on blood flow through an isolated denervated gracilis muscle of a dog were studied. A pressure regulated pumping system produced the pulsatile perfusion pressure which was composed of a sinusoidal pulse pressure and a mean pressure. Pulse pressure amplitudes of 20, 40, 60, 80, and 100 mm Hg were used in various combinations with pulse pressure frequencies of 0.1, 0.3, 0.5, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, and 7.0 Hz., and mean perfusion pressures of 50, 75, 100, 125, and 150 mm Hg. There were two experimental procedures: mean pressure was held constant while pulse amplitude and frequency were varied, and pulse amplitude and frequency were held constant while mean pressure was varied. Pulsatile pressure and flow data were recorded on magnetic tape and analyzed on a digital computer. Dissert. Abstr.

**N77-27692\*** Hardington Coll., Searcy, Ark.  
**STUDY OF OPTIMAL TRAINING PROTOCOLS AND DEVICES FOR DEVELOPING AND MAINTAINING PHYSICAL FITNESS IN FEMALES PRIOR TO AND DURING SPACE FLIGHT** Progress Report, 1 Sep. 1976 - 28 Feb. 1977

Harry D. Olree, Bob Corbin, and Carroll Smith 28 Feb. 1977 21 p refs  
(Contract NAS9-14921)  
(NASA-CR-151246) Avail: NTIS HC A02/MF A01 CSCL 06P

Peddaling a bicycle at least ten minutes a day at 85% of maximum pulse rate, three days a week for ten weeks will produce moderate increases in overall strength and physical work capacity in college-age females. The longer the training session, up to thirty minutes per session, the greater are the increases in physical work capacity that result when college-age females are trained three days a week for ten weeks at 85% of their maximum heart rate. Author

**N77-27693\*#** National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York.

**SYSTEM FOR AND METHOD OF FREEZING BIOLOGICAL TISSUE Patent Application**

Thomas E. Williams and Thomas A. Cygnarowicz, inventors (to NASA) Filed 14 Jun. 1977 18 p  
(NASA-Case-GSC-12173-1; US-Patent-Appl-SN-806440) Avail: NTIS HC A02/MF A01 CSCL 06B

Blood cells, blood marrow, and other similar biological tissue is frozen while in a polyethylene bag placed in an abutting relationship against opposed walls of a pair of heaters. The bag and tissue are cooled with refrigerating gas at a time programmed rate at least equal to the maximum cooling rate needed at any time during the freezing process. The temperature of the bag, and hence of the tissue, is compared with a time programmed desired value for the tissue temperature to derive an error indication. The heater is activated in response to the error indication so that the temperature of the tissue follows the desired value for the time programmed tissue temperature. The tissue is heated to compensate for excessive cooling of the tissue as a result of the cooling by the refrigerating gas. In response to the error signal, the heater is deactivated while the latent heat of fusion is being removed from the tissue while the tissue is changing its phase from liquid to solid. NASA

**N77-27694\*#** National Aeronautics and Space Administration. Goddard Inst. for Space Studies, New York.

**LOCKING MECHANISM FOR ORTHOPEDIC BRACES Patent Application**

Jirih I-Le Chao (Howard Univ.) and Charles H. Epps, Jr., inventors (to NASA) (Howard Univ.) Filed 20 May 1977 15 p Sponsored by NASA  
(NASA-Case-GSC-12082-2; US-Patent-Appl-SN-798976) Avail: NTIS HC A02/MF A01 CSCL 06B

A locking mechanism for orthopedic braces is described which automatically prevents or permits the relative pivotable movement between a lower brace member and an upper brace member, the locking mechanism also including a secondary manually operable latching device. The upper and lower brace members are provided with drilled bores within which a slidable pin is disposed, and depending upon the inclination of the brace members with respect to a vertical plane, the slidable pin will be interposed between both brace members so as to prevent the relative pivotable movement therebetween, or alternatively, be disposed solely within the bore of the upper brace member so as to permit such relative pivotable movement therebetween. The secondary or auxiliary latching device includes a spring-biased, manually operable lever bar arrangement whereby the same is manually unlatched and automatically latched under the influence of the spring. NASA

**N77-27695#** Booz-Allen Applied Research, Inc., Bethesda, Md.  
**APPLICATION OF THE RESPONSE PROBABILITY DENSITY FUNCTION TECHNIQUE TO BIODYNAMIC MODELS Final Report**

Robert L. Hershey and Thomas H. Higgins (FAA, Washington, D. C.) 1 Apr. 1977 25 p refs Sponsored by FAA  
(AD-A040020; FAA-RD-77-52) Avail: NTIS HC A02/MF A01 CSCL 06/5

The response probability density function technique has applications to predicting probability of injury in a wide range of biodynamic situations. The method, which was developed in connection with sonic boom damage prediction, utilizes the probability density function of the excitation force and the probability density function of the sensitivity of the material being acted upon. The method is especially simple to use when both these probability density functions are lognormal. Studies show that the stresses from sonic booms, as well as the strengths of glass and mortars, are distributed lognormally. Some biodynamic processes also have lognormal distributions, and are therefore amenable to modeling by this technique. The application of the method to the analysis of the thoracic response to air blast and the prediction of skull fracture from head impact is discussed. Author

**N77-27696#** Civil Aeromedical Inst., Oklahoma City, Okla.

**INTERMEDIATE VISUAL ACUITY OF PRESBYOPIC INDIVIDUALS WITH AND WITHOUT DISTANCE AND BIFOCAL LENS CORRECTIONS**

Kenneth W. Welsh, Paul G. Rasmussen, and John A. Vaughan Mar. 1977 17 p refs  
(AD-A038538/5; FAA-AM-77-7) Avail: NTIS HC A02/MF A01 CSCL 06/14

Visual acuity was determined at the intermediate range for older individuals with various combinations of ocular refractive error and accommodative power. Subjects read numerals ranging in size to measure visual acuity from 20/80 to 20/15 at 51, 76, and 102 cm with 50 fL luminance. Monocular visual acuity scores were determined both with the subject's optimum spectacle lens correction for distance vision and near vision and without lenses. For subjects with low accommodative power, neither the distance nor the near lens correction provides normal vision throughout the intermediate range. Individuals with myopia of less than 2.0 diopters (D) generally have better intermediate visual acuity without correction than with either a near or a distance correction. Younger subjects generally have better acuity under all conditions except subjects with uncorrected myopia exceeding 2.0 D. Author

**N77-27697\*#** Joint Publications Research Service, Arlington, Va.

**ROLE OF THE ADRENOCORTICAL REACTION TO PHYSICAL LOAD IN INCREASE IN THE WORKING CAPACITY OF THE BODY**

A. A. Viru Washington NASA Jul. 1977 7 p refs Transl. into ENGLISH from Byull. Eksperim. Biol. i Med. (Moscow), no. 7, 1976 p 774-776  
(NASA Order W-13183)

(NASA-TM-75026) Avail: NTIS HC A02/MF A01 CSCL 06P  
The maximal duration of swimming by rats with a load of 3% of their body weight increased after 5 weeks of training. This time did not increase in animals receiving dexamethasone in the process of training. The blood corticosterone level of these rats with the maximal load increased less than that of animals trained without administration of dexamethasone. Author

**N77-27698#** Stanford Univ., Calif. Dept. of Statistics.

**RELATING SPATIAL DISTRIBUTIONS OF POLLUTANTS TO HEALTH EFFECTS**

T. W. Sager 15 Jul. 1976 24 p refs  
(Contract EY-76-S-02-2874)

(COO-2874-1; TR-1) Avail: NTIS HC A02/MF A01

A new and potentially useful statistical tool for epidemiology is introduced, and some of its elementary properties are considered. The technique is a promising one for both data analytic and inferential problems. Starting with the collection of isopleths of a spatially distributed explanatory variable (air pollution), the method produces a relationship between the explanatory variable(s) and the response variable (population-adjusted health effects) by accumulating the response within successively wider isopleths. Among other appealing features, the method has some of the flavor of regression, reduces the relationship between three, three-dimensional distributions to a single easily interpreted two-dimensional graph, and effectively utilizes knowledge of the geographic location of data before discarding the location coordinates as nuisance parameters. ERA

**N77-27699#** Oak Ridge National Lab., Tenn.

**TIMED: A COMPUTER PROGRAM FOR CALCULATING CUMULATED ACTIVITY OF A RADIONUCLIDE IN THE ORGANS OF THE HUMAN BODY AT A GIVEN TIME, t, AFTER DEPOSITION**

S. B. Watson, W. S. Snyder, and M. R. Ford 1976 154 p refs  
(Contract W-7405-eng-26)

(ORNL-CSD-TM-17) Avail: NTIS HC A08/MF A01

TIMED is a computer program designed to calculate cumulated radioactivity in the various source organs at various times after radionuclide deposition. TIMED embodies a system of differential equations which describes activity transfer in the lungs, gastroin-

testinal tract, and other organs of the body. This system accounts for delay of transfer of activity between compartments of the body and radioactive daughters. ERA

**N77-27700#** Argonne National Lab., Ill.  
**PULMONARY VENTILATION, IMAGING AND FUNCTION STUDIES WITH KRYPTON-81m**

E. Kaplan, L. W. Mayron, G. A. Gergans, A. M. Friedman, and J. E. Gindler 1976 14 p refs Presented at IAEA Symp. on Med. Radionuclide Imaging, Los Angeles, 25 Oct. 1976 (Contract W-31-109-eng-38)

(IAEA-SM-210/58; Conf-761060-9) Avail: NTIS HC A02/MF A01

Chronic obstructive lung disease is a significant entity throughout the world. To arrest asymptomatic disease, early diagnosis is required, implying an efficacious, reliable and available methodology, which has the potential for screening suspect populations. Krypton-81m is a 13-second radionuclide that emits a 190 keV gamma ray; it is produced from a rubidium-81- krypton-81m generator and delivery system. The generator effluent, in gaseous form, is continually inhaled by a subject while static equilibrium images and dynamic studies of ventilation are produced with a gamma scintillation camera system. The wash-in of/sup 81m/Kr produces heterogeneous images, the activity being proportional to regional ventilation due to rapid decay. Minimal ventilatory delays are detectable. Normal subjects and patients with obstructive lung disease have been evaluated by static equilibrium and dynamic studies. ERA

**N77-27701#** Oak Ridge National Lab., Tenn.  
**BIOMEDICAL COMPUTING TECHNOLOGY INFORMATION CENTER: AN INTERNATIONAL RESOURCE FOR TECHNOLOGY SHARING**

Betty F. Maskewitz, R. L. Henne (Union Carbide Corp., Oak Ridge, Tenn.), and W. J. McClain (Union Carbide Corp., Oak Ridge, Tenn.) 1976 10 p refs Presented at the IAEA Symp. on Med. Radionuclide Imaging, Los Angeles, 25 Oct. 1976 Sponsored in part by SNM Computer Council and the FDA Bur. of Radiological Health

(Contract W-7405-eng-26)  
 (IAEA-SM-210/93; Conf-761060-8) Avail: NTIS HC A02/MF A01

The Biomedical Computing Technology Information Center (BCTIC) collects, organizes, evaluates, and disseminates information on computing technology pertinent to biomedicine in general, and nuclear medicine in particular, provides the needed routes of communication between installations, and serves as a clearinghouse for the exchange of biomedical computing software, data, and interface designs. BCTIC services are available to its sponsors and their contractors and to any individual/group willing to participate in mutual exchange. ERA

**N77-27702#** Argonne National Lab., Ill.  
**RADIATION CARCINOGENESIS**

R. J. Michael Fry 1976 25 p refs Presented at Intern. Conf. on Particles and Radiation Therapy, Berkeley, Calif., 14-17 Sep. 1976

(Contract W-31-109-eng-38)  
 (CONF-760946-6) Avail: NTIS HC A02/MF A01

The risk of radiation induction of tumors is influenced by the genotype, sex, and age of the patient, the tissues that are exposed, and previous therapy. With chemotherapy the number of cells at risk is usually markedly higher than with radiation therapy. Clearly the problem of the estimation of comparative risks is complex. The current views on the comparative risks, and the importance of the various factors that influence the estimation of risk are presented. ERA

**N77-27703#** Massachusetts Univ., Amherst.  
**COMPUTATIONAL TECHNIQUES IN VISUAL SYSTEMS. PART 1: THE OVERALL DESIGN**

Michael A. Arbib and Edward M. Riseman Jul. 1976 34 p refs  
 (Contract N00014-75-C-0459; Grants NSF DCR-75-16098; NS-09755-06)

(AD-A038846; COINS-TR-76-10-Pt-1) Avail: NTIS HC A03/MF A01 CSCL 09/2

The overall goal is to define computational techniques to be used by a system in making a visual scan of a dynamic environment with which it is to interact. Here, both brain mechanisms in the visual systems of animals and humans and computer techniques for the analysis of color photographs of natural scenes are discussed. Schemes as a formalization of the system's knowledge units are presented. This notion is helpful for our work in both the BT (Brain Theory) and AI (Artificial Intelligence) approaches. Further specific studies--from their group and from elsewhere--of subsystems of both animal and computer visual systems are presented. The interaction of high-level processes with low-level systems, as part of a general emphasis on integrated system design are examined. Part II will focus on techniques for segmenting single static colored images. GRA

**N77-27704#** Joint Publications Research Service, Arlington, Va.

**SPACE BIOLOGY AND AEROSPACE MEDICINE, NO. 3, 1977**

7 Jul. 1977 47 p refs Transl. into ENGLISH from Kosm. Biol. i Aviakosm. Med. (USSR), no. 31, 1977 p 3-90

(JPRS-69380) Avail: NTIS HC A03/MF A01

The selection and training of cosmonauts, the evaluation and analysis of accumulated data to facilitate the on-going transition from orbital to interplanetary flights, and research aimed at guaranteeing safety on long flights and reliability of the human component of the man spaceship system are discussed. Space psychology and physiology, environmental problems and control, including spacecraft habitability and effects of radiation and weightlessness, and telemetry are among the topics considered. Author

**N77-27705** Royal Aircraft Establishment, Farnborough (England).  
**WHOLE BODY VIBRATION: A MECHANICAL AND PHYSIOLOGICAL STUDY OF WORKING POSTURES AND DRIVERS' SEATS**

M. Bjurvald, S. Carlsoeoe, J. E. Hansson, and L. Sjöflot 8 Feb. 1977 27 p refs Transl. into ENGLISH of "Helkpoppsvibrationer en teknisk-fysiologisk studie av arbetsställningar och forarstolar", Arbeteoch halsa-vetenskaplig skriftserie no. 7, Stockholm, Arbeter-Skyddsstyrelsen, 1973

(RAE-Lib-Trans-1891; BR58186) Copyright. Avail: Issuing Activity

Mechanical and physiological effects of whole body low frequency vibrations have been studied on male subjects in different standing positions and sitting on different seats. The subjects were exposed to sinusoidal vibrations in vertical and lateral directions at frequencies in the range 1.5 to 8.0 Hz and acceleration level of 0.16g (rms) and 0.28g (rms). EMG recordings have shown some characteristic muscle response to the vibration exposure, and increased oxygen uptake and pulmonary ventilation have occurred in the range of the body natural frequency. Acceleration measurements on the head, shoulder, chest and hip have shown characteristic body response for different postures. The seat design is of special importance for the vibration transmission to the body exposed to lateral vibration. Author

**N77-27706** Purdue Univ., Lafayette, Ind.  
**A DYNAMIC INTERACTIVE COMPUTER GRAPHICS PACKAGE FOR HUMAN MOVEMENT STUDIES Ph.D. Thesis**

Donald Ray Riley 1976 149 p  
 Avail: Univ. Microfilms Order No. 77-1766

The system is broken down into three subsystems: data acquisition and management, two-dimensional analysis, and three-dimensional analysis. The two dimensional analysis compute centers of-gravity, linear and angular displacements, velocities and accelerations, and kinetic energies for both the whole body and the individual body segments. The analyses are performed in a PDP 11/40 minicomputer, and the results are displayed on a Tektronix 4014 storage CRT using software. The user is able to interactively select graphs for viewing by positioning the Tektronix crosshairs in the appropriate box of a menu that is displayed on the screen. In addition, graphs may be scaled to any size, superimposed

on one another, or arbitrarily positioned on the screen. The three dimensional analysis includes extraction of the third dimension from the two dimensional data obtained using the Graf/Pen.

Dissert. Abstr.

**N77-27707\*#** Scientific Translation Service, Santa Barbara, Calif.  
**SURVEY REPORT OF THE SLEEP TIME ON THE MOSCOW ROUTE**

Washington NASA May 1977 38 p Transl. into ENGLISH of "Mosukawa Sen Suimin Jikan Chosa Hokoku", (Tokyo), Oct. 1976 P 1-22

(Contract NASw-2791)

(NASA-TT-F-17530) Avail: NTIS HC A03/MF A01 CSDL 05E

A study is made of fatigue in airline flight crews on the Tokyo-Moscow route. The factors affecting work fatigue are itemized.

Author

**N77-27708\*#** National Aeronautics and Space Administration.  
 Ames Research Center, Moffett Field, Calif.

**A DUAL-LOOP MODEL OF THE HUMAN CONTROLLER IN SINGLE-AXIS TRACKING TASKS**

Ronald A. Hess May 1977 55 p refs

(NASA-TM-73249; A-7064) Avail: NTIS HC A04/MF A01 CSDL 05H

A dual loop model of the human controller in single axis compensatory tracking tasks is introduced. This model possesses an inner-loop closure which involves feeding back that portion of the controlled element output rate which is due to control activity. The sensory inputs to the human controller are assumed to be system error and control force. The former is assumed to be sensed via visual, aural, or tactile displays while the latter is assumed to be sensed in kinesthetic fashion. A nonlinear form of the model is briefly discussed. This model is then linearized and parameterized. A set of general adaptive characteristics for the parameterized model is hypothesized. These characteristics describe the manner in which the parameters in the linearized model will vary with such things as display quality. It is demonstrated that the parameterized model can produce controller describing functions which closely approximate those measured in laboratory tracking tasks for a wide variety of controlled elements.

Author

**N77-27709\*#** National Aeronautics and Space Administration.  
 Lyndon B. Johnson Space Center, Houston, Tex.

**ECLSS CONSUMABLES ANALYSIS: ALT CAPTIVE/ACTIVE 1 AND CAPTIVE/ACTIVE 3**

G. J. Steines (McDonnell Douglas Technical Services Co., Inc.) Jun. 1977 36 p refs

(NASA-TM-X-74754; JSC-12913) Avail: NTIS HC A03/MF A01 CSDL 06K

A consumables analysis of the environmental control and life support system (ECLSS) was performed for approach and landing test (ALT) captive/active missions 1 through 3 and is also applicable to missions 4 and 5. The ECLSS configuration analyzed and the guidelines and assumptions used in performing the analysis are presented. A projection of ammonia temperatures and pressures during the captive/active 1 mission is also included. The resulting consumables, budgets are presented in tabular and graphic form. Adequate margins were obtained for all systems.

Author

**N77-27710\*#** Virginia Univ., Charlottesville. Dept. of Engineering Science and Systems.

**PROCEEDINGS AND FINDINGS OF THE 1976 WORKSHOP ON RIDE QUALITY**

A. Robert Kuhlthau, ed. 20 Dec. 1976 86 p refs Proc. held at Fairlee, Vt., 13-15 Oct. 1976 Sponsored by NASA

(Contract DOT-AS-60060)

(NASA-CP-2006; DOT-TST-77-38) Avail: NTIS HC A05/MF A01 CSDL 05H

The workshop was organized around the study of the three basic transfer functions required to evaluate and/or predict passenger acceptance of transportation systems: These are the vehicle, passenger, and value transfer functions. For the purpose

of establishing working groups corresponding to the basic transfer functions, it was decided to split the vehicle transfer function into two distinct groups studying surface vehicles and air/marine vehicles, respectively.

Author

**N77-27711#** Sandia Labs., Albuquerque, N. Mex.  
**DEVELOPMENT OF A HELMET-MOUNTED PLTZ THERMAL/FLASH PROTECTION SYSTEM**

J. O. Harris, Jr., J. T. Cutchen, and B. J. Pfoff (US Air Force) 1976 10 p refs Presented at 14th Ann. Safe Symp., San Diego, Calif., 13 Sep. 1976

(Contract E(29-1)-789)

(SAND-76-5894; Conf-760976-1)

Avail: NTIS

HC A02/MF A01

PLTZ thermal/flash protective (TFPD's) goggles to prevent exposure and resultant eye damage from nuclear weapon detonations are reported. The primary emphasis of the present program is to transfer technology and establish production capability for helmet-mounted PLTZ/TFPD goggles for USAF flight crews, with a non-helmet-mounted configuration to follow. The operating principles of the PLTZ/TFPD goggle device are briefly outlined, and the device configuration and operational characteristics are described.

ERA

**N77-27712#** Carnegie-Mellon Univ., Pittsburgh, Pa. Dept. of Computer Science.

**WORKING PAPERS IN ACQUISITION OF KNOWLEDGE FOR IMAGE UNDERSTANDING Interim Report**

Omer Akin, Raj Reddy, Ronald Ohlander, and Marty Schultz 15 Dec. 1977 60 p refs

(Contract F44628-73-C-0074; AF Proj. 2304)

(AD-A037769; AFOSR-77-0325TR)

Avail: NTIS

HC A04/MF A01 CSDL 09/2

Use of knowledge has facilitated complex problem solving in many areas of research. However, in the Image Understanding area, we do not have any systematic treatment and codification of knowledge that is useful in image perception. Further, we do not even have adequate tools for acquiring the necessary knowledge base. In this report we present an experimental paradigm for knowledge acquisition, discuss an analysis technique, and illustrate the different types of knowledge that seem to be useful in image understanding research. In the first paper, three major aspects of knowledge are presented: primitive feature extraction operators, rewriting rules, and flow of control. The second paper discusses the picture-puzzle paradigm and the various ways in which it can be used as a tool for acquisition of knowledge. The third paper deals with a computer program that assists the transcription of typical protocols obtained from the picture puzzle tasks. Finally, the last paper of the report discusses the pros and cons of using eye-fixation data to acquire knowledge used in some of the tasks of the picture-puzzle paradigm. The total effort represents an account of the initial results of a new experimental paradigm. We hope that this will provide a sound basis for understanding the issues of knowledge used in visual perception and aid in the modelling of seeing systems.

GRA

**N77-27713#** Bolt, Beranek, and Newman, Inc., Cambridge, Mass.  
**CRITICAL REVIEW AND ANALYSIS OF PERFORMANCE MODELS APPLICABLE TO MAN/MACHINE SYSTEMS EVALUATION Interim Scientific Report, 1 Oct. 1975 - 30 Sep. 1976**

Richard W. Pew, Carl E. Fehrer, Sheldon Baron, and Duncan C. Miller Mar. 1977 306 p refs

(Contract F44620-76-C-0029)

(AD-A038597; BBN-3446; AFOSR-77-0520TR) Avail: NTIS HC A14/MF A01 CSDL 05/8

This report focuses on the review of potentially relevant models and on the identification of issues in model development and application that may have an important impact on models for large-scale, man-machine systems. A detailed and critical evaluation of several classes of human-performance models is presented. Interrelations among existing models are examined, and an evaluation is made on the needs and gaps in the technology. Modelling issues are identified, and research recommendations

indicated. Approximately forty models, techniques that have some applicability to the simulation modelling program are abstracted in the Appendix. Author (GRA)

**N77-27714#** Naval Postgraduate School, Monterey, Calif.  
**INVESTIGATION OF USER GENERATED COCKPIT DISCREPANCIES IN NAVAL AIRCRAFT M.S. Thesis**

Frederick George Schobert, Jr. Sep. 1976 58 p refs  
 (AD-A038774) Avail: NTIS HC A04/MF A01 CSCL 01/3

This thesis analyzes problems in current Naval aircraft as reported by fleet aviators attending the U.S. Naval Aviation Safety School. A method is developed which facilitates the collection and processing of the reported information. A collective sample of 286 incidents is stratified into a design discrepancy outline which illuminates 31 specific problem areas. Various recommendations are made concerning concept expansion to a fleet-wide level. Author (GRA)

**N77-27715#** Aerospace Medical Research Labs., Wright-Patterson AFB, Ohio.

**IMPACT TESTS OF A NEAR-PRODUCTION AIR CUSHION RESTRAINT Final Report, Jan. 1972 - Sep. 1975**

J. W. Brinkley, G. C. Mohr, H. C. Russell, S. M. Cooper, and J. T. Schaffer Feb. 1977 398 p refs  
 (Contract DOT-HS-017-1-017-1A)  
 (PB-265156/0; AMRL-TR-75-47; DOT-HS-802-248) Avail: NTIS HC A17/MF A01 CSCL 13F


A series of impact tests were accomplished to demonstrate the protection provided by an automotive air bag restraint system for the center and right front passengers. Fifteen young healthy male volunteers were impacted at velocities ranging from 14.9 to 30.8 miles per hour. Impact acceleration-time histories approximated automotive barrier crash profiles. The results of dummy tests preceding human testing are summarized and detailed test data are presented from 33 impact tests with volunteer subjects. Test data are compared with similar data collected during earlier impact tests of a prototype air bag restraint system. GRA

# SUBJECT INDEX

AEROSPACE MEDICINE AND BIOLOGY / *A Continuing Bibliography (Suppl. 172)*

OCTOBER 1977

## Typical Subject Index Listing



The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, a title extension is added, separated from the title by three hyphens. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

### ABIOTENESIS

Aspects of terrestrial and extraterrestrial biogenesis  
A77-38896

### ACCELERATION STRESSES (PHYSIOLOGY)

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection  
A77-37378

Psycho-physiological assessment of acceleration-induced changes in various seat configurations  
A77-38040

Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing high-altitude hypoxia and accelerations  
A77-38893

The effects of increased oxygen concentrations and acceleration forces on the mechanical properties of the lungs  
N77-27686

### ACCELERATION TOLERANCE

Effects of direct side force control on pilot tracking performance [AD-A036083]  
N77-26812

### ACQUISITION

Acquisition and activity in aged rats [HBL-1976-4]  
N77-26789

### ACTIVITY (BIOLOGY)

Acquisition and activity in aged rats [HBL-1976-4]  
N77-26789

### ADENOSINE TRIPHOSPHATE

Proton translocation by ATPase and bacteriorhodopsin  
A77-38908

### AERIAL EXPLOSIONS

Application of the response probability density function technique to biodynamic models --- predicting injuries from air blasts [AD-A040020]  
N77-27695

### AEROSPACE ENGINEERING

Ergonomics technology  
A77-37962

### AEROSPACE ENVIRONMENTS

Cell biology experiments conducted in space  
A77-37953

### AEROSPACE MEDICINE

Some psychophysiological aspects of flight in formation  
A77-37790

Influence of acute hypoxia on direct reaction time  
A77-38894

Studies in neuroendocrine pharmacology [NASA-CR-153278]  
N77-26795

Translations on USSR science and technology: Biomedical sciences, no. 4  
N77-27684

Space biology and aerospace medicine, no. 3, 1977 [JPRS-69380]  
N77-27704

### AGING (BIOLOGY)

Acquisition and activity in aged rats [HBL-1976-4]  
N77-26789

Intermediate visual acuity of presbyopic individuals with and without distance and bifocal lens corrections [AD-A038538/5]  
N77-27696

### AIR NAVIGATION

Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft  
A77-37406

### AIR POLLUTION

Influence of altered gaseous environments on lung metabolism [AD-A037977]  
N77-26801

Relating spatial distributions of pollutants to health effects [COO-2874-1]  
N77-27698

### AIR TRANSPORTATION

Treatise on aeromedical evacuation. I - Administration and some medical considerations. II - Some surgical considerations  
A77-38042

### AIRBORNE/SPACEBORNE COMPUTERS

Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft  
A77-37406

### AIRCRAFT ACCIDENTS

Correlation of general aviation accidents with the biorhythm theory  
A77-38306

### AIRCRAFT COMPARTMENTS

Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue  
A77-38034

### AIRCRAFT DESIGN

Investigation of user generated cockpit discrepancies in Naval aircraft [AD-A038774]  
N77-27714

### AIRCRAFT PILOTS

Subjective stress assessment - A new, simple method to determine pilot workload  
A77-38043

### AIRPORT PLANNING

Aeromedical considerations for flight operations from high-elevation airfields  
A77-38044

### ALERTNESS

Stimulus presentation rate in vigilance  
A77-38307

### ALTITUDE ACCLIMATIZATION

Left ventricular function during lower body negative pressure  
A77-38036

### ALTITUDE SICKNESS

Aeromedical considerations for flight operations from high-elevation airfields  
A77-38044

# ALTITUDE TOLERANCE

# SUBJECT INDEX

## ALTITUDE TOLERANCE

- Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude A77-38032
- Spirometric assessment of potential respiratory impairment in general aviation airmen A77-38035

## AMINO ACIDS

- Light-activated amino acid transport in Halobacterium halobium envelope vesicles A77-38911

## ANAEROBES

- Response of selected microorganisms to experimental planetary environments [NASA-CR-153912] N77-27682

## ANEMIAS

- Treatise on aeromedical evacuation. I - Administration and some medical considerations. II - Some surgical considerations A77-38042

## ANGINA PECTORIS

- Clinical medicine review - Three unique presentations of ischemic heart disease A77-38041

## ANIMALS

- Development of methodologies for vestibular experimentation with man and animals [NASA-CR-151444] N77-27680

## ANTHROPOMETRY

- Mechanics and performance of human motion A77-39912

## ANTIBODIES

- Isolation of antibody forming cells by using cluster formation in combination with velocity sedimentation [MBL-1976-6] N77-26790

## ANTIINFECTIVES AND ANTIBACTERIALS

- Determination of antimicrobial susceptibilities of infected urines without isolation [NASA-CASE-GSC-12046-1] N77-26797

## APPLICATIONS PROGRAMS (COMPUTERS)

- Biomedical Computing Technology Information Center: An international resource for technology sharing [IAEA-SM-210/93] N77-27701

## AREA NAVIGATION

- Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft A77-37406

## ARTIFICIAL INTELLIGENCE

- Computational techniques in visual systems. Part 1: The overall design [AD-A038846] N77-27703
- Working papers in acquisition of knowledge for image understanding [AD-A037769] N77-27712

## ASTRONAUT PERFORMANCE

- Emotional stress and an astronaut's work capacity A77-38914

## ASTRONAUT TRAINING

- Emotional stress and an astronaut's work capacity A77-38914

## ATTACK AIRCRAFT

- A-6E systems approach to training, phase 1 [AD-A037468] N77-26803

## AUDITORY PERCEPTION

- On microwave-induced hearing sensation A77-38320
- Tuning properties of cochlear hair cells A77-39372
- Response of guinea pig ears to pure tones, speech, and other complex waveforms imparted acoustically and by ossicular chain coupled piezoelectric type transducers N77-27679

## AUTOMATA THEORY

- Evaluation of the motion of a mechanical arm A77-38188

## AUTOMOBILE ACCIDENTS

- Dynamic analysis of the thoracic structure subjected to impact loadings N77-27690

## AUTOMOBILES

- Use of a nonvisual display for improving the manual control of an unstable system A77-38122

- Impact tests of a near-production air cushion restraint [PB-265156/0] N77-27715

## B

### B-1 AIRCRAFT

- Human factors analysis of symbology for ECM display A77-37464

### BACILLUS

- Effect of combined heat and radiation on microbial destruction A77-38950

### BACTERIA

- Microbiological profiles of the Viking spacecraft A77-37954
- Light energy transduction by the purple membrane of halophilic bacteria; Proceedings of the Symposium, San Francisco, Calif., June 6, 1976 A77-38903
- Light energy transduction by the purple membrane of halophilic bacteria - Introduction A77-38904
- The photochemical cycle of bacteriorhodopsin A77-38906
- Photochemical and chemical studies on the chromophore of bacteriorhodopsin A77-38907
- Proton translocation by ATPase and bacteriorhodopsin A77-38908
- Conformational changes in bacteriorhodopsin accompanying ionophore activity A77-38909
- Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles A77-38910
- Light-activated amino acid transport in Halobacterium halobium envelope vesicles A77-38911
- Light energy conservation processes in Halobacterium halobium cells A77-38912

### BACTERIOLOGY

- Structural studies on Halobacterium halobium bacteriorhodopsin A77-38905
  - Determination of antimicrobial susceptibilities of infected urines without isolation [NASA-CASE-GSC-12046-1] N77-26797
  - Automated single-slide staining device [NASA-CASE-LAR-11649-1] N77-27677
- ### BIOASSAY
- Determination of antimicrobial susceptibilities of infected urines without isolation [NASA-CASE-GSC-12046-1] N77-26797
  - The isolation and purification of protein fractions involved in E. Coli DNA replication N77-27678

### BIODYNAMICS

- Mechanics and performance of human motion A77-39912
- Application of the response probability density function technique to biodynamic models --- predicting injuries from air blasts [AD-A040020] N77-27695

### BIOELECTRIC POTENTIAL

- Conformational changes in bacteriorhodopsin accompanying ionophore activity A77-38909
- Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles A77-38910

### BIOENGINEERING

- Stabilization of biped walking apparatus A77-38276
- Mechanics and performance of human motion A77-39912

### BIOINSTRUMENTATION

- Investigation on the saturation and clearance of hydrogen gas in the brain and extremities of man, and investigations on biomedical monitoring of divers in wet-suits [AD-A037498] N77-26800

### BIOLOGICAL EFFECTS

- Cell biology experiments conducted in space A77-37953

Studies on the hematologic effects of long-term, low-dose microwave exposure A77-38037

Effect of combined heat and radiation on microbial destruction A77-38450

Biochemical effects of environmental pollutants --- Book A77-39400

Biological effects of negative pions [LA-UR-76-2529] N77-26799

**BIOLOGICAL EVOLUTION**

Aspects of terrestrial and extraterrestrial biogenesis A77-38896

**BIOLOGY**

Three basic levels of the organization of life on earth A77-39791

**BIOMEDICAL DATA**

Biomedical Computing Technology Information Center: An international resource for technology sharing [IAEA-SM-210/93] N77-27701

**BIONICS**

Contracting polymer structures - New energy converters A77-39802

**BIOTECHNOLOGY**

Biomedical Computing Technology Information Center: An international resource for technology sharing [IAEA-SM-210/93] N77-27701

**BLOOD**

Oxime therapy and oxime blood levels in rats: Dependence on the dose of the organophosphate [MBL-1976-7] N77-26791

**BLOOD FLOW**

Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude A77-38032

Studies on the hematologic effects of long-term, low-dose microwave exposure A77-38037

Pulsatile pressure-flow dynamics in resting skeletal muscle N77-27691

**BLOOD PRESSURE**

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection A77-37378

Pulsatile pressure-flow dynamics in resting skeletal muscle N77-27691

**BOATS**

Personal flotation devices research, phase 1 [AD-A037221] N77-26810

**BODY KINEMATICS**

Evaluation of the motion of a mechanical arm A77-38188

**BRAIN CIRCULATION**

Efficiency of main physiological reactions of brain adaptation to hypoxia A77-37594

**BUTTONS**

Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft A77-37406

**C**

**CANCER**

A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer [NASA-CASE-GSC-12081-2] N77-26796

**CARBON MONOXIDE**

Effects of three kinds of hypoxias on vigilance performance A77-38031

**CARCINOGENS**

Radiation carcinogenesis [CONF-760946-6] N77-27702

**CARDIAC VENTRICLES**

Left ventricular function during lower body negative pressure A77-38036

Ultrasound study of dynamic behaviour of left ventricle in genetic asymmetric septal hypertrophy A77-39341

**CARDIOVASCULAR SYSTEM**

Circadian variations in responses of trained and untrained men to submaximal exercise N77-27688

**CATHODE RAY TUBES**

Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft A77-37406

**CATIONS**

Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles A77-38910

**CELLS (BIOLOGY)**

Cell biology experiments conducted in space A77-37953

Tuning properties of cochlear hair cells A77-39372

Isolation of antibody forming cells by using cluster formation in combination with velocity sedimentation [MBL-1976-6] N77-26790

System for and method of freezing biological tissue [NASA-CASE-GSC-12173-1] N77-27693

**CENTRIFUGES**

Development of methodologies for vestibular experimentation with man and animals [NASA-CR-151444] N77-27680

**CESIUM 137**

Cesium-137 whole-body content in a normal New Mexico population [LA-UR-76-2097] N77-26798

**CHEMICAL REACTIONS**

Preparation and evaluation of immobilized single and multiple enzyme systems [PB-264898/8] N77-27683

**CIRCADIAN RHYTHMS**

Diurnal rhythms of visual accommodation and blink responses - Implication for flight-deck visual standards A77-38039

Correlation of general aviation accidents with the biorhythm theory A77-38306

Circadian variations in responses of trained and untrained men to submaximal exercise N77-27688

**CLINICAL MEDICINE**

Clinical medicine review - Three unique presentations of ischemic heart disease A77-38041

A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer [NASA-CASE-GSC-12081-2] N77-26796

**CLUMPS**

Isolation of antibody forming cells by using cluster formation in combination with velocity sedimentation [MBL-1976-6] N77-26790

**COCHLEA**

Tuning properties of cochlear hair cells A77-39372

Response of guinea pig ears to pure tones, speech, and other complex waveforms imparted acoustically and by ossicular chain coupled piezoelectric type transducers N77-27679

**COCKPITS**

Heat stress in an aircraft cockpit during ground standby A77-38038

Investigation of user generated cockpit discrepancies in Naval aircraft [AD-A038774] N77-27714

**COLD ACCLIMATIZATION**

Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude A77-38032



## COLD WEATHER TESTS

## SUBJECT INDEX

The thyroid and environmental stress in mammals  
[NASA-CR-151462] N77-27681

**COLD WEATHER TESTS**  
Low-temperature handwear with improved dexterity  
[AD-A037535] N77-26811

**COLLAGENS**  
Contracting polymer structures - New energy  
converters  
A77-39802

**COMPENSATORY TRACKING**  
The development, maintenance, and mathematical  
description of tracking behavior in man and the  
rhesus monkey  
[AD-A038006] N77-26802  
Effects of direct side force control on pilot  
tracking performance  
[AD-A036083] N77-26812

**COMPUTER GRAPHICS**  
A dynamic interactive computer graphics package  
for human movement studies  
N77-27706

**COMPUTER PROGRAMS**  
Program documentation for the T4 EVO Crew Station  
simulation programs  
[AD-A037944] N77-26808  
**TIMED:** A computer program for calculating  
cumulated activity of a radionuclide in the  
organs of the human body at a given time, t,  
after deposition  
[ORNL-CSD-TM-17] N77-27699

**COMPUTER SYSTEMS PROGRAMS**  
STARPAHC operational report  
[NASA-CR-151432] N77-26794

**COMPUTER TECHNIQUES**  
Remote manipulator system steering capability for  
SVDS  
[NASA-CR-151438] N77-26804  
Computational techniques in visual systems. Part  
1: The overall design  
[AD-A038846] N77-27703

**COMPUTERIZED SIMULATION**  
Stabilization of biped walking apparatus  
A77-38276  
Program documentation for the T4 EVO Crew Station  
simulation programs  
[AD-A037944] N77-26808  
Personal flotation devices research, phase 1  
[AD-A037221] N77-26810

**CONDITIONING (LEARNING)**  
The development, maintenance, and mathematical  
description of tracking behavior in man and the  
rhesus monkey  
[AD-A038006] N77-26802

**CONFERENCES**  
Light energy transduction by the purple membrane  
of halophilic bacteria; Proceedings of the  
Symposium, San Francisco, Calif., June 6, 1976  
A77-38903

**CONTAMINANTS**  
Relating spatial distributions of pollutants to  
health effects  
[COO-2874-1] N77-27698

**CONTROL EQUIPMENT**  
A dual-loop model of the human controller in  
single-axis tracking tasks  
[NASA-TN-73249] N77-27708

**CONTROL STABILITY**  
Use of a nonvisual display for improving the  
manual control of an unstable system  
A77-38122

**CONTROL THEORY**  
Stabilization of biped walking apparatus  
A77-38276

**CORONARY ARTERY DISEASE**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539

**CORTICOSTEROIDS**  
Role of the adrenocortical reaction to physical  
load in increase in the working capacity of the  
body  
[NASA-TN-75026] N77-27697

**CRASH INJURIES**  
Dynamic analysis of the thoracic structure  
subjected to impact loadings  
N77-27690

## CRYOGENIC EQUIPMENT

System for and method of freezing biological tissue  
[NASA-CASE-GSC-12173-1] N77-27693

## CYSTEAMINE

In vitro evaluation of some latent radioprotective  
compounds --- cysteamine derivatives  
[MBL-1976-11] N77-26792

## D

## DATA ACQUISITION

A dynamic interactive computer graphics package  
for human movement studies  
N77-27706

## DATA PROCESSING

Working papers in acquisition of knowledge for  
image understanding  
[AD-A037769] N77-27712

## DECOMPOSITION

Selective enrichment and isolation of  
microorganisms on ethyl S-diisopropyl aminoethyl  
methylphosphonothioate (VX)  
[CL-1975-27] N77-26793

## DECOMPRESSION SICKNESS

Investigation on the saturation and clearance of  
hydrogen gas in the brain and extremities of  
man, and investigations on biomedical monitoring  
of divers in wet-suits  
[AD-A037498] N77-26800

## DEGREES OF FREEDOM

Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements  
A77-39615

## DENSITOMETERS

Systolic time intervals utilizing ear  
densitography - Advantages and reliability for  
stress testing  
A77-38468

## DEOXYRIBONUCLEIC ACID

The isolation and purification of protein  
fractions involved in E. Coli DNA replication  
N77-27678

## DIFFERENTIAL EQUATIONS

Existence and nature of band solutions to generic  
chemotactic transport equations --- for bacteria  
and the unicellular organisms  
A77-37958

## DISPLAY DEVICES

Human factors analysis of symbology for ECM display  
A77-37464  
A high resolution vision system for aircraft and  
trainers  
A77-37466  
Use of a nonvisual display for improving the  
manual control of an unstable system  
A77-38122  
A kinesthetic-tactual display concept for  
helicopter-pilot workload reduction  
[AHS 77-33-22] A77-40062

## E

## ECHOCARDIOGRAPHY

The value and limitations of echocardiography in  
recording mitral valve vegetations  
A77-38467  
Ultrasound study of dynamic behaviour of left  
ventricle in genetic asymmetric septal hypertrophy  
A77-39341

## ECOSYSTEMS

Three basic levels of the organization of life on  
earth  
A77-39791

## ELECTROMYOGRAPHY

Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements  
A77-39615

## ELECTRONIC COUNTERMEASURES

Human factors analysis of symbology for ECM display  
A77-37464

## ELECTRORETINOGRAPHY

Rhodopsin content and electroretinographic  
sensitivity in light-damaged rat retina  
A77-39371

## SUBJECT INDEX

## GAMMA RAYS

**ELEVATION**  
Aeromedical considerations for flight operations from high-elevation airfields A77-38044

**EMERGENCY LIFE SUSTAINING SYSTEMS**  
Personal flotation devices research, phase 1 [AD-A037221] N77-26810

**ENDOCRINOLOGY**  
Studies in neuroendocrine pharmacology [NASA-CR-153278] N77-26795

**ENERGY REQUIREMENTS**  
Pace and grade related to the oxygen and energy requirements, and the mechanics of treadmill running N77-27689

**ENERGY STORAGE**  
Light energy conservation processes in Halobacterium halobium cells A77-38912

**ENERGY TRANSFER**  
Light energy transduction by the purple membrane of halophilic bacteria; Proceedings of the Symposium, San Francisco, Calif., June 6, 1976 A77-38903  
Light energy transduction by the purple membrane of halophilic bacteria - Introduction A77-38904

**ENVIRONMENT EFFECTS**  
Aeromedical considerations for flight operations from high-elevation airfields A77-38044

**ENVIRONMENT POLLUTION**  
Biochemical effects of environmental pollutants --- Book A77-39400

**ENVIRONMENT SIMULATORS**  
Spacecraft contamination modeling [AIAA PAPER 77-739] A77-39509

**ENVIRONMENTAL CONTROL**  
ECLSS consumables analysis: ALT captive/active 1 and captive/active 3 --- space shuttle orbiters [NASA-TM-X-74754] N77-27709

**ENZYME ACTIVITY**  
Proton translocation by ATPase and bacteriorhodopsin A77-38908

**ENZYMES**  
Preparation and evaluation of immobilized single and multiple enzyme systems [PB-264898/8] N77-27683

**EQUIPMENT SPECIFICATIONS**  
Development of methodologies for vestibular experimentation with man and animals [NASA-CR-151444] N77-27680

**ESCHERICHIA**  
The isolation and purification of protein fractions involved in E. Coli DNA replication N77-27678

**ESTIMATING**  
Radiation carcinogenesis [CONP-760946-6] N77-27702

**EVACUATING (TRANSPORTATION)**  
Treatise on aeromedical evacuation. I - Administration and some medical considerations. II - Some surgical considerations A77-38042

**EVOKED RESPONSE (PSYCHOPHYSIOLOGY)**  
On microwave-induced hearing sensation A77-38320

**EXISTENCE THEOREMS**  
Existence and nature of band solutions to generic chemotactic transport equations --- for bacteria and the unicellular organisms A77-37958

**EXO BIOLOGY**  
Cell biology experiments conducted in space A77-37953  
Microbiological profiles of the Viking spacecraft A77-37954  
Aspects of terrestrial and extraterrestrial biogenesis A77-38896  
Mars as a habitable environment --- Russian book A77-39676  
Space biology and aerospace medicine, no. 3, 1977 [JPBS-69380] N77-27704

**EXPERIMENTAL DESIGN**  
Some thoughts on improving experiments --- in human factors studies A77-38302

Methodology for evaluation of image enhancement techniques --- for synthetic aperture radar A77-38303

**EXTRATERRESTRIAL LIFE**  
Aspects of terrestrial and extraterrestrial biogenesis A77-38896

Mars as a habitable environment --- Russian book A77-39676

**EYE PROTECTION**  
Development of a helmet-mounted PLZT thermal/flash protection system --- eye protection against nuclear weapon detonations [SAND-76-5894] N77-27711

**EYEPIECES**  
Intermediate visual acuity of presbyopic individuals with and without distance and bifocal lens corrections [AD-A038538/5] N77-27696

## F

**FEEDBACK CONTROL**  
Performance measures of human tracking utilizing PID modeling and a closed loop error metric A77-37465  
Use of a nonvisual display for improving the manual control of an unstable system A77-38122

Control of muscles in carrying out certain voluntary movements with one degree of freedom. I - Single movements A77-39615

**FEMALES**  
Study of optimal training protocols and devices for developing and maintaining physical fitness in females prior to and during space flight [NASA-CR-151246] N77-27692

**FLIGHT CONTROL**  
Some psychophysiological aspects of flight in formation A77-37790

**FLIGHT CREWS**  
Spirometric assessment of potential respiratory impairment in general aviation airmen A77-38035  
Survey report of the sleep time on the Moscow route [NASA-TT-F-17530] N77-27707

**FLIGHT FATIGUE**  
Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue A77-38034

Survey report of the sleep time on the Moscow route [NASA-TT-F-17530] N77-27707

**FLIGHT FITNESS**  
A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices A77-37791

**FLIGHT STRESS**  
Subjective stress assessment - A new, simple method to determine pilot workload A77-38043

**FLIGHT STRESS (BIOLOGY)**  
Diurnal rhythms of visual accommodation and blink responses - Implication for flight-deck visual standards A77-38039

**FLIGHT TESTS**  
ECLSS consumables analysis: ALT captive/active 1 and captive/active 3 --- space shuttle orbiters [NASA-TM-X-74754] N77-27709

**FLIGHT TRAINING**  
A-6E systems approach to training, phase 1 [AD-A037468] N77-26803

**FREEZING**  
System for and method of freezing biological tissue [NASA-CASE-GSC-12173-1] N77-27693

## G

**GAMMA RAYS**  
Cesium-137 whole-body content in a normal New Mexico population [LA-UR-76-2097] N77-26798

## GAS EXCHANGE

Investigation on the saturation and clearance of hydrogen gas in the brain and extremities of man, and investigations on biomedical monitoring of divers in wet-suits  
[AD-A037498] N77-26800

## GENERAL AVIATION AIRCRAFT

Spirometric assessment of potential respiratory impairment in general aviation airmen A77-38035

## GLYCOLYSIS

Influence of altered gaseous environments on lung metabolism  
[AD-A037977] N77-26801

## GOGGLES

Development of a helmet-mounted PLZT thermal/flash protection system --- eye protection against nuclear weapon detonations  
[SAND-76-5894] N77-27711

## GUINEA PIGS

Response of guinea pig ears to pure tones, speech, and other complex waveforms imparted acoustically and by ossicular chain coupled piezoelectric type transducers N77-27679

## H

## HAIR

Tuning properties of cochlear hair cells A77-39372

## HALOPHILES

Light energy transduction by the purple membrane of halophilic bacteria; Proceedings of the Symposium, San Francisco, Calif., June 6, 1976 A77-38903

Light energy transduction by the purple membrane of halophilic bacteria - Introduction A77-38904

Structural studies on Halobacterium halobium bacteriorhodopsin A77-38905

The photochemical cycle of bacteriorhodopsin A77-38906

Photochemical and chemical studies on the chromophore of bacteriorhodopsin A77-38907

Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles A77-38910

Light-activated amino acid transport in Halobacterium halobium envelope vesicles A77-38911

Light energy conservation processes in Halobacterium halobium cells A77-38912

## HEART

Interaction between the heart and the vascular system: A circuit approach N77-27687

## HEART DISEASES

Clinical medicine review - Three unique presentations of ischemic heart disease A77-38041

Treatise on aeromedical evacuation. I - Administration and some medical considerations. II - Some surgical considerations A77-38042

Pulmonary valve fluttering in subpulmonic ventricular septal defect A77-38466

The value and limitations of echocardiography in recording mitral valve vegetations A77-38467

Postexercise systolic time intervals in the midsystolic click syndrome A77-38741

Ultrasound study of dynamic behaviour of left ventricle in genetic asymmetric septal hypertrophy A77-39341

## HEART FUNCTION

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection A77-37378

Left ventricular function during lower body negative pressure A77-38036

Myocardial imaging with thallium-201 at rest and during exercise - Comparison with coronary arteriography and resting and stress electrocardiography A77-38539

## HEART VALVES

Pulmonary valve fluttering in subpulmonic ventricular septal defect A77-38466

The value and limitations of echocardiography in recording mitral valve vegetations A77-38467

Postexercise systolic time intervals in the midsystolic click syndrome A77-38741

## HEAT TOLERANCE

Heat stress in an aircraft cockpit during ground standby A77-38038

## HEAVY ELEMENTS

Biochemical effects of environmental pollutants --- Book A77-39400

## HELICOPTER DESIGN

A kinesthetic-tactual display concept for helicopter-pilot workload reduction [AHS 77-33-22] A77-40062

## HELICOPTERS

A study using infra red thermography of clothing assemblies for use by personnel working beneath operating helicopters [AD-A035966] N77-26805

Human factors considerations in new generation Army aircraft systems [AD-A037992] N77-26806

## HEMODYNAMIC RESPONSES

Left ventricular function during lower body negative pressure A77-38036

## HEMODYNAMICS

Pulmonary valve fluttering in subpulmonic ventricular septal defect A77-38466

Pulsatile pressure-flow dynamics in resting skeletal muscle N77-27691

## HIGH ALTITUDE BREATHING

Effects of three kinds of hypoxias on vigilance performance A77-38031

## HIGH ALTITUDE ENVIRONMENTS

Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing high-altitude hypoxia and accelerations A77-38893

## HIGH RESOLUTION

A high resolution vision system for aircraft and trainers A77-37466

## HISTOCHEMICAL ANALYSIS

Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations A77-38892

## HISTOLOGY

Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations A77-38892

## HORMONE METABOLISMS

The thyroid and environmental stress in mammals [NASA-CR-151462] N77-27681

## HUMAN BEHAVIOR

Psychology of interplanetary flight A77-38899

## HUMAN BODY

Cesium-137 whole-body content in a normal New Mexico population [LA-UR-76-2097] N77-26798

## HUMAN CENTRIFUGES

Somatosensory motion after-effect following earth-horizontal rotation about the Z-axis - A new illusion A77-38033

Psycho-physiological assessment of acceleration-induced changes in various seat configurations A77-38040

# SUBJECT INDEX

# ION EXCHANGE MEMBRANE ELECTROLYTES

## HUMAN FACTORS ENGINEERING

- Human factors analysis of symbology for ECM display  
A77-37464
- Ergonomics technology  
A77-37962
- Psycho-physiological assessment of  
acceleration-induced changes in various seat  
configurations  
A77-38040
- Aeromedical considerations for flight operations  
from high-elevation airfields  
A77-38044
- Some thoughts on improving experiments --- in  
human factors studies  
A77-38302
- Methodology for evaluation of image enhancement  
techniques --- for synthetic aperture radar  
A77-38303
- Human factors considerations in new generation  
Army aircraft systems  
[AD-A037992] N77-26806
- Human factors programs in Navy systems acquisition  
[AD-A037775] N77-26807
- Applications of human performance reliability  
evaluation concepts and demonstration guidelines  
[AD-A037632] N77-26809
- Translations on USSR science and technology:  
Biomedical Sciences, no. 4  
[JPRS-69399] N77-27684
- Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2] N77-27694
- Whole body vibration: A mechanical and  
physiological study of working postures and  
drivers' seats  
[RAE-LIB-TRANS-1891] N77-27705
- Investigation of user generated cockpit  
discrepancies in Naval aircraft  
[AD-A038774] N77-27714
- HUMAN PATHOLOGY**
- Spirometric assessment of potential respiratory  
impairment in general aviation airmen  
A77-38035
- Clinical medicine review - Three unique  
presentations of ischemic heart disease  
A77-38041
- Pulmonary valve fluttering in subpulmonic  
ventricular septal defect  
A77-38466
- HUMAN PERFORMANCE**
- Effects of three kinds of hypoxias on vigilance  
performance  
A77-38031
- Program documentation for the T4 EUO Crew Station  
simulation programs  
[AD-A037944] N77-26808
- A dual-loop model of the human controller in  
single-axis tracking tasks  
[NASA-TM-73249] N77-27708
- Critical review and analysis of performance models  
applicable to man-machine systems evaluation  
[AD-A038597] N77-27713
- HUMAN REACTIONS**
- Left ventricular function during lower body  
negative pressure  
A77-38036
- On microwave-induced hearing sensation  
A77-38320
- A dynamic interactive computer graphics package  
for human movement studies  
N77-27706
- Proceedings and findings of the 1976 Workshop on  
Ride Quality --- passenger acceptance of  
transportation systems  
[NASA-CP-2006] N77-27710
- HYDROLYSIS**
- Preparation and evaluation of immobilized single  
and multiple enzyme systems  
[PB-264898/8] N77-27683
- HYPEROXIA**
- The thyroid and environmental stress in mammals  
[NASA-CR-151462] N77-27681
- HYPOTHALAMUS**
- Histological and histochemical studies of the  
neurosecretory system of the hypothalamus and  
the thyroid gland in stress situations  
A77-38892

## HYPOXIA

- Efficiency of main physiological reactions of  
brain adaptation to hypoxia  
A77-37594
- Effects of three kinds of hypoxias on vigilance  
performance  
A77-38031
- Studies of the dynamics of the metabolism of  
nucleic acids in the supraoptic nucleus of  
animals experiencing high-altitude hypoxia and  
accelerations  
A77-38893
- Influence of acute hypoxia on direct reaction time  
A77-38894

## ILLUSIONS

- Somatosensory motion after-effect following  
earth-horizontal rotation about the Z-axis - A  
new illusion  
A77-38033

## IMAGE CONTRAST

- The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation  
A77-39834

## IMAGE ENHANCEMENT

- Methodology for evaluation of image enhancement  
techniques --- for synthetic aperture radar  
A77-38303

## IMAGES

- Working papers in acquisition of knowledge for  
image understanding  
[AD-A037769] N77-27712

## IMAGING TECHNIQUES

- Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- Pulmonary ventilation imaging and function studies  
with krypton-81m  
[IAEA-SM-210/58] N77-27700
- INFLATABLE STRUCTURES**
- Personal flotation devices research, phase 1  
[AD-A037221] N77-26810
- Impact tests of a near-production air cushion  
restraint  
[PB-265156/0] N77-27715
- INFORMATION DISSEMINATION**
- Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701
- INFORMATION SYSTEMS**
- Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701
- INHIBITION**
- The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation  
A77-39834

## INFORMATION DISSEMINATION

- Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701

## INFORMATION SYSTEMS

- Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701

## INHIBITION

- The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation  
A77-39834

## INHIBITION (PSYCHOLOGY)

- Somatosensory motion after-effect following  
earth-horizontal rotation about the Z-axis - A  
new illusion  
A77-38033

## INJURIES

- Application of the response probability density  
function technique to biodynamic models ---  
predicting injuries from air blasts  
[AD-A040020] N77-27695

## INTERACTIONS

- Interaction between the heart and the vascular  
system: A circuit approach  
N77-27687

## INTERPLANETARY FLIGHT

- Psychology of interplanetary flight  
A77-38899

## ION EXCHANGE MEMBRANE ELECTROLYTES

- Light-dependent cation gradients and electrical  
potential in Halobacterium halobium cell  
envelope vesicles  
A77-38910

## ISCHEMIA

## SUBJECT INDEX

## ISCHEMIA

- Clinical medicine review - Three unique presentations of ischemic heart disease  
A77-38041

## K

## KINESTHESIA

- A kinesthetic-tactual display concept for helicopter-pilot workload reduction  
[AHS 77-33-22] A77-40062

## KNOWLEDGE

- Working papers in acquisition of knowledge for image understanding  
[AD-A037769] N77-27712

## KRYPTON ISOTOPES

- Pulmonary ventilation imaging and function studies with krypton-81m  
[IAEA-SM-210/58] N77-27700

## L

## LABORATORY EQUIPMENT

- Automated single-slide staining device  
[NASA-CASE-LAR-11649-1] N77-27677

## LIFE SUPPORT SYSTEMS

- ECLSS consumables analysis: ALT captive/active 1 and captive/active 3 --- space shuttle orbiters.  
[NASA-TN-X-74754] N77-27709

## LIGHT (VISIBLE RADIATION)

- Rhodopsin content and electroretinographic sensitivity in light-damaged rat retina  
A77-39371

## LIPID METABOLISM

- Influence of altered gaseous environments on lung metabolism  
[AD-A037977] N77-26801

## LOCKS (FASTENERS)

- Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2] N77-27694

## LONG TERM EFFECTS

- Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue  
A77-38034  
Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037

## LUMINANCE

- The luminance difference threshold as a contrast threshold - Evidence for inhibitory interactions in spatial summation  
A77-39834

## M

## MAINTENANCE

- A study using infra red thermography of clothing assemblies for use by personnel working beneath operating helicopters  
[AD-A035966] N77-26805

## MAN MACHINE SYSTEMS

- Comparison of numeric keyboard and CRT line-labeled buttons for information access --- in computerized, area navigation system for aircraft  
A77-37406

- Use of a nonvisual display for improving the manual control of an unstable system  
A77-38122

- Human factors considerations in new generation Army aircraft systems  
[AD-A037992] N77-26806

- Applications of human performance reliability evaluation concepts and demonstration guidelines  
[AD-A037632] N77-26809

- Working papers in acquisition of knowledge for image understanding  
[AD-A037769] N77-27712

- Critical review and analysis of performance models applicable to man-machine systems evaluation  
[AD-A038597] N77-27713

## MANAGEMENT METHODS

- A dynamic interactive computer graphics package for human movement studies  
N77-27706

## MANAGEMENT SYSTEMS

- Treatise on aeromedical evacuation. I - Administration and some medical considerations.  
II - Some surgical considerations  
A77-38042

## MANIPULATORS

- Remote manipulator system steering capability for SVDS  
[NASA-CR-151438] N77-26804

## MANUAL CONTROL

- Use of a nonvisual display for improving the manual control of an unstable system  
A77-38122

## MARS (PLANET)

- Mars as a habitable environment --- Russian book  
A77-39676

## MATHEMATICAL MODELS

- Spacecraft contamination modeling  
[AIAA PAPER 77-739] A77-39509

- The development, maintenance, and mathematical description of tracking behavior in man and the rhesus monkey  
[AD-A038006] N77-26802

- Interaction between the heart and the vascular system: A circuit approach  
N77-27687

- Application of the response probability density function technique to biodynamic models --- predicting injuries from air blasts  
[AD-A040020] N77-27695

- Critical review and analysis of performance models applicable to man-machine systems evaluation  
[AD-A038597] N77-27713

## MECHANICAL DEVICES

- Evaluation of the motion of a mechanical arm  
A77-38188

- Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2] N77-27694

## MEDICAL EQUIPMENT

- A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer  
[NASA-CASE-GSC-12081-2] N77-26796

## MEMBRANES

- Light energy transduction by the purple membrane of halophilic bacteria; Proceedings of the Symposium, San Francisco, Calif., June 6, 1976  
A77-38903

- Light energy transduction by the purple membrane of halophilic bacteria - Introduction  
A77-38904

- The photochemical cycle of bacteriorhodopsin  
A77-38906

- Conformational changes in bacteriorhodopsin accompanying ionophore activity  
A77-38909

- Light energy conservation processes in Halobacterium halobium cells  
A77-38912

- Potassium permeability in the transverse tubule system and latency relaxation: A study of excitation-contraction coupling  
N77-27685

## MICROBIOLOGY

- Cell biology experiments conducted in space  
A77-37953

- Microbiological profiles of the Viking spacecraft  
A77-37954

- Effect of combined heat and radiation on microbial destruction  
A77-38450

- Translations on USSR science and technology: Biomedical sciences, no. 4  
[JPBS-69399] N77-27684

## MICROORGANISMS

- Microbiological profiles of the Viking spacecraft  
A77-37954

- Selective enrichment and isolation of microorganisms on ethyl S-diisopropyl aminoethyl methylphosphonothioate (VI)  
[CL-1975-27] N77-26793

- Determination of antimicrobial susceptibilities of infected urines without isolation  
[NASA-CASE-GSC-12046-1] N77-26797

## MICROWAVE EMISSION

- Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037

On microwave-induced hearing sensation  
A77-38320

**MIDDLE EAR**  
Response of guinea pig ears to pure tones, speech,  
and other complex waveforms imparted  
acoustically and by ossicular chain coupled  
piezoelectric type transducers  
N77-27679

**MILITARY AIRCRAFT**  
Human factors considerations in new generation  
Army aircraft systems  
[AD-A037992]  
N77-26806

**MONKEYS**  
The development, maintenance, and mathematical  
description of tracking behavior in man and the  
rhesus monkey  
[AD-A038006]  
N77-26802

**MOTION AFTEREFFECTS**  
Somatosensory motion after-effect following  
earth-horizontal rotation about the Z-axis - A  
new illusion  
A77-38033

**MUSCULAR FUNCTION**  
Fast motor units are not preferentially activated  
in rapid voluntary contractions in man  
A77-39365  
Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements  
A77-39615  
Contracting polymer structures - New energy  
converters  
A77-39802  
Potassium permeability in the transverse tubule  
system and latency relaxation: A study of  
excitation-contraction coupling  
N77-27685

**MUSCULOSKELETAL SYSTEM**  
Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements  
A77-39615  
Pulsatile pressure-flow dynamics in resting  
skeletal muscle  
N77-27691

**MYOCARDIUM**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539  
Ultrasound study of dynamic behaviour of left  
ventricle in genetic asymmetric septal hypertrophy  
A77-39341

**MYOELECTRIC POTENTIALS**  
Fast motor units are not preferentially activated  
in rapid voluntary contractions in man  
A77-39365

**N**

**NASA PROGRAMS**  
Ergonomics technology  
A77-37962

**NAVY**  
Human factors programs in Navy systems acquisition  
[AD-A037775]  
N77-26807  
Low-temperature handwear with improved dexterity  
[AD-A037535]  
N77-26811

**NEUROLOGY**  
Studies in neuroendocrine pharmacology  
[NASA-CR-153278]  
N77-26795

**NEUROMUSCULAR TRANSMISSION**  
Fast motor units are not preferentially activated  
in rapid voluntary contractions in man  
A77-39365

**NEW MEXICO**  
Cesium-137 whole-body content in a normal New  
Mexico population  
[LA-UR-76-2097]  
N77-26798

**NUCLEAR EXPLOSIONS**  
Development of a helmet-mounted PLZT thermal/flash  
protection system --- eye protection against  
nuclear weapon detonations  
[SAND-76-5894]  
N77-27711

**O**

**OPERATOR PERFORMANCE**  
Performance measures of human tracking utilizing  
PID modeling and a closed loop error metric  
A77-37465  
Applications of human performance reliability  
evaluation concepts and demonstration guidelines  
[AD-A037632]  
N77-26809

**OPTICAL CORRECTION PROCEDURE**  
Intermediate visual acuity of presbyopic  
individuals with and without distance and  
bifocal lens corrections  
[AD-A038538/5]  
N77-27696

**OPTICAL DATA PROCESSING**  
Computational techniques in visual systems. Part  
1: The overall design  
[AD-A038846]  
N77-27703

**OPTIMAL CONTROL**  
Stabilization of biped walking apparatus  
A77-38276

**OPTOMETRY**  
Diurnal rhythms of visual accommodation and blink  
responses - Implication for flight-deck visual  
standards  
A77-38039

**ORGANIC PHOSPHORUS COMPOUNDS**  
Oxime therapy and oxime blood levels in rats:  
Dependence on the dose of the organophosphate  
[MBL-1976-7]  
N77-26791  
Selective enrichment and isolation of  
microorganisms on ethyl S-diisopropyl aminoethyl  
methylphosphonothioate (VI)  
[CL-1975-27]  
N77-26793

**ORGANISMS**  
Three basic levels of the organization of life on  
earth  
A77-39791

**ORGANS**  
TIMED: A computer program for calculating  
cumulated activity of a radionuclide in the  
organs of the human body at a given time, t,  
after deposition  
[ORNL-CSD-TM-17]  
N77-27699

**ORTHOPEDECS**  
Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2]  
N77-27694

**OSMOSIS**  
Light-activated amino acid transport in  
Halobacterium halobium envelope vesicles  
A77-38911

**OTOLITH ORGANS**  
Development of methodologies for vestibular  
experimentation with man and animals  
[NASA-CR-151444]  
N77-27680

**OXYGEN BREATHING**  
The effects of increased oxygen concentrations and  
acceleration forces on the mechanical properties  
of the lungs  
N77-27686

**OXYGEN CONSUMPTION**  
Pace and grade related to the oxygen and energy  
requirements, and the mechanics of treadmill  
running  
N77-27689

**OXYGEN TENSION**  
Efficiency of main physiological reactions of  
brain adaptation to hypoxia  
A77-37594

**OZONE**  
Biochemical effects of environmental pollutants  
--- Book  
A77-39400

**P**

**PATIENTS**  
Treatise on aeromedical evacuation. I -  
Administration and some medical considerations.  
II - Some surgical considerations  
A77-38042

**PERIPHERAL CIRCULATION**  
Cold-induced vasodilatation and peripheral blood  
flow under local cold stress in man at altitude  
A77-38032  
Studies on the hematologic effects of long-term,  
low-dose microwave exposure  
A77-38037

# PERMEABILITY

# SUBJECT INDEX

## PERMEABILITY

Potassium permeability in the transverse tubule system and latency relaxation: A study of excitation-contraction coupling

N77-27685

## PERSONNEL

A study using infra red thermography of clothing assemblies for use by personnel working beneath operating helicopters  
[AD-A035966]

N77-26805

## PHARMACOLOGY

Studies in neuroendocrine pharmacology  
[NASA-CR-153278]

N77-26795

## PHOSPHORUS METABOLISM

Response of selected microorganisms to experimental planetary environments  
[NASA-CR-153912]

N77-27682

## PHOTOCHEMICAL REACTIONS

The photochemical cycle of bacteriorhodopsin

A77-38906

Photochemical and chemical studies on the chromophore of bacteriorhodopsin

A77-38907

Light energy conservation processes in Halobacterium halobium cells

A77-38912

## PHYSICAL EXERCISE

Systolic time intervals utilizing ear densitography - Advantages and reliability for stress testing

A77-38468

Postexercise systolic time intervals in the midsystolic click syndrome

A77-38741

Circadian variations in responses of trained and untrained men to submaximal exercise

N77-27688

Study of optimal training protocols and devices for developing and maintaining physical fitness in females prior to and during space flight  
[NASA-CR-151246]

N77-27692

## PHYSICAL FITNESS

Psycho-physiological assessment of acceleration-induced changes in various seat configurations

A77-38040

Study of optimal training protocols and devices for developing and maintaining physical fitness in females prior to and during space flight  
[NASA-CR-151246]

N77-27692

## PHYSIOLOGICAL EFFECTS

Aeromedical considerations for flight operations from high-elevation airfields

A77-38044

Studies in neuroendocrine pharmacology  
[NASA-CR-153278]

N77-26795

## PHYSIOLOGICAL RESPONSES

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection

A77-37378

Efficiency of main physiological reactions of brain adaptation to hypoxia

A77-37594

Some psychophysiological aspects of flight in formation

A77-37790

Effects of three kinds of hypoxias on vigilance performance

A77-38031

Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude

A77-38032

Diurnal rhythms of visual accommodation and blink responses - Implication for flight-deck visual standards

A77-38039

Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations

A77-38892

Response of guinea pig ears to pure tones, speech, and other complex waveforms imparted acoustically and by ossicular chain coupled piezoelectric type transducers

N77-27679

## PHYSIOLOGICAL TESTS

A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices

A77-37791

## PILOT PERFORMANCE

Some psychophysiological aspects of flight in formation

A77-37790

A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices

A77-37791

Subjective stress assessment - A new, simple method to determine pilot workload

A77-38043

Correlation of general aviation accidents with the biorhythm theory

A77-38306

Influence of acute hypoxia on direct reaction time

A77-38894

A kinesthetic-tactile display concept for helicopter-pilot workload reduction  
[AHS 77-33-22]

A77-40062

Effects of direct side force control on pilot tracking performance  
[AD-A036083]

N77-26812

## PIONS

Biological effects of negative pions  
[LA-UR-76-2529]

N77-26799

## PLANETARY ENVIRONMENTS

Mars as a habitable environment --- Russian book

A77-39676

## PLANETARY QUARANTINE

Microbiological profiles of the Viking spacecraft

A77-37954

## POISONS

Biochemical effects of environmental pollutants --- Book

A77-39400

## POLYMERIC FILMS

Contracting polymer structures - New energy converters

A77-39802

## POPULATIONS

Three basic levels of the organization of life on earth

A77-39791

## POTASSIUM

Potassium permeability in the transverse tubule system and latency relaxation: A study of excitation-contraction coupling

N77-27685

## PREDICTION ANALYSIS TECHNIQUES

Application of the response probability density function technique to biodynamic models --- predicting injuries from air blasts  
[AD-A040020]

N77-27695

## PRESBYOPIA

Intermediate visual acuity of presbyopic individuals with and without distance and bifocal lens corrections  
[AD-A038538/5]

N77-27696

## PRESSURE EFFECTS

Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue

A77-38034

Left ventricular function during lower body negative pressure

A77-38036

## PRESSURE PULSES

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection

A77-37378

## PRESSURE SUITS

Prototype development of the cardiac synchronized augmented pulsation pressure concept --- modified suit for acceleration protection

A77-37378

## PROBABILITY DENSITY FUNCTIONS

Application of the response probability density function technique to biodynamic models --- predicting injuries from air blasts  
[AD-A040020]

N77-27695

**PROTECTIVE CLOTHING**

A study using infra red thermography of clothing assemblies for use by personnel working beneath operating helicopters  
[AD-A035966] N77-26805

**PROTEINS**

The isolation and purification of protein fractions involved in E. Coli DNA replication  
N77-27678

**PROTONS**

Proton translocation by ATPase and bacteriorhodopsin  
A77-38908

**PSYCHOLOGICAL FACTORS**

Some psychophysiological aspects of flight in formation  
A77-37790

Psychology of interplanetary flight  
A77-38899

**PSYCHOLOGICAL TESTS**

A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices  
A77-37791

**PSYCHOMOTOR PERFORMANCE**

Influence of acute hypoxia on direct reaction time  
A77-38894

Emotional stress and an astronaut's work capacity  
A77-38914

**PSYCHOPHYSIOLOGY**

Some psychophysiological aspects of flight in formation  
A77-37790

Psycho-physiological assessment of acceleration-induced changes in various seat configurations  
A77-38040

**PSYCHOSONATICS**

Survey report of the sleep time on the Moscow route  
[NASA-TT-F-17530] N77-27707

**PUBLIC HEALTH**

STARPAHC operational report  
[NASA-CR-151432] N77-26794

Relating spatial distributions of pollutants to health effects  
[COO-2874-1] N77-27698

**PULMONARY CIRCULATION**

Pulmonary ventilation imaging and function studies with krypton-81m  
[IAEA-SM-210/58] N77-27700

**PULMONARY FUNCTIONS**

The effects of increased oxygen concentrations and acceleration forces on the mechanical properties of the lungs.  
N77-27686

**R****RADAR IMAGERY**

Methodology for evaluation of image enhancement techniques --- for synthetic aperture radar  
A77-38303

**RADIATION DAMAGE**

Effect of combined heat and radiation on microbial destruction  
A77-38450

**RADIATION DOSAGE**

Cesium-137 whole-body content in a normal New Mexico population  
[LA-UR-76-2097] N77-26798

**TIMED:** A computer program for calculating cumulated activity of a radionuclide in the organs of the human body at a given time, t, after deposition  
[ORNL-CSD-TM-17] N77-27699

**RADIATION EFFECTS**

Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037

On microwave-induced hearing sensation  
A77-38320

**RADIATION HAZARDS**

Radiation carcinogenesis  
[CONF-760946-6] N77-27702

**RADIATION INJURIES**

Rhodopsin content and electroretinographic sensitivity in light-damaged rat retina  
A77-39371

**RADIATION PROTECTION**

In vitro evaluation of some latent radioprotective compounds --- cysteamine derivatives  
[MBL-1976-11] N77-26792

**RADIATION THERAPY**

A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer  
[NASA-CASE-GSC-12081-2] N77-26796

Biological effects of negative pions  
[LA-UR-76-2529] N77-26799

Radiation carcinogenesis  
[CONF-760946-6] N77-27702

**RADIOACTIVE ISOTOPES**

**TIMED:** A computer program for calculating cumulated activity of a radionuclide in the organs of the human body at a given time, t, after deposition  
[ORNL-CSD-TM-17] N77-27699

**RATS**

Acquisition and activity in aged rats  
[MBL-1976-4] N77-26789

Oxime therapy and oxime blood levels in rats: Dependence on the dose of the organophosphate  
[MBL-1976-7] N77-26791

Role of the adrenocortical reaction to physical load in increase in the working capacity of the body  
[NASA-TM-75026] N77-27697

**REACTION TIME**

A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices  
A77-37791

Influence of acute hypoxia on direct reaction time  
A77-38894

**REDUCTION (CHEMISTRY)**

Photochemical and chemical studies on the chromophore of bacteriorhodopsin  
A77-38907

**RELIABILITY**

Applications of human performance reliability evaluation concepts and demonstration guidelines  
[AD-A037632] N77-26809

**REMOTE CONTROL**

Remote manipulator system steering capability for SVDS  
[NASA-CR-151438] N77-26804

**RESPIRATORY DISEASES**

Spirometric assessment of potential respiratory impairment in general aviation airman  
A77-38035

Treatise on aeromedical evacuation. I - Administration and some medical considerations.  
II - Some surgical considerations  
A77-38042

**RESPIRATORY IMPEDANCE**

Pulmonary ventilation imaging and function studies with krypton-81m  
[IAEA-SM-210/58] N77-27700

**RESPIRATORY SYSTEM**

Influence of altered gaseous environments on lung metabolism  
[AD-A037977] N77-26801

Circadian variations in responses of trained and untrained men to submaximal exercise  
N77-27688

**RETINA**

Rhodopsin content and electroretinographic sensitivity in light-damaged rat retina  
A77-39371

**RHYTHM (BIOLOGY)**

Correlation of general aviation accidents with the biorhythm theory  
A77-38306

**RIBONUCLEIC ACIDS**

Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing high-altitude hypoxia and accelerations  
A77-38893

**RIDING QUALITY**

Proceedings and findings of the 1976 Workshop on Ride Quality --- passenger acceptance of transportation systems  
[NASA-CP-2006] N77-27710

**ROBOTS**

Evaluation of the motion of a mechanical arm  
A77-38188



## ROOM TEMPERATURE

## SUBJECT INDEX

## ROOM TEMPERATURE

Heat stress in an aircraft cockpit during ground standby  
A77-38038

## RUNNING

Pace and grade related to the oxygen and energy requirements, and the mechanics of treadmill running  
N77-27689

## RURAL AREAS

STARPAC operational report  
[NASA-CR-151432]  
N77-26794

## S

## SAFETY DEVICES

Impact tests of a near-production air cushion restraint  
[PB-265156/0]  
N77-27715

## SCINTILLATION COUNTERS

Cesium-137 whole-body content in a normal New Mexico population  
[LA-UR-76-2097]  
N77-26798

## SEATS

Psycho-physiological assessment of acceleration-induced changes in various seat configurations  
A77-38040

Whole body vibration: A mechanical and physiological study of working postures and drivers' seats  
[RAE-LIB-TRANS-1891]  
N77-27705

## SENSORIMOTOR PERFORMANCE

A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices  
A77-37791

## SENSORY PERCEPTION

Somatosensory motion after-effect following earth-horizontal rotation about the Z-axis - A new illusion  
A77-38033

## SEPTUM

Ultrasound study of dynamic behaviour of left ventricle in genetic asymmetric septal hypertrophy  
A77-39341

## SERVOMECHANISMS

Evaluation of the motion of a mechanical arm  
A77-38188

## SIGNAL DETECTION

Stimulus presentation rate in vigilance  
A77-38307

## SIGNS AND SYMPTOMS

Spirometric assessment of potential respiratory impairment in general aviation airmen  
A77-38035

## SKIN (ANATOMY)

Low-temperature handwear with improved dexterity  
[AD-A037535]  
N77-26811

## SLEEP DEPRIVATION

Survey report of the sleep time on the Moscow route  
[NASA-TT-F-17530]  
N77-27707

## SOILS

Selective enrichment and isolation of microorganisms on ethyl S-diisopropyl aminoethyl methylphosphonothioate (VI)  
[CL-1975-27]  
N77-26793

## SOLITARY WAVES

Existence and nature of band solutions to generic chemotactic transport equations --- for bacteria and the unicellular organisms  
A77-37958

## SOUND GENERATORS

On microwave-induced hearing sensation  
A77-38320

## SPACE FLIGHT STRESS

Psychology of interplanetary flight  
A77-38899  
Emotional stress and an astronaut's work capacity  
A77-38914

## SPACE SHUTTLE ORBITERS

ECISS consumables analysis: ALT captive/active 1 and captive/active 3 --- space shuttle orbiters  
[NASA-TN-X-74754]  
N77-27709

## SPACECRAFT CABIN SIMULATORS

Remote manipulator system steering capability for SVDS  
[NASA-CR-151438]  
N77-26804

## SPACECRAFT CONTAMINATION

Microbiological profiles of the Viking spacecraft  
A77-37954

Spacecraft contamination modeling  
[AIAA PAPER 77-739]  
A77-39509

## SPACECRAFT STERILIZATION

Effect of combined heat and radiation on microbial destruction  
A77-38450

## SPECTRAL BANDS

Existence and nature of band solutions to generic chemotactic transport equations --- for bacteria and the unicellular organisms  
A77-37958

## STAINING

Automated single-slide staining device  
[NASA-CASE-LAR-11649-1]  
N77-27677

## STATISTICAL ANALYSIS

Some thoughts on improving experiments --- in human factors studies  
A77-38302

## STATISTICAL DISTRIBUTIONS

Relating spatial distributions of pollutants to health effects  
[COO-2874-1]  
N77-27698

## STRESS (PHYSIOLOGY)

Subjective stress assessment - A new, simple method to determine pilot workload  
A77-38043

Systolic time intervals utilizing ear densitography - Advantages and reliability for stress testing  
A77-38468

Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations  
A77-38892

## STRESS (PSYCHOLOGY)

Subjective stress assessment - A new, simple method to determine pilot workload  
A77-38043

Emotional stress and an astronaut's work capacity  
A77-38914

## STRUCTURAL DESIGN CRITERIA

Whole body vibration: A mechanical and physiological study of working postures and drivers' seats  
[RAE-LIB-TRANS-1891]  
N77-27705

## SUPPORTS

Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2]  
N77-27694

## SURFACE PROPERTIES

Spacecraft contamination modeling  
[AIAA PAPER 77-739]  
A77-39509

## SYSTEM EFFECTIVENESS

ECISS consumables analysis: ALT captive/active 1 and captive/active 3 --- space shuttle orbiters  
[NASA-TN-X-74754]  
N77-27709

## SYSTEMS ANALYSIS

Three basic levels of the organization of life on earth  
A77-39791

A-6E systems approach to training, phase 1  
[AD-A037468]  
N77-26803

Human factors programs in Navy systems acquisition  
[AD-A037775]  
N77-26807

## SYSTOLE

Systolic time intervals utilizing ear densitography - Advantages and reliability for stress testing  
A77-38468

Postexercise systolic time intervals in the midsystolic click syndrome  
A77-38741

Ultrasound study of dynamic behaviour of left ventricle in genetic asymmetric septal hypertrophy  
A77-39341

## T

## TACTILE DISCRIMINATION

A kinesthetic-tactual display concept for helicopter-pilot workload reduction  
[AHS 77-33-22]  
A77-40062

## TECHNOLOGY UTILIZATION

Ergonomics technology  
A77-37962

**TEMPERATURE EFFECTS**

Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue

A77-38034

Heat stress in an aircraft cockpit during ground standby

A77-38038

Effect of combined heat and radiation on microbial destruction

A77-38450

**THALLIUM ISOTOPES**

Myocardial imaging with thallium-201 at rest and during exercise - Comparison with coronary arteriography and resting and stress electrocardiography

A77-38539

**THERAPY**

Oxime therapy and oxime blood levels in rats:

Dependence on the dose of the organophosphate

[MBL-1976-7] N77-26791

**THERMAL RADIATION**

Development of a helmet-mounted PLZT thermal/flash protection system --- eye protection against nuclear weapon detonations

[SAND-76-5894] N77-27711

**THERMAL STRESSES**

Heat stress in an aircraft cockpit during ground standby

A77-38038

**THORAX**

Dynamic analysis of the thoracic structure

subjected to impact loadings

N77-27690

**THREE AXIS STABILIZATION**

Stabilization of biped walking apparatus

A77-38276

**THRESHOLDS (PERCEPTION)**

The luminance difference threshold as a contrast threshold - Evidence for inhibitory interactions in spatial summation

A77-39834

**THYROID GLAND**

Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations

A77-38892

**THYROXINE**

The thyroid and environmental stress in mammals

[NASA-CR-151462] N77-27681

**TIME**

Role of the adrenocortical reaction to physical load in increase in the working capacity of the body

[NASA-TM-75026] N77-27697

**TISSUES (BIOLOGY)**

System for and method of freezing biological tissue

[NASA-CASE-GSC-12173-1] N77-27693

**TOXIC HAZARDS**

Influence of altered gaseous environments on lung metabolism

[AD-A037977] N77-26801

**TOXICOLOGY**

Biochemical effects of environmental pollutants

--- Book

A77-39400

**TRACKING (POSITION)**

Performance measures of human tracking utilizing

PID modeling and a closed loop error metric

A77-37465

A dual-loop model of the human controller in

single-axis tracking tasks

[NASA-TM-73249] N77-27708

**TRAINING DEVICES**

A high resolution vision system for aircraft and

trainers

A77-37466

**TRANSFER FUNCTIONS**

Proceedings and findings of the 1976 Workshop on

Ride Quality --- passenger acceptance of

transportation systems

[NASA-CP-2006] N77-27710

**TRANSPORT AIRCRAFT**

Characteristics in the atmosphere of long-range transport aircraft cabins --- effects on aircrew fatigue

A77-38034

**TRANSPORT VEHICLES**

Proceedings and findings of the 1976 Workshop on

Ride Quality --- passenger acceptance of

transportation systems

[NASA-CP-2006] N77-27710

**TREADMILLS**

Pace and grade related to the oxygen and energy

requirements, and the mechanics of treadmill

running

N77-27689

**TUNING**

Tuning properties of cochlear hair cells

A77-39372

**U****U.S.S.R.**

Space biology and aerospace medicine, no. 3, 1977

[JPRS-69380] N77-27704

**URINE**

Determination of antimicrobial susceptibilities of

infected urines without isolation

[NASA-CASE-GSC-12046-1] N77-26797

**UTERUS**

A cervix-to-rectum measuring device in a radiation

applicator for use in the treatment of cervical

cancer

[NASA-CASE-GSC-12081-2] N77-26796

**V****VASCULAR SYSTEM**

Interaction between the heart and the vascular

system: A circuit approach

N77-27687

**VASODILATION**

Cold-induced vasodilatation and peripheral blood

flow under local cold stress in man at altitude

A77-38032

**VIBRATION DAMPING**

Whole body vibration: A mechanical and

physiological study of working postures and

drivers' seats

[RAE-LIB-TRANS-1891] N77-27705

**VIKING LANDER SPACECRAFT**

Microbiological profiles of the Viking spacecraft

A77-37954

**VISUAL ACCOMMODATION**

Diurnal rhythms of visual accommodation and blink

responses - Implication for flight-deck visual

standards

A77-38039

**VISUAL ACUITY**

Intermediate visual acuity of presbyopic

individuals with and without distance and

bifocal lens corrections

[AD-A038538/5] N77-27696

**VISUAL AIDS**

A high resolution vision system for aircraft and

trainers

A77-37466

**VISUAL PERCEPTION**

The luminance difference threshold as a contrast

threshold - Evidence for inhibitory interactions

in spatial summation

A77-39834

Computational techniques in visual systems. Part

1: The overall design

[AD-A038846] N77-27703

Working papers in acquisition of knowledge for

image understanding

[AD-A037769] N77-27712

**VISUAL PIGMENTS**

Light energy transduction by the purple membrane

of halophilic bacteria; Proceedings of the

Symposium, San Francisco, Calif., June 6, 1976

A77-38903

Light energy transduction by the purple membrane

of halophilic bacteria - Introduction

A77-38904

Structural studies on Halobacterium halobium

bacteriorhodopsin

A77-38905

The photochemical cycle of bacteriorhodopsin

A77-38906

Photochemical and chemical studies on the

chromophore of bacteriorhodopsin

A77-38907

**VISUAL STIMULI****SUBJECT INDEX**

Proton translocation by ATPase and bacteriorhodopsin  
A77-38908  
Conformational changes in bacteriorhodopsin  
accompanying ionophore activity A77-38909  
Light energy conservation processes in  
Halobacterium halobium cells A77-38912  
Rhodopsin content and electroretinographic  
sensitivity in light-damaged rat retina A77-39371  
**VISUAL STIMULI**  
Stimulus presentation rate in vigilance A77-38307  
The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation A77-39834  
**VISUAL TASKS**  
Effects of three kinds of hypoxias on vigilance  
performance A77-38031  
Stimulus presentation rate in vigilance A77-38307

**W**

**WALKING MACHINES**  
Stabilization of biped walking apparatus A77-38276  
**WAVE EQUATIONS**  
Existence and nature of band solutions to generic  
chemotactic transport equations --- for bacteria  
and the unicellular organisms A77-37958  
**WORK CAPACITY**  
Emotional stress and an astronaut's work capacity A77-38914  
Role of the adrenocortical reaction to physical  
load in increase in the working capacity of the  
body N77-27697  
[NASA-TM-75026]  
**WORKLOADS (PSYCHOPHYSIOLOGY)**  
Subjective stress assessment - A new, simple  
method to determine pilot workload A77-38043  
**WRIST**  
Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements A77-39615

**X**


**X RAY IRRADIATION**  
In vitro evaluation of some latent radioprotective  
compounds --- cysteamine derivatives N77-26792  
[MBL-1976-11]

# PERSONAL AUTHOR INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Suppl. 172)

OCTOBER 1977

## Typical Personal Author Index Listing



The title of the document is used to provide the user with a brief description of the subject matter. The NASA or AIAA accession number is included in each entry to assist the user in locating the abstract in the abstract section of this supplement. If applicable, a report number is also included as an aid in identifying the document.

## A

- AHMAD, M.**  
Left ventricular function during lower body negative pressure  
A77-38036
- AKIN, O.**  
Working papers in acquisition of knowledge for image understanding  
[AD-A037769] N77-27712
- AKSENOV, S. I.**  
Mars as a habitable environment  
A77-39676
- AMOLS, H. I.**  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- AMOS, B.**  
A high resolution vision system for aircraft and trainers  
A77-37466
- ANDERSON, D. J.**  
Development of methodologies for vestibular experimentation with man and animals  
[NASA-CR-151444] N77-27680
- ANDERSON, E. C.**  
Cesium-137 whole-body content in a normal New Mexico population  
[LA-UR-76-2097] N77-26798
- ARBIB, M. A.**  
Computational techniques in visual systems. Part 1: The overall design  
[AD-A038846] N77-27703
- AUFFRET, R.**  
Characteristics in the atmosphere of long-range transport aircraft cabins  
A77-38034

## B

- BAHLER, R. C.**  
Postexercise systolic time intervals in the midsystolic click syndrome  
A77-38741
- BAIN, E.**  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- BARON, S.**  
Critical review and analysis of performance models applicable to man-machine systems evaluation  
[AD-A038597] N77-27713

- BARZA, H. J.**  
Determination of antimicrobial susceptibilities of infected urines without isolation  
[NASA-CASE-GSC-12046-1] N77-26797
- BAUCUM, R. W., JR.**  
Pulmonary valve fluttering in subpulmonic ventricular septal defect  
A77-38466
- BELIAKOV, R. V.**  
Contracting polymer structures - New energy converters  
A77-39802
- BERGSTROM, S. L.**  
Microbiological profiles of the Viking spacecraft  
A77-37954
- BHAGAT, P. K.**  
The development, maintenance, and mathematical description of tracking behavior in man and the rhesus monkey  
[AD-A038006] N77-26802
- BJURVALD, M.**  
Whole body vibration: A mechanical and physiological study of working postures and drivers' seats  
[RAE-LIB-TRANS-1891] N77-27705
- BLOMQVIST, C. G.**  
Left ventricular function during lower body negative pressure  
A77-38036
- BOGOMOLNI, R. A.**  
Light energy conservation processes in Halobacterium halobium cells  
A77-38912
- BOGOVICH, K.**  
The isolation and purification of protein fractions involved in E. Coli DNA replication  
N77-27678
- BOUCHER, C. A.**  
The value and limitations of echocardiography in recording mitral valve vegetations  
A77-38467
- BOYKIN, W. H., JR.**  
Mechanics and performance of human motion  
A77-39912
- BRADSHAW, R. A.**  
Structural studies on Halobacterium halobium bacteriorhodopsin  
A77-38905
- BRANDT, W. E., JR.**  
Program documentation for the T4 EVO Crew Station simulation programs  
[AD-A037944] N77-26808
- BRINKLEY, J. W.**  
Impact tests of a near-production air cushion restraint  
[PB-265156/0] N77-27715
- BUCKLEY, M. J.**  
The value and limitations of echocardiography in recording mitral valve vegetations  
A77-38467
- BUDKE, L.**  
In vitro evaluation of some latent radioprotective compounds  
[MBL-1976-11] N77-26792
- BURGIN, R. E.**  
Correlation of general aviation accidents with the biorhythm theory  
A77-38306
- BUSH, L. T.**  
The effects of increased oxygen concentrations and acceleration forces on the mechanical properties of the lungs  
N77-27686

## C

- CAMPBELL, S. C.  
A-6E systems approach to training, phase 1  
[AD-A037468] N77-26803
- CARLSOBER, S.  
Whole body vibration: A mechanical and physiological study of working postures and drivers' seats  
[RAE-LIB-TRANS-1891] N77-27705
- CARPENTER, S. G.  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- CHAO, J. I. L.  
Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2] N77-27694
- CHAPELLE, E. W.  
Determination of antimicrobial susceptibilities of infected urines without isolation  
[NASA-CASE-GSC-12046-1] N77-26797
- CHRISTENSEN, C. L.  
Effects of three kinds of hypoxias on vigilance performance  
A77-38031
- CLARK, R.  
A study using infra red thermography of clothing assemblies for use by personnel working beneath operating helicopters  
[AD-A035966] N77-26805
- CLASOVANDERWIEL, H. J.  
Oxime therapy and oxime blood levels in rats: Dependence on the dose of the organophosphate  
[MBL-1976-7] N77-26791
- COOK, R. O.  
Response of guinea pig ears to pure tones, speech, and other complex waveforms imparted acoustically and by ossicular chain coupled piezoelectric type transducers  
N77-27679
- COOPER, S. M.  
Impact tests of a near-production air cushion restraint  
[PB-265156/0] N77-27715
- CORBIN, B.  
Study of optimal training protocols and devices for developing and maintaining physical fitness in females prior to and during space flight  
[NASA-CR-151246] N77-27692
- COUZELIS, P. M.  
Circadian variations in responses of trained and untrained men to submaximal exercise  
N77-27688
- CUTCBERN, J. T.  
Development of a helmet-mounted PLZT thermal/flash protection system  
[SAND-76-5894] N77-27711
- CYGNAROWICZ, T. A.  
System for and method of freezing biological tissue  
[NASA-CASE-GSC-12173-1] N77-27693

## D

- DAVIDOV, V. D.  
Mars as a habitable environment  
A77-39676
- DEHART, R. L.  
Aeromedical considerations for flight operations from high elevation airfields  
A77-38044
- DEHING, J. W.  
Determination of antimicrobial susceptibilities of infected urines without isolation  
[NASA-CASE-GSC-12046-1] N77-26797
- DESEBET, J. E.  
Fast motor units are not preferentially activated in rapid voluntary contractions in man  
A77-39365
- DICELLO, J. P.  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- DJOKOVIC, V.  
Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037
- DJORDJEVIC, Z.  
Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037

- DOLL, T.  
Personal flotation devices research, phase 1  
[AD-A037221] N77-26810
- DUJARDIN, J. P.  
Interaction between the heart and the vascular system: A circuit approach  
N77-27687
- DUNN, R. S.  
A kinesthetic-tactual display concept for helicopter-pilot workload reduction  
[ARS 77-33-22] A77-40062

## E

- EPPS, C. H., JR.  
Locking mechanism for orthopedic braces  
[NASA-CASE-GSC-12082-2] N77-27694

## F

- FALLOU, J. T.  
The value and limitations of echocardiography in recording mitral valve vegetations  
A77-38467
- FEDDERN, J.  
A-6E systems approach to training, phase 1  
[AD-A037468] N77-26803
- FEEHNER, C. E.  
Critical review and analysis of performance models applicable to man-machine systems evaluation  
[AD-A038597] N77-27713
- FIELDS, M. D.  
Microbiological profiles of the Viking spacecraft  
A77-37954
- FISCHELL, D. R.  
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer  
[NASA-CASE-GSC-12081-2] N77-26796
- FISHER, D. A.  
Effect of combined heat and radiation on microbial destruction  
A77-38450
- FLUI, H.  
Spirometric assessment of potential respiratory impairment in general aviation airmen  
A77-38035
- FORD, M. B.  
TIMED: A computer program for calculating cumulated activity of a radionuclide in the organs of the human body at a given time, t, after deposition  
[ORNL-CSD-TM-17] N77-27699
- FOSTER, T. L.  
Response of selected microorganisms to experimental planetary environments  
[NASA-CR-153912] N77-27682
- FOURN, P.  
Characteristics in the atmosphere of long-range transport aircraft cabins  
A77-38034
- FRANK, J. P.  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- FRIEDMAN, A. M.  
Pulmonary ventilation imaging and function studies with krypton-81m  
[IAEA-SM-210/58] N77-27700
- PROELICHER, V. F., JR.  
Clinical medicine review - Three unique presentations of ischemic heart disease  
A77-38041
- FRY, R. J. M.  
Radiation carcinogenesis  
[CONF-760946-6] N77-27702
- FURCHNER, J. E.  
Cesium-137 whole-body content in a normal New Mexico population  
[LA-UR-76-2097] N77-26798

## G

- GALTON, V. A.  
The thyroid and environmental stress in mammals  
[NASA-CR-151462] N77-27681
- GERGANS, G. A.  
Pulmonary ventilation imaging and function studies with krypton-81m  
[IAEA-SM-210/58] N77-27700

- GIANOLA, S. V.**  
Low-temperature handwear with improved dexterity  
[AD-A037535] N77-26811
- GILSON, R. D.**  
A kinesthetic-tactile display concept for  
helicopter-pilot workload reduction  
[AHS 77-33-22] A77-40062
- GINDLER, J. E.**  
Pulmonary ventilation imaging and function studies  
with krypton-81m  
[IAEA-SM-210/58] N77-27700
- GLASSER, S. P.**  
Pulmonary valve fluttering in subpulmonic  
ventricular septal defect  
A77-38466
- GLINER, J. A.**  
Effects of three kinds of hypoxias on vigilance  
performance  
A77-38031
- GODAUX, E.**  
Fast motor units are not preferentially activated  
in rapid voluntary contractions in man  
A77-39365
- GOERRES, H. P.**  
Subjective stress assessment - A new, simple  
method to determine pilot workload  
A77-38043
- GOFF, E. R.**  
A study using infra red thermography of clothing  
assemblies for use by personnel working beneath  
operating helicopters  
[AD-A035966] N77-26805
- GOLIC, L.**  
Influence of acute hypoxia on direct reaction time  
A77-38894
- GOLUBETS, M. A.**  
Three basic levels of the organization of life on  
earth  
A77-39791
- GOULD, K. L.**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- GRAHAM, G.**  
A-6E systems approach to training, phase 1  
[AD-A037468] N77-26803
- GRANT, G. A.**  
In vitro evaluation of some latent radioprotective  
compounds  
[HBL-1976-11] N77-26792
- GRAYBIEL, A.**  
Somatosensory motion after-effect following  
earth-horizontal rotation about the Z-axis - A  
new illusion  
A77-38033

**H**

- HAMILTON, G. W.**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- HANSSON, J. E.**  
Whole body vibration: A mechanical and  
physiological study of working postures and  
drivers' seats  
[RAE-LIB-TRANS-1891] N77-27705
- HARRIS, J. O., JR.**  
Development of a helmet-mounted PLZT thermal/flash  
protection system  
[SAND-76-5894] N77-27711
- HARRISON, M. E.**  
Heat stress in an aircraft cockpit during ground  
standby  
A77-38038
- HARTZELL, E. J.**  
Performance measures of human tracking utilizing  
PID modeling and a closed loop error metric  
A77-37465
- HENNE, R. L.**  
Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701

- HEWSON, P. L.**  
Pace and grade related to the oxygen and energy  
requirements, and the mechanics of treadmill  
running  
N77-27689
- HERSHEY, R. L.**  
Application of the response probability density  
function technique to biodynamic models  
[AD-A040020] N77-27695
- HESS, R. A.**  
A dual-loop model of the human controller in  
single-axis tracking tasks  
[NASA-TN-73249] N77-27708
- HIGENBOTTAM, C.**  
Heat stress in an aircraft cockpit during ground  
standby  
A77-38038
- HIGGINS, T. H.**  
Application of the response probability density  
function technique to biodynamic models  
[AD-A040020] N77-27695
- HOLWERDA, E.**  
Selective enrichment and isolation of  
microorganisms on ethyl S-diisopropyl aminoethyl  
methylphosphonothioate (VX)  
[CL-1975-27] N77-26793
- HORVATH, S. H.**  
Effects of three kinds of hypoxias on vigilance  
performance  
A77-38031
- HUGENHOLTZ, P. G.**  
Ultrasound study of dynamic behaviour of left  
ventricle in genetic asymmetric septal hypertrophy  
A77-39341
- HUTTER, A. M., JR.**  
The value and limitations of echocardiography in  
recording mitral valve vegetations  
A77-38467

**I**

- ILCZUK, Z.**  
Aspects of terrestrial and extraterrestrial  
biogenesis  
A77-38896
- IVANOV, A. V.**  
Some psychophysiological aspects of flight in  
formation  
A77-37790
- IVANOV, K. P.**  
Efficiency of main physiological reactions of  
brain adaptation to hypoxia  
A77-37594

**J**

- JANIGA, D. V.**  
Use of a nonvisual display for improving the  
manual control of an unstable system  
A77-38122
- JOHNSON, A., JR.**  
Treatise on aeromedical evacuation. I -  
Administration and some medical considerations.  
II - Some surgical considerations  
A77-38042
- JONES, W. L.**  
Ergonomics technology  
A77-37962

**K**

- KAGAWA, Y.**  
Proton translocation by ATPase and bacteriorhodopsin  
A77-38908
- KAPLAN, E.**  
Pulmonary ventilation imaging and function studies  
with krypton-81m  
[IAEA-SM-210/58] N77-27700
- KEEFER, L. H.**  
Structural studies on Halobacterium halobium  
bacteriorhodopsin  
A77-38905
- KILARA, A.**  
Preparation and evaluation of immobilized single  
and multiple enzyme systems  
[PB-264898/8] N77-27683

- KIRSCH, G. E.  
Potassium permeability in the transverse tubule system and latency relaxation: A study of excitation-contraction coupling  
N77-27685
- KISLIAKOV, IU. IA.  
Efficiency of main physiological reactions of brain adaptation to hypoxia  
A77-37594
- KNOOK, D. L.  
Acquisition and activity in aged rats [MBL-1976-4]  
N77-26789
- KOLTSOV, A. E.  
A method for evaluating the functional condition of a pilot using chronometric simple motor reaction indices  
A77-37791
- KONISHI, T.  
Conformational changes in bacteriorhodopsin accompanying ionophore activity  
A77-38909
- KOUKOL, R. C.  
Microbiological profiles of the Viking spacecraft  
A77-37954
- KRUK, W. Z.  
Emotional stress and an astronaut's work capacity  
A77-38914
- KUHLTHAU, A. E.  
Proceedings and findings of the 1976 Workshop on Ride Quality [NASA-CP-2006]  
N77-27710
- KWARECKI, K.  
Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations  
A77-38892
- Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing high-altitude hypoxia and accelerations  
A77-38893
- L**
- LACKNER, J. E.  
Somatosensory motion after-effect following earth-horizontal rotation about the Z-axis - A new illusion  
A77-38033
- LANCE, V. Q.  
Systolic time intervals utilizing ear densitography - Advantages and reliability for stress testing  
A77-38468
- LANYI, J. K.  
Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles  
A77-38910
- Light-activated amino acid transport in Halobacterium halobium envelope vesicles  
A77-38911
- LARIN, V. B.  
Stabilization of biped walking apparatus  
A77-38276
- LATEGOLA, M. T.  
Spirometric assessment of potential respiratory impairment in general aviation airmen  
A77-38035
- LAZAREVIC, N.  
Studies on the hematologic effects of long-term, low-dose microwave exposure  
A77-38037
- LEAHY, W. E.  
Applications of human performance reliability evaluation concepts and demonstration guidelines [AD-A037632]  
N77-26809
- LEE, S. D.  
Biochemical effects of environmental pollutants  
A77-39406
- LEWIS, E.  
A high resolution vision system for aircraft and trainers  
A77-37466
- LIN, J. C.  
On microwave-induced hearing sensation  
A77-38320
- LITVINTSEV, A. I.  
Control of muscles in carrying out certain voluntary movements with one degree of freedom. I - Single movements  
A77-39615
- LOOSE, D. R.  
Effects of direct side force control on pilot tracking performance [AD-A036083]  
N77-26812
- LOZIER, R. H.  
The photochemical cycle of bacteriorhodopsin  
A77-38906
- LUBBE, P. H.  
Isolation of antibody forming cells by using cluster formation in combination with velocity sedimentation [MBL-1976-6]  
N77-26790
- LUH, J. Y. S.  
Evaluation of the motion of a mechanical arm  
A77-38188
- LYNE, P. J.  
Spirometric assessment of potential respiratory impairment in general aviation airmen  
A77-38035
- M**
- MACDONALD, R. E.  
Light-dependent cation gradients and electrical potential in Halobacterium halobium cell envelope vesicles  
A77-38910
- Light-activated amino acid transport in Halobacterium halobium envelope vesicles  
A77-38911
- MACNEILL, R.  
Personal flotation devices research, phase 1 [AD-A037221]  
N77-26810
- MAICKEL, R. P.  
Studies in neuroendocrine pharmacology [NASA-CR-153278]  
N77-26795
- MAHOTRA, R. S.  
Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude  
A77-38032
- MARKS, E.  
Histological and histochemical studies of the neurosecretory system of the hypothalamus and the thyroid gland in stress situations  
A77-38892
- Studies of the dynamics of the metabolism of nucleic acids in the supraoptic nucleus of animals experiencing high-altitude hypoxia and accelerations  
A77-38893
- MARTIN, D. T.  
Remote manipulator system steering capability for SVDS [NASA-CR-151438]  
N77-26804
- MARTINEZ, J. M., II  
The luminance difference threshold as a contrast threshold - Evidence for inhibitory interactions in spatial summation  
A77-39834
- MASKEWITZ, B. P.  
Biomedical Computing Technology Information Center: An international resource for technology sharing [IAEA-SM-210/93]  
N77-27701
- MATHEW, L.  
Cold-induced vasodilatation and peripheral blood flow under local cold stress in man at altitude  
A77-38032
- MAYNE, R. W.  
Use of a nonvisual display for improving the manual control of an unstable system  
A77-38122
- MAYRON, L. W.  
Pulmonary ventilation imaging and function studies with krypton-81m [IAEA-SM-210/58]  
N77-27700
- MAZIQUE, J.  
A cervix-to-rectum measuring device in a radiation applicator for use in the treatment of cervical cancer [NASA-CASE-GSC-12081-2]  
N77-26796

PERSONAL AUTHOR INDEX

REDDY, R.

- MCCLAIN, W. J.**  
Biomedical Computing Technology Information  
Center: An international resource for  
technology sharing  
[IAEA-SM-210/93] N77-27701
- MCCOY, D. F.**  
The development, maintenance, and mathematical  
description of tracking behavior in man and the  
rhesus monkey  
[AD-A038006] N77-26802
- MCCLUREATH, K. W.**  
Effects of direct side force control on pilot  
tracking performance  
[AD-A036083] N77-26812
- MCNEELIN, R. R.**  
Correlation of general aviation accidents with the  
biorhythm theory  
A77-38306
- MERRIMAN, S. C.**  
Human factors programs in Navy systems acquisition  
[AD-A037775] N77-26807
- MIKHAILIK, W. P.**  
Some psychophysiological aspects of flight in  
formation  
A77-37790
- MILLER, A. B.**  
Postexercise systolic time intervals in the  
midsystolic click syndrome  
A77-38741
- MILLER, D. C.**  
Critical review and analysis of performance models  
applicable to man-machine systems evaluation  
[AD-A038597] N77-27713
- MILLS, S. M.**  
Automated single-slide staining device  
[NASA-CASE-LAR-11649-1] N77-27677
- MOHR, G. C.**  
Impact tests of a near-production air cushion  
restraint  
[PB-265156/0] N77-27715
- MORGANLANDER, M.**  
A-6E systems approach to training, phase 1  
[AD-A037468] N77-26803
- MULLAN, B. J.**  
A study using infra red thermography of clothing  
assemblies for use by personnel working beneath  
operating helicopters  
[AD-A035966] N77-26805
- MULLINS, C. B.**  
Left ventricular function during lower body  
negative pressure  
A77-38036
- MURPHY, M. R.**  
Diurnal rhythms of visual accommodation and blink  
responses - Implication for flight-deck visual  
standards  
A77-38039
- MURRAY, J. A.**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- MYERS, G. S.**  
The value and limitations of echocardiography in  
recording mitral valve vegetations  
A77-38467

N

- NARAHARA, K. A.**  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- NICKOLSON, V. J.**  
Acquisition and activity in aged rats  
[MBL-1976-4] N77-26789
- NIEDERBERGER, W.**  
The photochemical cycle of bacteriorhodopsin  
A77-38906

O

- OESTERHELT, D.**  
Photochemical and chemical studies on the  
chromophore of bacteriorhodopsin  
A77-38907

- OHLANDER, R.**  
Working papers in acquisition of knowledge for  
image understanding  
[AD-A037769] N77-27712
- OHNO, K.**  
Proton translocation by ATPase and bacteriorhodopsin  
A77-38908
- OLREE, H. D.**  
Study of optimal training protocols and devices  
for developing and maintaining physical fitness  
in females prior to and during space flight  
[NASA-CR-151246] N77-27692
- OXBOEROW, G. S.**  
Microbiological profiles of the Viking spacecraft  
A77-37954

P

- PACKER, L.**  
Conformational changes in bacteriorhodopsin  
accompanying ionophore activity  
A77-38909
- PEW, R. W.**  
Critical review and analysis of performance models  
applicable to man-machine systems evaluation  
[AD-A038597] N77-27713
- PFAUTH, M.**  
Personal flotation devices research, phase 1  
[AD-A037221] N77-26810
- PFLUG, I. J.**  
Effect of combined heat and radiation on microbial  
destruction  
A77-38450
- PFOFF, B. J.**  
Development of a helmet-mounted PLZT thermal/flash  
protection system  
[SAND-76-5894] N77-27711
- PHILLIPS, C. A.**  
Prototype development of the cardiac synchronized  
augmented pulsation pressure concept  
A77-37378
- PICCILOLO, G. L.**  
Determination of antimicrobial susceptibilities of  
infected urines without isolation  
[NASA-CASE-GSC-12046-1] N77-26797
- POTOR, G., JR.**  
Effects of direct side force control on pilot  
tracking performance  
[AD-A036083] N77-26812
- PULEO, J. R.**  
Microbiological profiles of the Viking spacecraft  
A77-37954
- PURKAYASTHA, S. S.**  
Cold-induced vasodilatation and peripheral blood  
flow under local cold stress in man at altitude  
A77-38032

R

- RAJU, M. R.**  
Biological effects of negative pions  
[LA-UR-76-2529] N77-26799
- RANDLE, R. J.**  
Diurnal rhythms of visual accommodation and blink  
responses - Implication for flight-deck visual  
standards  
A77-38039
- RANTANEN, R. O.**  
Spacecraft contamination modeling  
[AIAA PAPER 77-739] A77-39509
- RAPP, L. M.**  
Rhodopsin content and electroretinographic  
sensitivity in light-damaged rat retina  
A77-39371
- RASMUSSEN, P. G.**  
Intermediate visual acuity of presbyopic  
individuals with and without distance and  
bifocal lens corrections  
[AD-A038538/5] N77-27696
- RASSVETAEV, V. V.**  
Some psychophysiological aspects of flight in  
formation  
A77-37790

- REDDY, R.**  
Working papers in acquisition of knowledge for  
image understanding  
[AD-A037769] N77-27712



- REINS, D. A.  
Low-temperature handwear with improved dexterity  
[AD-A037535] N77-26811
- REISING, J. M.  
Some thoughts on improving experiments A77-38302
- REPPERGER, D. W.  
Performance measures of human tracking utilizing  
PID modeling and a closed loop error metric A77-37465
- RHOADES, R. A.  
Influence of altered gaseous environments on lung  
metabolism [AD-A037977] N77-26801
- RICHMOND, C. R.  
Cesium-137 whole-body content in a normal New  
Mexico population [LA-UR-76-2097] N77-26798
- RILEY, D. R.  
A dynamic interactive computer graphics package  
for human movement studies N77-27706
- RISEMAN, E. M.  
Computational techniques in visual systems. Part  
1: The overall design [AD-A038846] N77-27703
- RITCHIE, J. L.  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography A77-38539
- ROBINSON, J. D.  
Human factors analysis of symbology for ECM display  
A77-37464
- ROELANDT, J.  
Ultrasound study of dynamic behaviour of left  
ventricle in genetic asymmetric septal hypertrophy A77-39341
- ROGERS, D. B.  
Prototype development of the cardiac synchronized  
augmented pulsation pressure concept A77-37378
- ROLEK, E. P.  
Some thoughts on improving experiments A77-38302
- ROSEN, G.  
Existence and nature of band solutions to generic  
chemotactic transport equations A77-37958
- ROSSI, G.  
Isolation of antibody forming cells by using  
cluster formation in combination with velocity  
sedimentation [MBL-1976-6] N77-26790
- RUBIN, A. B.  
Mars as a habitable environment A77-39676
- RUSSELL, H. C.  
Impact tests of a near-production air cushion  
restraint [PB-265156/0] N77-27715
- RUSSELL, I. J.  
Tuning properties of cochlear hair cells A77-39372

## S

- SAGER, T. W.  
Relating spatial distributions of pollutants to  
health effects [COO-2874-1] N77-27698
- SCHARCE, R. W., JR.  
Pulsatile pressure-flow dynamics in resting  
skeletal muscle N77-27691
- SCHAFER, J. T.  
Impact tests of a near-production air cushion  
restraint [PB-265156/0] N77-27715
- SCHNABACH, M. L.  
The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation A77-39834
- SCHOBERT, P. G., JR.  
Investigation of user generated cockpit  
discrepancies in Naval aircraft  
[AD-A038774] N77-27714

- SCHRECKENBACH, T.  
Photochemical and chemical studies on the  
chromophore of bacteriorhodopsin A77-38907
- SCHROCK, C. G.  
Determination of antimicrobial susceptibilities of  
infected urines without isolation [NASA-CASE-GSC-12046-1] N77-26797
- SCHULTZ, M.  
Working papers in acquisition of knowledge for  
image understanding [AD-A037769] N77-27712
- SELICK, P. M.  
Tuning properties of cochlear hair cells A77-39372
- SELVAMURTHY, W.  
Cold-induced vasodilatation and peripheral blood  
flow under local cold stress in man at altitude  
A77-38032
- SEN-JACKSON, C. W.  
Investigation on the saturation and clearance of  
hydrogen gas in the brain and extremities of  
man, and investigations on biomedical monitoring  
of divers in wet-suits [AD-A037498] N77-26800
- SERGEEV, V. A.  
A method for evaluating the functional condition  
of a pilot using chronometric simple motor  
reaction indices. A77-37791
- SEBOPIAN, N. S.  
Control of muscles in carrying out certain  
voluntary movements with one degree of freedom.  
I - Single movements A77-39615
- SHAMPINE, J. C.  
Low-temperature handwear with improved dexterity  
[AD-A037535] N77-26811
- SHIH, P.  
Conformational changes in bacteriorhodopsin  
accompanying ionophore activity A77-38909
- SIDORUK, W.  
Methodology for evaluation of image enhancement  
techniques A77-38303
- SIEGEL, A. I.  
Applications of human performance reliability  
evaluation concepts and demonstration guidelines  
[AD-A037632] N77-26809
- SJOFLÖT, L.  
Whole body vibration: A mechanical and  
physiological study of working postures and  
drivers' seats [RAE-LIB-TRANS-1891] N77-27705
- SMITH, C.  
Study of optimal training protocols and devices  
for developing and maintaining physical fitness  
in females prior to and during space flight  
[NASA-CR-151246] N77-27692
- SNYDER, W. S.  
TIMED: A computer program for calculating  
cumulated activity of a radionuclide in the  
organs of the human body at a given time, t,  
after deposition [ORNL-CSD-TM-17] N77-27699
- SONE, W.  
Proton translocation by ATPase and bacteriorhodopsin  
A77-38908
- SPODICK, D. H.  
Systolic time intervals utilizing ear  
densitography - Advantages and reliability for  
stress testing A77-38468
- STABEKIS, P. D.  
Microbiological profiles of the Viking spacecraft  
A77-37954
- STEINES, G. J.  
ECLSS consumables analysis: ALT captive/active 1  
and captive/active 3 [NASA-TM-X-74754] N77-27709
- STIEHL, C.  
Personal flotation devices research, phase 1  
[AD-A037221] N77-26810
- STOECKENIUS, W.  
Light energy transduction by the purple membrane  
of halophilic bacteria - Introduction A77-38904

- STURB, J. P.  
The luminance difference threshold as a contrast  
threshold - Evidence for inhibitory interactions  
in spatial summation  
A77-39834
- SUN, P.  
A kinesthetic-tactual display concept for  
helicopter-pilot workload reduction  
[AHS 77-33-22]  
A77-40062
- SUNDARAM, S. B.  
Dynamic analysis of the thoracic structure  
subjected to impact loadings  
N77-27690

## T

- TAKRUCHI, Y.  
Proton translocation by ATPase and bacteriorhodopsin  
A77-38908
- TAYLOR, G. B.  
Cell biology experiments conducted in space  
A77-37953
- TEH CATE, F. J.  
Ultrasound study of dynamic behaviour of left  
ventricle in genetic asymmetric septal hypertrophy  
A77-39341
- TERELAK, J.  
Psychology of interplanetary flight  
A77-38899
- THOMAS, R. G.  
Cesium-137 whole-body content in a normal New  
Mexico population  
[LA-UR-76-2097]  
N77-26798
- TOBBY, B. A.  
Biological effects of negative pions  
[LA-UR-76-2529]  
N77-26799
- TOPOLOVSKII, V. A.  
Mars as a habitable environment  
A77-39676
- TROBAUGH, G. B.  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539

## V

- VAUGHAN, J. A.  
Intermediate visual acuity of presbyopic  
individuals with and without distance and  
bifocal lens corrections  
[AD-A038538/5]  
N77-27696
- VELLEND, B.  
Determination of antimicrobial susceptibilities of  
infected urines without isolation  
[NASA-CASE-GSC-12046-1]  
N77-26797
- VIELLEPOND, B.  
Characteristics in the atmosphere of long-range  
transport aircraft cabins  
A77-38034
- VIRU, A. A.  
Role of the adrenocortical reaction to physical  
load in increase in the working capacity of the  
body  
[NASA-TM-75026]  
N77-27697
- VISSER, R. P. L. S.  
Oxime therapy and oxime blood levels in rats:  
Dependence on the dose of the organophosphate  
[MBL-1976-7]  
N77-26791
- VOGE, V. B.  
Psycho-physiological assessment of  
acceleration-induced changes in various seat  
configurations  
A77-38040
- VOLL, R. P.  
Evaluation of the motion of a mechanical arm  
A77-38188
- VOS, O.  
In vitro evaluation of some latent radioprotective  
compounds  
[MBL-1976-11]  
N77-26792

## W

- WAGNER, J. A.  
Effects of three kinds of hypoxias on vigilance  
performance  
A77-38031

- WALKER, M. W.  
Evaluation of the motion of a mechanical arm  
A77-38188
- WALTERS, R. A.  
Biological effects of negative pions  
[LA-UR-76-2529]  
N77-26799
- WARD, S. L.  
Some thoughts on improving experiments  
A77-38302
- WATSON, S. B.  
TIMED: A computer program for calculating  
cumulated activity of a radionuclide in the  
organs of the human body at a given time, t,  
after deposition  
[ORNL-CSD-TM-17]  
N77-27699
- WEAVER, C. A., JR.  
Human factors considerations in new generation  
Army aircraft systems  
[AD-A037992]  
N77-26806
- WEINSTEIN, L.  
Determination of antimicrobial susceptibilities of  
infected urines without isolation  
[NASA-CASE-GSC-12046-1]  
N77-26797
- WELSH, K. W.  
Intermediate visual acuity of presbyopic  
individuals with and without distance and  
bifocal lens corrections  
[AD-A038538/5]  
N77-27696
- WIENER, E. L.  
Stimulus presentation rate in vigilance  
A77-38307
- WIESEN, J. P.  
Applications of human performance reliability  
evaluation concepts and demonstration guidelines  
[AD-A037632]  
N77-26809
- WILKINS, J. R.  
Automated single-slide staining device  
[NASA-CASE-LAR-11649-1]  
N77-27677
- WILLERSON, J. T.  
Left ventricular function during lower body  
negative pressure  
A77-38036
- WILLIAMS, B. A.  
Diurnal rhythms of visual accommodation and blink  
responses - Implication for flight-deck visual  
standards  
A77-38039
- WILLIAMS, D.  
Comparison of numeric keyboard and CRT  
line-labeled buttons for information access  
A77-37406
- WILLIAMS, D. L.  
Myocardial imaging with thallium-201 at rest and  
during exercise - Comparison with coronary  
arteriography and resting and stress  
electrocardiography  
A77-38539
- WILLIAMS, T. E.  
System for and method of freezing biological tissue  
[NASA-CASE-GSC-12173-1]  
N77-27693
- WILLIAMS, T. P.  
Rhodopsin content and electroretinographic  
sensitivity in light-damaged rat retina  
A77-39371
- WINANS, L., JR.  
Response of selected microorganisms to  
experimental planetary environments  
[NASA-CR-153912]  
N77-27682
- WOLCOTT, J. H.  
Correlation of general aviation accidents with the  
biorhythm theory  
A77-38306
- WOLTHUIS, O. L.  
Acquisition and activity in aged rats  
[MBL-1976-4]  
N77-26789
- Oxime therapy and oxime blood levels in rats:  
Dependence on the dose of the organophosphate  
[MBL-1976-7]  
N77-26791

## Y

- YANOWITZ, R. E.  
Correlation of general aviation accidents with the  
biorhythm theory  
A77-38306
- YOSHIDA, M.  
Proton translocation by ATPase and bacteriorhodopsin  
A77-38908

**2**

ZAALBERG, O. B.

Isolation of antibody forming cells by using  
cluster formation in combination with velocity  
sedimentation  
[MBL-1976-6]

B77-26790

ZARR, E. I.

Mars as a habitable environment

A77-39676

1. Report No. NASA SP-7011 (172)		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle  AEROSPACE MEDICINE AND BIOLOGY A Continuing Bibliography (Supplement 172)				5. Report Date October 1977	
				6. Performing Organization Code	
7. Author(s)				8. Performing Organization Report No.	
9. Performing Organization Name and Address  National Aeronautics and Space Administration Washington, DC 20546				10. Work Unit No.	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address				13. Type of Report and Period Covered	
				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract  This bibliography lists 132 reports, articles, and other documents introduced into the NASA scientific and technical information system in September 1977.					
17. Key Words (Suggested by Author(s))  Aerospace Medicine Bibliographies Biological Effects				18. Distribution Statement  Unclassified - Unlimited	
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		22. Price* \$4.75 HC	
				21. No. of Pages 52	

\* For sale by the National Technical Information Service, Springfield, Virginia 22161

# **PUBLIC COLLECTIONS OF NASA DOCUMENTS**

## **DOMESTIC**

NASA distributes its technical documents and bibliographic tools to ten special libraries located in the organizations listed below. Each library is prepared to furnish the public such services as reference assistance, interlibrary loans, photocopy service, and assistance in obtaining copies of NASA documents for retention.

### **CALIFORNIA**

University of California, Berkeley

### **COLORADO**

University of Colorado, Boulder

### **DISTRICT OF COLUMBIA**

Library of Congress

### **GEORGIA**

Georgia Institute of Technology, Atlanta

### **ILLINOIS**

The John Crerar Library, Chicago

### **MASSACHUSETTS**

Massachusetts Institute of Technology, Cambridge

### **MISSOURI**

Linda Hall Library, Kansas City

### **NEW YORK**

Columbia University, New York

### **PENNSYLVANIA**

Carnegie Library of Pittsburgh

### **WASHINGTON**

University of Washington, Seattle

NASA publications (those indicated by an "\*" following the accession number) are also received by the following public and free libraries:

### **CALIFORNIA**

Los Angeles Public Library

San Diego Public Library

### **COLORADO**

Denver Public Library

### **CONNECTICUT**

Hartford Public Library

### **MARYLAND**

Enoch Pratt Free Library, Baltimore

### **MASSACHUSETTS**

Boston Public Library

### **MICHIGAN**

Detroit Public Library

### **MINNESOTA**

Minneapolis Public Library

### **MISSOURI**

Kansas City Public Library

St. Louis Public Library

### **NEW JERSEY**

Trenton Public Library

### **NEW YORK**

Brooklyn Public Library

Buffalo and Erie County Public Library

Rochester Public Library

New York Public Library

### **OHIO**

Akron Public Library

Cincinnati Public Library

Cleveland Public Library

Dayton Public Library

Toledo Public Library

### **OKLAHOMA**

Oklahoma County Libraries, Oklahoma City

### **TENNESSEE**

Memphis Public Library

### **TEXAS**

Dallas Public Library

Fort Worth Public Library

### **WASHINGTON**

Seattle Public Library

### **WISCONSIN**

Milwaukee Public Library

An extensive collection of NASA and NASA-sponsored documents and aerospace publications available to the public for reference purposes is maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 750 Third Avenue, New York, New York, 10017.

## **EUROPEAN**

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. By virtue of arrangements other than with NASA, the British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols "\*" and "#", from: ESRO/ELDO Space Documentation Service, European Space Research Organization, 114, av. Charles de Gaulle, 92-Neuilly-sur-Seine, France.

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
WASHINGTON, D.C. 20546

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300

SPECIAL FOURTH CLASS MAIL  
Book

POSTAGE AND FEES PAID  
NATIONAL AERONAUTICS AND  
SPACE ADMINISTRATION  
NASA-451



POSTMASTER: If Undeliverable (Section 158  
Postal Manual) Do Not Return

## NASA CONTINUING BIBLIOGRAPHY SERIES

NUMBER	TITLE	FREQUENCY
NASA SP-7011	AEROSPACE MEDICINE AND BIOLOGY Aviation medicine, space medicine, and space biology	Monthly
NASA SP-7037	AERONAUTICAL ENGINEERING Engineering, design, and operation of aircraft and aircraft components	Monthly
NASA SP-7039	NASA PATENT ABSTRACTS BIBLIOGRAPHY NASA patents and applications for patent	Semiannually
NASA SP-7041	EARTH RESOURCES Remote sensing of earth resources by aircraft and spacecraft	Quarterly
NASA SP-7043	ENERGY Energy sources, solar energy, energy conversion, transport, and storage	Quarterly
NASA SP-7500	MANAGEMENT Program, contract, and personnel management, and management techniques	Annually

Details on the availability of these publications may be obtained from:

SCIENTIFIC AND TECHNICAL INFORMATION OFFICE

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION  
Washington, D.C. 20546